

Material Safety Data Sheet

Date: July 9, 2010

SECTION - 1: [Product and Company Identification] filename "Msds.ALLWIK - DRIP PANS &

Product Items' Names:

DPA40	DPA24	

• Chemical Name: Polypropylene [CAS # 9003-07-0] {30-40%}

Carbon Black [CAS # 1333-86-4] {<0.1%}
Polyethylene [CAS # 9002-88-4] {60-70%}
Orange Pigment [CAS # not available] {<1 %}
Proprietary Surfactant {<0.1%}

• Chemical Family: Primarily Polyolefin / Hydrocarbon

Product Description: A plastic drip pan, plus a fibrous sorbent in a particulate form contained

within a scrim envelope pillow, or by a coverstock covering attached to the top rim of the pan, of the same chemical composition as the sorbent. Pan color is orange; pillow color is predominately white or light gray. Trace other color is possible. Odor may be mild hydrocarbon. There may be logo printing on the

product.

Contact Address: Sorbent Products Company, 645 Howard Avenue, Somerset, NJ 08873

• Emergency Telephone: 800-333-7672 (24-Hours)

SECTION - 2: [Hazardous Ingredients & Exposure Limits]

• This product contains no hazardous ingredients.

• This product is defined as an "Article' and does not require an MSDS as defined in 29 CFR 1910.1200 of the U.S. Occupational Safety & Health Standard. MSDS provided only by request of customer.

SECTION - 3: [Typical Physical & Chemical Characteristics]

Specific Gravity	0.90 - 0.92 (sorbent)
Melting Point	225 degrees F
Freezing Point	not applicable
Boiling Point	not applicable
pН	not applicable

% Volatiles	0
Solubility in Water	0
Form	solid
Density	0.04 - 0.06 g/cc,sorbent
Evaporation Rate	0

SECTION - 4: [Fire, Explosion, & Reactivity Data]

• Flash Point: > 500-deg. F (estimated)

• Flammability Limits: not flammable

• Auto-Ignition Temp.: > 500-deg. F (estimated)

• Incompatibility with: none known (chemical resistance is high)

- Stability Considerations:
 - Highly stable
 - Temperatures over 380-deg. F may cause degradation
- Conditions to avoid: none known (chemical resistance is excellent).
- Fire Fighting:
 - Be cautious of hot melted polypropylene or polyethylene.
 - Use water spray to cool fire exposed surfaces & to protect personnel.
 - Isolate product from fire.
 - Extinguish fire with water spray.
 - Respiratory & eye protection is required for fire fighting personnel.
 - Decomposition Products Under Fire Conditions:
 - Oxygen-lean conditions may cause carbon monoxide & irritating smoke.

SECTION - 5: [Health Information & Protection]

• Eye Protection: Product is inert; none required.

Skin Contact: Product is inert; none required, except if melted use gloves.

For hot melted product, immerse in or flush affected area with water to

dissipate the heat, then obtain medical attention for burn care.

Inhalation: Not applicable.

• Ingestion:: First aid not normally required.

Exposure Limits: NoneThreshold Limits: None

Personal Protection: None (ambient conditions)

NPCA-HMIS Rating:

 $\begin{array}{ll} \Rightarrow & \text{Health} & 0 \\ \Rightarrow & \text{Flammability} & 1 \\ \Rightarrow & \text{Reactivity} & 0 \end{array}$

• NFPA-704 Rating:

 $\begin{array}{ll} \Rightarrow & \text{Health} & 0 \\ \Rightarrow & \text{Flammability} & 1 \\ \Rightarrow & \text{Reactivity} & 0 \end{array}$

SECTION - 6: [Spill/Leak Control & Special Precautions]

Land: Recover material & place in suitable container for reuse, or for

disposal in conformance with local regulations.

• Water: Recover material & place in suitable container for reuse, or for

disposal in conformance with local regulations.

• Storage & Handling: No precautions noted - see local regulation if needed.

⇒ Storage Temperature: <u>Ambient</u>
 ⇒ Storage Pressure: <u>Atmospheric</u>

SECTION - 7: [Regulatory Information]

Department of Transportation (DOT):

DOT Hazard Class:
 <u>Not Regulated</u>

DOT Identification No.:
 None

• TSCA: This product is listed in the TSCA Inventory

CERCLA: This product is not subject to reporting.

• SARA: (Title-III) Not Hazardous; No Reportable Ingredients

SECTION - 8: [Disclaimer]

