



	Brady® BMP™71 Label Printer	HellermannTyton Spirit® 2100	Panduit® Viper™ LS6
List Price	\$895.00	\$ 675.00-\$795.00	\$970.00 (Discontinued)
Targeted Markets / Applications *	Electrical , Voice/DataComm Small OEM Manufacturing Facility, Safety, Maintenance Lean / Visual Workplace Material Handling Laboratories ADM	Datacomm Electrical	Electrical
Max Lines Per Label *	25	3	4
Size	12.00" L x 9.50" W x 4.50" H	12.00" L x 3.50 W" x 4.00" H	13.80" L x 4.90" W x 6.20" H
Weight	5.64 lbs (w/battery)	2.76 lbs	4.8 lbs
Keyboard type	Soft - Rubber	Soft - Rubber	Soft - Rubber
Keypad layout	QWERTY	ABC	ABC
Cutter	Manual	Manual	Manual
Display *	3.50" Color TFT 320 x 240 pixels	2.00" x 1.50" LCD	3.00" x 1.50" LCD
Built-In Formatting/ Modes (Electrical, Datacomm, Safety) *	Auto Font sizing (4-174 pts) Rotate Text Mirror Fixed Length Wire Marker Text repeat Symbols (Over 360) Reverse Framing Horizontal and Vertical Printing Bold, Italic Underline, Expand/Condense Time and Date Stamping Other templates/wizards (Electrical, Datacomm, Safety)	Wire Marker Some Symbols Horizontal Only Printing	36 symbols Mirror Rotate Text Fixed Length Horizontal Only Time and Date Stamping
Print Technology	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Resolution *	300 dpi	203 dpi	203 dpi
Print speed *	1.50 in/sec	0.74 in/sec	0.23 in/sec

Label Constructions *	Continuous & Die Cut	Die-cut only	Limited Continuous & Die-Cut
Bulk Labels *	Yes 5-10 times standard roll qty common SKU w/ TLS 2200	No	No
Label Materials	Nylon Cloth Paper Polyester Polyethylene Polyimide Self Laminating Vinyl Tamper Evident Vinyl Metallized Polyester Polyolefin Polypropylene Raised Panel Labels Permasleeve™ Heat Shrink Sleeves Indoor/Outdoor GradeVinyl Repositionable Reflective Phosphorescent Tedlar	Self-lam Vinyl Metallized Polyester Polyester Direct Thermal	Flexible PVC Polyester Polyolefin Vinyl Vinyl Cloth
Label Sizes *	Many sizes from 0.25" to 2.00"	0.25" to 2.00"	0.50", 0.75", 1.00", 1.50", 2.00"
Text Sizes *	4 pt to 174 pt (scalable)	7 (6 pt to 26 pt)	N/A
Bar Codes	Code 39, Code 128	Code 39, Code 128, EAN	Yes
PC-Connectable	Yes USB	Yes	Yes
Memory *	Yes 200mb	Yes 256K of non-volatile storage	N/A
Serialization *	Yes Simple and 2-level linked	Yes	Yes
Type of Battery	Rechargeable NiMH Battery Pack	Rechargeable NiCAD Battery Pack	Rechargeable NiMH Battery Pack
Charging Method	Trickle Charge	Trickle Charge	Trickle Charge
Time Required to Charge *	4 hours to fully charge	8-15 hours	15 hours
Quick Charger offered? *	Yes 1 hours to fully charge	N/A	N/A

# of labels per Battery charge *	4000 (1"x 2" labels)	1689	656
Ships With	Hard Case 1 Label Roll 1 Black Ribbon Cartridge Rechargeable Battery Pack AC Adaptor USB Communications Cable TLS 2200® / HandiMark® Material Roll Adaptor Quick Start Guide Product CD (w/ Printer Driver, Tutorials, Full User's Guide) Cleaning Kit	Hard Case 1 Label Roll and Ribbon Cartridge Battery Pack Battery Charger CD-ROM Tutorial PC software Cleaning card and pen	Hard Case 1 Black Ribbon AC Power Adaptor Manual
Options/Accessories *	Soft side backpack Cleaning kit Ac Adaptor/Charger Battery Pack Dust cover Quick Charger for Battery pack Labelmark™ Software Markware™ Software		Battery pack Cleaning Cards PC Interface Kit AC Adaptor/charger ViperLink software

The above information was taken from product packaging / websites published on or before August 2009.

Spirit is a trademark of HellermannTyton.

Viper is a trademark of Panduit.