



Terminal block compatibility guide

**Cross reference list for the
BradyJet J1000 Industrial Printer**



Table of contents

Get the best performance from your BradyJet J1000 Industrial Printer. With this easy-to-use lookup tool, you can identify what Brady terminal block tags are required to fit 1,400 terminal block makes and models from 17 different manufacturers.

Terminal block manufacturers

Allen-Bradley	3	Schlegel	34
ABB Entelec	9	Schneider Electric	35
Connectwell	11	Siemens	36
Conta-Clip	13	Sprecher + Schuh	38
Eaton	17	Wago	40
Klemsan	20	Weidmuller	41
Legrand	22	Wieland	47
Lutze	24	Woertz	49
Phoenix Contact	25		

BradyJet J1000 material cross reference
Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
1492-CB	6														•		•			
1492-H4	9.1																			•
1492-H5	9.1																			•
1492-H6	9.1																			•
1492-H7	9.1																			•
1492-HM1	6														•		•			
1492-HM2	6														•		•			
1492-HM3	6														•		•			
1492-J10	9.9			•																
1492-J120	27																			•
1492-J16	12			•																
1492-J16ND	12																			•
1492-J2Q	5.1										•									
1492-J3	5.1			•							•									
1492-J35	15.9			•																
1492-J3DF	5.1			•							•									
1492-J3F	5.1			•							•									
1492-J3ND	5.1			•							•									
1492-J3P	5.1			•							•									
1492-J3PTP	5.1			•							•									
1492-J3TW	5.1			•							•									
1492-J4	6.1															•		•	•	
1492-J4CTB	6.1															•		•	•	
1492-J4M	24.5															•		•	•	
1492-J4ND	6.1																		•	
1492-J4Q	6.1																		•	
1492-J4TW	6.1																		•	
1492-J50	18.5			•															•	
1492-J6	8.1																			•
1492-J70	20.5			•															•	
1492-JC3	5.1			•							•									
1492-JD3	5.1			•		•														
1492-JD3C	5.1			•		•														
1492-JD3DF	5.1			•		•														
1492-JD3DR	5.1			•		•														
1492-JD3F	5.1			•		•														
1492-JD3N	6.1															•		•		
1492-JD3P	5.1			•				•		•										
1492-JD3PSS	5.1			•				•		•										
1492-JD3PSSTP	5.1			•				•		•										
1492-JD3PTP	5.1			•				•		•										
1492-JD3RB	5.1			•		•														
1492-JD3RC001	5.1			•		•														
1492-JD3SS	5.1			•		•														
1492-JD4	6.1															•		•		

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
1492-JD4C	6.1																			
1492-JDC3	5.1			•								•				•		•		
1492-JDG3	5.1			•		•														
1492-JDG3C	5.1			•		•														
1492-JDG3N	6.1															•		•		
1492-JDG3ND	6.1															•		•		
1492-JDG3P	5.1			•				•		•										
1492-JDG3PSS	5.1			•				•		•										
1492-JDG3PSSTP	5.1			•				•		•										
1492-JDG3PTP	5.1			•				•		•										
1492-JDG4	6.1													•		•		•		
1492-JDG4C	6.1													•		•		•		
1492-JG10	10																		•	•
1492-JG120	27																			•
1492-JG16	12																		•	•
1492-JG2Q	5.1			•								•								
1492-JG3	5.1			•								•								
1492-JG35	16																		•	•
1492-JG3TW	5.1			•								•								
1492-JG4	6.1																		•	
1492-JG4Q	6.1																		•	
1492-JG4TW	6.1																		•	
1492-JG50	18.5																		•	•
1492-JG6	8.1																		•	•
1492-JG70	20.5																		•	•
1492-JKD3	5.1			•								•								
1492-JKD3TP	5.1			•								•								
1492-JKD4	6.1																		•	
1492-JKD4Q	6.1																		•	
1492-JKD4TW	6.1																		•	
1492-JT3M	6.1															•		•		
1492-JTC3	10.2			•								•								
1492-L10	10																		•	
1492-L16	10																		•	
1492-L16D	15.1																		•	
1492-L2	3.5	•																		
1492-L2Q	3.5	•																		
1492-L2T	3.5	•																		
1492-L3	5.1							•		•										
1492-L31P	5.1					•					•									
1492-L35	16.1																		•	
1492-L3P	5.1					•		•		•										
1492-L3Q	5.1					•		•		•										
1492-L3Q2P	5.1					•					•									

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
1492-L3QS	5.1			•				•		•										
1492-L3T	5.1							•		•										
1492-L3T1P	5.1					•						•								
1492-L4	6.1															•		•		
1492-L4Q	6.1															•		•		
1492-L4T	6.1															•		•		
1492-L6	8.1																	•		
1492-L6T	8.1																	•		
1492-LC3	5.1			•				•		•										
1492-LD2	3.5	•																		
1492-LD2C	3.5	•																		
1492-LD3	5.1			•				•		•										
1492-LD32P	5.1					•														
1492-LD3C	5.1			•				•		•										
1492-LD3N	5.1			•				•		•										
1492-LD4	6.1															•		•		
1492-LD4C	6.1															•		•		
1492-LD4DF	6.1															•		•		
1492-LD4DR	6.1															•		•		
1492-LD4SS	6.1															•		•		
1492-LDAG3	5.1			•				•		•										
1492-LDC3	5.1			•				•		•										
1492-LDG2	3.5	•																		
1492-LDG3	5.1			•				•		•										
1492-LDG3C	5.1			•				•		•										
1492-LDG3N	5.1			•				•		•										
1492-LDG3ND	5.1			•				•		•										
1492-LDG3P	5.1			•				•		•										
1492-LDG4	6.1															•		•		
1492-LDG4C	6.1															•		•		
1492-LG10	10.1																		•	
1492-LG16	12.1																		•	
1492-LG2	3.5	•																		
1492-LG2Q	3.5	•																		
1492-LG2T	3.5	•																		
1492-LG3	5.1			•				•		•										
1492-LG31P	5.1					•						•								
1492-LG35	16.1															•		•		
1492-LG3Q	5.1			•				•		•										
1492-LG3T	5.1			•				•		•										
1492-LG3T1P	5.1					•						•								
1492-LG4	6.1															•		•		
1492-LG4Q	6.1															•		•		
1492-LG4T	6.1															•		•		
1492-LG6	8.1																			•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814	
1492-LG6T	8.1																				
1492-LKD3	5.1			•				•		•										•	
1492-LM3	5.1			•				•		•											
1492-LM3Q	10.1			•				•		•											
1492-LMG3	5.1			•				•		•											
1492-LMJ3	5.1			•				•		•											
1492-LMJG3	5.1			•				•		•											
1492-LMP3	5.1			•				•		•											
1492-LMP3Q	10.1			•				•		•											
1492-LS	5.1			•																	
1492-LTF3	5.1			•				•		•											
1492-R3	5						•					•									
1492-R3Q	5						•					•									
1492-R3T	5						•					•									
1492-R4	6													•					•		
1492-R4DJ	6													•					•		
1492-R4P	6													•					•		
1492-R4Q	6													•					•		
1492-R4T	6													•					•		
1492-R6	8																			•	
1492-R6T	8																			•	
1492-RD3	5						•					•									
1492-RD3DF	5						•					•									
1492-RD3DR	5						•					•									
1492-RD3RB	5						•					•									
1492-RD3SS	5						•					•									
1492-RG3	5						•					•									
1492-RG4	6													•					•		
1492-RG6	8																			•	
1492-RKD3	5						•					•									
1492-RTS2	5						•					•									
1492-RTS2LN	5						•					•									
1492-RTS2LP	5						•					•									
1492-RTSG2	5						•					•									
1492-RTSG2LN	5						•					•									
1492-RTSG2LP	5						•					•									
1492-W10	8																			•	
1492-W16	11																		•		
1492-W16S	11																		•		
1492-W3	5						•														
1492-W3TW	5						•														
1492-W4	6																		•		
1492-W4P	6																		•		
1492-W4PTP	6																		•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814	
1492-W4TW	6													•							
1492-W6	7																			•	
1492-WD3	5.1					•	•			•											
1492-WD4	6													•							
1492-WD4C	6													•							
1492-WD4DF	6													•							
1492-WD4DR	6													•							
1492-WD4N	6													•							
1492-WD4NSS	6													•							
1492-WD4P	6													•							
1492-WD4PSS	6													•							
1492-WD4SS	6													•							
1492-WD6	7																		•		
1492-WDG4N	6													•							
1492-WDG4ND	6													•							
1492-WDG4P	6													•							
1492-WDG4PSS	6													•							
1492-WG10S	8																			•	
1492-WG16S	13																			•	
1492-WG4	6																			•	
1492-WG6	7																			•	
1492-WKD3	5					•															
1492-WKD3TP	5					•															
1492-WKD6	9																			•	
1492-WLD10	9																			•	
1492-WLD10C	9																			•	
1492-WM3	5			•																	
1492-WM4	6													•							
1492-WMD1	5			•																	
1492-WMG4	6													•							
1492-WR3	5					•															
1492-WTF3	5.1					•															
1492-WTS3	5.1					•															
1492-M3X12		•																			
1492-M3X5		•																			
1492-M5X10								•		•											
1492-M5X12												•									
1492-M5X15											•										
1492-M5X30											•										
1492-M5X5				•																	
1492-M5X8					•																
1492-M6X10															•			•			
1492-M6X12																			•		
1492-M6X5														•							
1492-MC5X12										•											

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4813	SA1232	SA5465	SA4811	SA5443	SA4960	SA4330	SA4310	SA4812	SA1228	SA4810	SA4460	SA4441	SA4350	SA4390	SA4800	SA4814
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	8
Height (mm)	8	5	5	5	8	9	10	10	10	10	12	5	9	10	10	10	10	12	12
Pitch	3	5	5	5	5	5	5	single	single	single	5	6	6	6	6	single	single	6	8

Terminal block

Display	Width (mm)																			
1492-MC5X5					•															
1492-MC6X10														•		•				
1492-MC6X5												•								
1492-MCS5X10																				
1492-MCS5X8																				
1492-MCW4X9		•																		
1492-MCW5X5			•																	
1492-MCW6X9																				
1492-MN81																				
1492-MR5X12											•									
1492-MR5X8						•														
1492-MR6X12																				
1492-MR8X12																				
1492-MS8X12																				•
1492-MS8X17																				•
1492-MS8X9																				•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference
Brady terminal block tags

Catalog #	SA4363	SA4290	SA5443	SA2610	SA4295	SA4330	SA4310	SA4441	SA4460	SA4390	SA4350	SA2625	SA4470
Width (mm)	5	5	5	5	5	5	5	6	6	6	6	6	8
Height (mm)	5	10	10	10	10	10	10	10	10	10	10	12	12
Pitch	5	5	5	5	single	single	single	6	6	single	single	6	8

Terminal block

Display	Width (mm)												
BAM3	10												•
BAM4	10												•
BAZ1	5.2												
BAZH1	10												•
CDK4	6											•	
CDS4-R1	6											•	
CS-R2	3											•	
CS-R3	3											•	
D1.5/5	5	•		•	•								
D2.2.5/6.DA (RC65)	6							•			•		
D2.5/5.2L	5	•		•	•								
D2.5/5.2L2L	5	•		•	•								
D2.5/5.P4L	5	•		•	•								
D2.5/6.D	6							•			•		
D4/6 NTLP	6							•		•			
D4/6.2L	6							•		•			
D4/6.P.2L	6							•		•			
D4/6.T3.P	6							•		•			
D6/8.2L	8							•		•			
D6/8.P.2L	8							•		•			
DR 4/6	6								•		•		
M 10/10	10										•		
M 2.5/6.5.4G.1	6.5								•		•		
M16/12	12										•		
M35/16	16										•		
M4/6	6								•		•		
M4/8	8										•		
M6/8	8										•		
MA 2.5/5	5	•		•	•						•		
ZDK4	6											•	
ZDS4	5.2												
ZDS4-22-R1	6											•	
ZK10	10												•
ZK16	12												•
ZK4	6											•	
ZK8	8												•
ZS10	8												•
ZS150	31												•
ZS16	10												•
ZS240	36												•
ZS25	12												•
ZS35	16												•
ZS4	5.2	•		•									
ZS4-SF	6											•	

Brady terminal block tags

Catalog #	SA4363	SA4290	SA5443	SA2610	SA4295	SA4330	SA4310	SA4441	SA4460	SA4390	SA4350	SA2625	SA4470
Width (mm)	5	5	5	5	5	5	5	6	6	6	6	6	8
Height (mm)	5	10	10	10	10	10	10	10	10	10	10	12	12
Pitch	5	5	5	5	single	single	single	6	6	single	single	6	8

Terminal block

Display	Width (mm)	SA4363	SA4290	SA5443	SA2610	SA4295	SA4330	SA4310	SA4441	SA4460	SA4390	SA4350	SA2625	SA4470	
ZS4-SF1	8														•
ZS4-SP-R	6												•		
ZS4-SP-T2-R	6												•		
ZS4-S-R	6												•		
ZS4-S-R3	8														•
ZS4-S-T2-R	6												•		
ZS50	16														•
ZS6	6												•		
ZS70	22														•
ZS95	26														•
MC612													•		
MC812															•
RC510					•										
RC55		•													
RC610										•					
RCL510								•							
RCP510			•												
RCW510				•			•								

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4363	SA1232	SA1234	SA1228
Width (mm)	5	5	5	6
Height (mm)	5	5	10	5
Pitch	5	5	5	6

Terminal block

Display	Width (mm)				
ASF4	6				•
ASF4(L)	6				•
CAFL4U	9				•
CAFL4UL	9				•
CAFL4UN	9				•
CDL4U	6	•			
CDL4UN	6				•
CDLG2.5	6				•
CDLG4	6				•
CF4SP	6				•
CF4SPL	6				•
CF4U	8				•
CF4UL	8				•
CGMT4	6	•			
CGT10N	10				•
CGT10U	10				•
CGT4N	6				•
CGT4U	6				•
CGT6N	8				•
CMB4	6	•			
CMC1-2	6				•
CMC2-2	6				•
CMCG4	6				•
CMT4	6	•			
CSFL4U	6				•
CSFL4U(L)	6				•
CTL2.5U	6	•			
CTL2.5U(I.S)	6	•			
CTL2.5U(I.S)D2	6	•			
CTL2.5UH	6	•			
CTL2.5UHL	6	•			
CTL2.5UUL	6	•			
CTS10U	10				•
CTS10USC	10				•
CTS16U	12				•
CTS2.5	6.7	•			
CTS2.5M	6	•			
CTS2.5UE	6				•
CTS2.5UN	5		•		
CTS35UN(A)	16				•
CTS4UN	6				•
CTS4USC	6				•
CTS6U	8				•
CTS6USC	8				•

Brady terminal block tags

Catalog #	SA4363	SA1232	SA1234	SA1228
Width (mm)	5	5	5	6
Height (mm)	5	5	10	5
Pitch	5	5	5	6

Terminal block

Display	Width (mm)			
ODL2.5	5		•	
ODL2.5(I.S)	5		•	
ODL2.5A	5		•	
ODL2.5A(I.S)	5		•	
ODL4U	6			•
ODL4UA	6			•
ODLG2.5	5		•	
ODLG2.5(I.S)	5		•	
ODLG2.5A	5		•	

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	3	5	5	5	5	6	6
Height (mm)	8	5	8	10	10	10	10
Pitch	3	5	5	5	single	6	single

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
BKA 10	8		•	•				
BKA 2.5	5		•	•				
BKA 4	6		•	•				
DLI / DLIS	6		•	•				
DLI2.5PE / L / L	6						•	•
FDLI	5.1		•	•				
FDLIS	5.1		•	•				
FF 1 / 15	6		•	•				
FF 2.5	6		•	•				
FIK 2.5	5.1		•	•				
FRK 1.5	4.1	•						
FRK 2.5	5.1		•	•	•	•		
FRK 4	6.1		•	•		•	•	•
FRKD 2.5	5.1		•	•	•	•		
FRKI 2.5-4	5.1		•	•	•	•		
FRKI 6-10	8.1		•	•				
FSIK 4	6		•	•				
FSL 1.5	4.1	•						
FSL 2.5	5.1		•	•	•	•		
FSL 4	6.1		•	•		•	•	•
FSLD 2.5	5.1		•	•	•	•		
FSLI 2.5-4	5.1		•	•	•	•		
FSLI 6-10	8.1		•	•		•		
FTRK 2.5	5.1		•	•				
HSK	Various					•		•
HSKG	Various					•		•
IK	5		•	•				
IKD	5		•	•				
KBL 1.5-4	6		•	•				
KBL 2.5	5		•	•	•	•		
KBL 2.5-4	6						•	•
KBL 6-10	8					•		•
KBLD 2.5	5		•	•				
KBLD 4	6		•	•				
MAG	10		•	•				
NT 2.5-4	6		•	•				
NT 6-10	8		•	•				
PRK 1.5	3.5	•						
PRK 10	10.1		•	•		•		
PRK 16	12.1		•	•		•		
PRK 2.5	5.1		•	•	•	•		
PRK 4	6.1		•	•		•	•	•
PRK 6	8.1		•	•		•		
PSL 1.5	3.5	•						
PSL 10	10.1		•	•		•		

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	3	5	5	5	5	6	6
Height (mm)	8	5	8	10	10	10	10
Pitch	3	5	5	5	single	6	single

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
PSL 16	12.1		•	•		•		
PSL 2.5	5.1		•	•	•	•		
PSL 4	6.1		•	•		•	•	•
PSL 6	8.1		•	•		•		
PTK 10	8					•		•
RK 1.5-4	6		•	•				
RK 150	31					•		•
RK 16	12					•		•
RK 2.5	5		•	•	•	•		
RK 2.5-4	6						•	•
RK 240	36					•		•
RK 35	16					•		•
RK 50	20					•		•
RK 6-10	8					•		•
RK 95	25					•		•
RKB 4	6		•	•				
RKD 2.5	5		•	•				
RKD 4	6		•	•				
RKDG 4	6						•	•
SDK 10	10					•		•
SDK 16	12					•		•
SDK 4	6						•	•
SF 2.5-4	6						•	•
SIK 10	8		•	•				
SK 1	12.2		•	•				
SL 10	10					•		•
SL 16	12					•		•
SL 2.5	6						•	•
SL 35	16					•		•
SL 4 / 15	7		•	•				
SL 4 / 35	8					•		•
SLN 2.5	6		•	•				
SMAG	8.3		•	•				
SPTK 6	8.1					•		•
SRK 10 / 2A	10					•		•
SRK 120 / 2A	27					•		•
SRK 16 / 2A	12					•		•
SRK 2.5	5		•	•				
SRK 2.5 / 15	5		•	•				
SRK 2.5 / 2A	5		•	•	•	•		
SRK 35 / 2A	16					•		•
SRK 4 / 2A	6						•	•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference
Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	3	5	5	5	5	6	6
Height (mm)	8	5	8	10	10	10	10
Pitch	3	5	5	5	single	6	single

Terminal block

Display	Width (mm)						
SRK 6 / 2A	8					•	•
SRK 70 / 2A	20.5					•	•
SRKD 10	10.1					•	•
SRKD 2.5	5.1	•	•	•	•		
SRKD 4	6.1					•	•
SSIK 4 / 2A	6.1					•	•
SSIK 6 / 2A	8.1					•	•
SSL 10 / 2A	10					•	•
SSL 16 / 2A	12					•	•
SSL 2.5 / 2A	5	•	•	•	•		
SSL 35 / 2A	16					•	•
SSL 4 / 2A	6					•	•
SSL 6 / 2A	8					•	•
SSL 70 / 2A	20.5					•	•
SSLD 10	10.1					•	•
SSLD 2.5	5.1	•	•	•	•		
SSLD 4	6.1					•	•
STK 1	8					•	•
STK 2	8					•	•
STKD 1	8					•	•
TK 2	8	•	•				
TRK 1.5	6					•	•
TSK 2.5	10					•	•
VMAK 2.5	6	•	•				
ZIKD 2.5	5.1	•	•				
ZIZA	5.1	•	•				
ZMP 1.5	5.1	•	•				
ZRK 10	10.1	•	•			•	
ZRK 16	12.1	•	•			•	
ZRK 2.5	5.1	•	•				
ZRK 4	6.1	•	•			•	
ZRK 6	8.1	•	•			•	
ZRKD 2.5	5.1	•	•				
ZRKS 2.5	5.1	•	•				
ZSL 10	10.1	•	•			•	
ZSL 16	12.1	•	•			•	
ZSL 2.5	5.1	•	•				
ZSL 4	6.1	•	•			•	
ZSL 6	8.1	•	•			•	
ZSLD 2.5	5.1	•	•				
ZSLN 2.5	5.1	•	•				
ZSRK 2.5	5.1	•	•				
ZST 2.5	5.1	•	•				
ZSTK 2.5	5.1	•	•				

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	3	5	5	5	5	6	6
Height (mm)	8	5	8	10	10	10	10
Pitch	3	5	5	5	single	6	single

Terminal block

Display	Width (mm)						
ZTRK 2.5	5.1		•	•			
ZVMAK 2.5	5.1		•	•			
SRK 50 / 2A					•		•
SSL 50 / 2A					•		•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4290	SA4295	SA4460	SA4350	SA4296	SA4298
Width (mm)	5	5	6	6	8	10
Height (mm)	10	10	10	10	10	10
Pitch	5	single	6	single	8	10

Terminal block

Display	Width (mm)					
XB3UKA25	6.2			•	•	
XB3UKA25L24	6.2			•	•	
XB3UKA25PE	6.2			•	•	
XB3UKA25PEL24	6.2			•	•	
XB3UKF25	6.2			•	•	
XB3UKF25PE	6.2			•	•	
XBMPK15	5.2	•	•			
XBMPKK15	5.2	•	•			
XBMUK25	5.2	•	•			
XBMUK25PE	5.2	•	•			
XBMUK4	6.2			•	•	
XBMUK4PE	6.2			•	•	
XBPC0	6.2			•	•	
XBPFU	6.2			•	•	
XBPFUL24	6.2			•	•	
XBPFUL24	6.2			•	•	
XBPFUL250	6.2			•	•	
XBPFUL250	6.2			•	•	
XBPT10	10.2				•	•
XBPT10PE	10.2				•	•
XBPT16	12				•	•
XBPT16PE	12				•	•
XBPT25	5.2	•	•			
XBPT25D12	5.2	•	•			
XBPT25D12MT	5.2	•	•			
XBPT25D12PE	5.2	•	•			
XBPT25D22	5.2	•	•			
XBPT25D22MT	5.2	•	•			
XBPT25D22PE	5.2	•	•			
XBPT25MT	5.2	•	•			
XBPT25PD12	5.2	•	•			
XBPT25PE	5.2	•	•			
XBPT25PE	5.2	•	•			
XBPT35	16				•	•
XBPT35PE	16				•	•
XBPT4	6.2			•	•	
XBPT4D12	6.2			•	•	
XBPT4D12PE	6.2			•	•	
XBPT4D22	6.2			•	•	
XBPT4D22PE	6.2			•	•	
XBPT4FBE	6.2			•	•	
XBPT4FBEL24	6.2			•	•	
XBPT4FBEL250	6.2			•	•	
XBPT4FBEL60	6.2			•	•	
XBPT4MT	6.2			•	•	

Brady terminal block tags

Catalog #	SA4290	SA4295	SA4460	SA4350	SA4296	SA4298
Width (mm)	5	5	6	6	8	10
Height (mm)	10	10	10	10	10	10
Pitch	5	single	6	single	8	10

Terminal block

Display	Width (mm)						
XBPT4PE	6.2			•	•		
XBPT6	8.2				•		
XBPT6PE	8.2				•	•	
XBPTK25	5.2	•	•				
XBPTK25PV	5.2	•	•				
XBPTT25	5.2	•	•				
XBPTT25PV	5.2	•	•				
XBPTT4	6.2			•	•		
XBPTT4PE	6.2			•	•		
XBPTT4PV	6.2			•	•		
XBPU25D12	5.2	•	•				
XBPU25D12PE	5.2	•	•				
XBQT15	5.2	•	•				
XBQT25	6.2			•	•		
XBT4TG	6.2			•	•		
XBUKK4DIO	6.2			•	•		
XBUT10	10.2				•	•	•
XBUT10PE	10.2				•	•	•
XBUT16	12				•	•	•
XBUT16PE	12				•	•	•
XBUT25	5.2	•	•				
XBUT25D12	5.2	•	•				
XBUT25D12PE	5.2	•	•				
XBUT25D22	5.2	•	•				
XBUT25D22PE	5.2	•	•				
XBUT25PE	5.2	•	•				
XBUT35	16				•	•	•
XBUT35PE	16				•	•	•
XBUT4	6.2			•	•		
XBUT4D12	6.2			•	•		
XBUT4D12PE	6.2			•	•		
XBUT4D22	6.2			•	•		
XBUT4D22PE	6.2			•	•		
XBUT4FBE	6.2			•	•		
XBUT4FBEL24	6.2			•	•		
XBUT4FBEL250	6.2			•	•		
XBUT4FBEL60	6.2			•	•		
XBUT4MT	6.2			•	•		
XBUT4MTP	6.2			•	•		
XBUT4PE	6.2			•	•		
XBUT4TG	6.2			•	•		
XBUT4TGP	6.2			•	•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4290	SA4295	SA4460	SA4350	SA4296	SA4298
Width (mm)	5	5	6	6	8	10
Height (mm)	10	10	10	10	10	10
Pitch	5	single	6	single	8	10

Terminal block

Display	Width (mm)						
XBUT6	8.2				•	•	
XBUT6PE	8.2				•	•	
XBUTT4	6.2			•	•		
XBUTT4PE	6.2			•	•		
XBUTT4PV	6.2			•	•		
XBMPZB5		•	•				
XBMPZB6				•	•		
XBMUCTM10							•
XBMUCTM5		•	•				
XBMUCTM6				•	•		
XBMUCTM8						•	

Brady terminal block tags

Catalog #	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	5	5	5	6	6
Height (mm)	8	10	10	10	10
Pitch	5	5	single	6	single

Terminal block

Display	Width (mm)	SA5465	SA5443	SA4330	SA4441	SA4390
AVK 16	12			•		•
AVK 2.5	5	•		•		
AVK 2.5 / 4T	6			•	•	X
AVK 25	12			•		•
AVK 35	16			•		•
AVK 4	6				•	X
AVK 50	20			•		•
AVK 6	8			•		•
AVK 70	22			•		•
AVK10	10			•		•
MVK 2.5	5	•		•		
MVK 4	6				•	•
MYK 2.5	5	•		•		
PB 2.5	5	•		•		
PCY 2.5	5.1	•		•		
PEK 10	10			•		•
PEK 16	12			•		•
PEK 2.5	5	•		•		
PEK 2.5 K	5	•		•		
PEK 35	16			•		•
PEK 4	6			•	•	•
PEK 6	8			•		•
PIK 2.5	5	•		•		
PIK 4	6				•	•
PUK 2	6				•	•
PUK 3	6				•	•
PYK 2.5	5	•		•		
PYK 4	8					•
SRD 2.5	5.2	•		•		
WGL 1	8					•
WGO 1	8					•
WGO 3	8					•
WGT 10	10					•
WGT 2.5	5	•		•		
WGT 4	6				•	•
WGT 6	8					•
YBK 10	10			•		•
YBK 2.5	5	•		•		
YBK 4	6				•	•
YBK 6	8			•		•
D-NS 5x10		•		•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference
Brady terminal block tags

Catalog #	SA5465	SA5443	SA4330	SA4441	SA4390
Width (mm)	5	5	5	6	6
Height (mm)	8	10	10	10	10
Pitch	5	5	single	6	single

Terminal block

Display	Width (mm)				
D-NS 5x6		•			
D-NS 6x10				•	•

Brady terminal block tags

Catalog #	SA4700	SA4310
Width (mm)	5	5
Height (mm)	9	10
Pitch	5	single

Terminal block

Display	Width (mm)		
37161	6		•
39060	5	•	•
39061	6		•
39062	6		•
39063	6		•
39064	6		•
39065	6		•
39066	6		•
39067	6		•
39068	6		•
39070	6		•
39077	5	•	•
39078	6		•
39080	6		•
39082	6		•
39084	6		•
39085	6		•
39300	5	•	•
39301	6		•
39302	6		•
39303	6		•
39304	6		•
39305	6		•
39307	6		•
39370	5	•	•
39371	6		•
39372	6		•
39374	6		•
39376	6		•
39378	6		•
39601	5	•	•
39602	5	•	•
39604	6		•
39605	8		•
39606	8		•
39607	8		•
39608	6		•
39611	5	•	•
39612	5	•	•
39614	6		•
39615	8		•
39616	8		•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4700	SA4310
Width (mm)	5	5
Height (mm)	9	10
Pitch	5	single

Terminal block

Display	Width (mm)		
39617	8		•
39618	6		•
39621	5	•	•
39622	5	•	•
39624	6		•
39625	8		•
39626	8		•
39627	5	•	•
39628	6		•
39629	8		•
39630	6		•
39636	6		•
39646	6		•
39666	6		•

Brady terminal block tags

Catalog #	SA4800
Width (mm)	6
Height (mm)	12
Pitch	6

Terminal block

Display	Width (mm)
EURO terminal block (6 mm wide)	6

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
ASI IO SL DIO 4 /2/2	5								•			•											
ASI IO SL DIO 8 /4/4	5								•			•											
DFK 4	6														•		•						
DFK 4 - PE	6														•		•						
DFK 4 - SI	6														•		•						
DFK 5	9.5											•					•		•	•			
DIK 1.5	6														•		•						
DIK 1.5 - LA (RD)	6														•		•						
DIKD 1.5	6														•		•						
DIKD 1.5 - LA	6														•		•						
DIKD 1.5 - PV	6														•		•						
DLK 2.5 - PE	6														•		•						
DLKB 2.5 PE	6														•		•						
DOK 1.5 - 2D	6														•		•						
DOK 1.5 LA	6														•		•						
DOKD 1.5 - TG	6														•		•						
GTF 76	22.5											•					•		•	•			•
HDFK(V) 50	> 18											•					•		•	•			•
HDFK(V) 95	> 18											•					•		•	•			•
MBK 3 / E - Z	5.2								•			•											
MBK 5 / E - Z	6.2														•		•						
MBK 6 / E	8											•					•		•	•			
MBKKB 2.5	5.2								•			•											
MBKKB 2.5 - DIO	5.2								•			•											
MBKKB 2.5 - PV	5.2								•			•											
Mini MCR-SL-1	6													•	•		•						
Mini MCR-SL-1(2) CP-I-I-SP	6													•	•		•						
Mini MCR-SL-I-I	6													•	•		•						
Mini MCR-SL-PT100-UI	6													•	•		•						
Mini MCR-SL-PT100-UI-NC	6													•	•		•						
Mini MCR-SL-PTB	6													•	•		•						
Mini MCR-SL-PTB-SP	6													•	•		•						
Mini MCR-SL-RPS-I-I	6													•	•		•						
Mini MCR-SL-UI-21	6													•	•		•						
Mini MCR-SL-UI-Ui	6													•	•		•						
Mini MCR-SL-UI-UI-NC	6													•	•		•						
MSLKG 6	8											•					•		•	•			

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
MT 1.5	4		•	•																			
MT 1.5 PE	4		•	•																			
MT 1.5 QUATTRO	4		•	•																			
MT 1.5 QUATTRO -PE	4		•	•																			
MT 1.5 TWIN	4		•	•																			
MT 1.5 TWIN -PE	4		•	•																			
MTK - LOE	5							•				•											
MTK - P/P	5							•				•											
MTK - TP	5							•				•											
MTKD	5							•				•											
MTTB 1.5	4		•	•																			
MUT 2.5	5							•				•											
MZFK 1.5	5.2				•		•	•				•											
MZFKK 1.5	5				•		•	•				•											
OTTA 2.5	9											•					•		•	•			
OTTA 2.5 PE	9											•					•		•	•			
OTTA 25	18											•					•		•	•			•
OTTA 6	11											•					•		•	•			•
OTTA 6 - PE	11											•					•		•	•			•
OTTA 6 - T	11											•					•		•	•			•
PIK 4 -L	6														•		•						
PIK 4 -L / L	6														•		•						
PIK 4 -L / LB	6														•		•						
PIK 4 -PE / L / L	6														•		•						
PIK 4 -PE / L / N	6														•		•						
PIK 4 -PE / L / NT	6														•		•						
PIK 4 -PE / L / NTB	6														•		•						
PIK 6 -L / L	8											•					•		•	•			
PIK 6 -PE / L / L	8											•					•		•	•			
PIK 6 -PE / L / N	8											•					•		•	•			
PLC RSC	10.2											•					•		•	•			•
PT 10	10											•					•		•	•			•
PT 16	12											•					•		•	•			•
PT 2.5	5				•		•	•				•											
PT 4	6													•	•		•						
PT 6	8											•					•		•	•			
PTB 2.5	5				•		•	•				•											
PTC 2.5	5				•		•	•				•											
PTI 2.5	5				•		•	•				•											
PTI 4	6													•	•		•						

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
PTI 6	8													•	•		•			•			
PTME 4	6													•	•		•						
PTME 6	8											•					•			•			
PTN 2.5	5				•		•		•			•									•		
PTN 4	6													•	•		•						
PTN 6	8											•					•			•	•		
PTPOWER 150	31											•					•			•	•		•
PTPOWER 35	16											•					•			•	•		•
PTPOWER 50	20											•					•			•	•		•
PTPOWER 95	25											•					•			•	•		•
PTS 2.5	5				•		•		•			•											
PTS 2.5	5				•		•		•			•											
PTT 2.5	5				•		•		•			•											
PTTB 2.5	5				•		•		•			•											
PTTB 4	6													•	•		•						
PTTBS 2.5	5				•		•		•			•											
PTU 2.5	5				•		•		•			•											
PTU 4	6													•	•		•						
PTU 6	8													•	•		•			•			
QTC 1.5-MT	5.2				•		•		•			•											
QTC 1.5-TG	5.2				•		•		•			•											
RBO	12											•					•			•	•		•
RT 3	12											•					•			•	•		•
RT 5	16											•					•			•	•		•
RT 8	20											•					•			•	•		•
RTO 3	12											•					•			•	•		•
RTO 5	16											•					•			•	•		•
RTO 8	20											•					•			•	•		•
SGSK 6	8											•					•			•			
SK 116	10											•					•			•	•		•
SLKK 5	6														•		•						
SLKK 5 - LA	6														•		•						
SPB 2.5	5.2				•		•																
SRDK 6	8											•					•			•	•		
SRTK 6	8											•					•			•	•		
SSK 0525 KER-EX	6														•		•						
SSK 110 KER-EX	8											•					•			•	•		
SSK 116 KER-EX	10.4											•					•			•	•		•
SSK 135	15											•					•			•	•		•
ST 1.5	4		•	•																			
ST 10	10											•					•			•	•		•
ST 16	12											•					•			•	•		•
ST 2.5	5				•		•		•			•											
ST 2.5 TWIN	5				•		•		•			•											

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
ST 2.5-PE	5				•			•				•											
ST 35	16											•							•	•			•
ST 4	6													•	•			•					
ST 4 TWIN	6													•	•			•					
ST 4-FSI	8											•		•			•		•	•			
ST 4-HESI	8											•		•			•		•	•			
ST 6	8											•		•			•		•	•			
STI 10	10											•		•			•		•	•			•
STI 16	12											•		•			•		•	•			•
STI 2.5-PE / L / LB	5				•			•				•											
STME(D) 6	8											•		•			•		•	•			
STN 10	10											•		•			•		•	•			•
STN 16	12											•		•			•		•	•			•
STN 2.5	5				•			•				•											
STN 35	16											•		•			•		•	•			•
STS 2.5 / 2.5 PE / QUATTRO MT/IG	5				•			•				•											
STS 2.5 TWIN	5				•			•				•											
STS 4 / 4 PE / QUATTRO	6													•	•		•						
STS 6	8											•					•		•	•			
STTB 1.5	4		•	•																			
STTB 4	6													•	•		•						
STTBS 2.5	5				•			•				•											
STTBS 4	6													•	•		•						
STTBU 4	6													•	•		•						
STU 10	10				•			•				•		•			•		•	•			•
STU 2.5	5				•			•				•											
STU 35	16											•		•			•		•	•			•
STU 4	6											•		•	•		•						
UDK 3	5				•			•				•											
UDK 3 - PE	5				•			•				•											
UDK 4	6													•	•		•						
UDK 4 - ILA	6													•	•		•						
UDK 4 - ULA	6													•	•		•						
UDK 4 MTK - P/P	6													•	•		•						
UDMTK 5 - P/P	6													•	•		•						
UDMTK 5 - TWIN - P/P	6													•	•		•						
UGSK	8											•					•		•	•			
UHK 4	6													•	•		•						
UHSK / S 2000	10.2											•					•		•	•			•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
UHV 150	> 26											•					•		•	•		•
UHV 240	> 26											•					•		•	•		•
UHV 25	> 26											•					•		•	•		•
UHV 50	> 26											•					•		•	•		•
UHV 95	> 26											•					•		•	•		•
UIK 16	12											•					•		•	•		•
UIK 16 - PE / N	12											•					•		•	•		•
UIK 35 - PE / N	15											•					•		•	•		•
UIKN 16	12											•					•		•	•		•
UIKN 35	15											•					•		•	•		•
UISLKG 16	12											•					•		•	•		•
UISLKG 35	15											•					•		•	•		•
UK 1.5 N	4		•	•																		
UK 10	8.2											•					•		•	•		
UK 10 - PLUS	10.2											•					•		•	•		•
UK 10 - PLUS - PE	10.2											•					•		•	•		•
UK 10 - TWIN	10.2											•					•		•	•		•
UK 10 - TWIN - PE	10.2											•					•		•	•		•
UK 10 N	10											•					•		•	•		•
UK 10 N-PE / N	20.4											•					•		•	•		•
UK 16	12											•					•		•	•		•
UK 16 - EX	12											•					•		•	•		•
UK 16 N	12											•					•		•	•		•
UK 16 N - PE / N	24.4											•					•		•	•		•
UK 2.5	6.2													•	•		•					
UK 2.5 B	6.2													•	•		•					
UK 2.5 N	5				•		•		•			•										
UK 3	5.2				•		•		•			•										
UK 3 - EX	5.2				•		•		•			•										
UK 3 - TWIN	5.2				•		•		•			•										
UK 3 - TWIN - PE	5.2				•		•		•			•										
UK 3 N	5				•		•		•			•										
UK 35	15											•					•		•	•		•
UK 35 - EX	15											•					•		•	•		•
UK 35 - PE / N	15											•					•		•	•		•
UK 4	6													•	•		•					
UK 4 - TG	6													•	•		•					
UK 4 - TG LOER - P / P	6													•	•		•					
UK 4 FS / FS	6													•	•		•					
UK 4 FSR	6													•	•		•					
UK 4 LOER	6													•	•		•					
UK 4 TP	6													•	•		•					
UK 4 TP / TP	6													•	•		•					

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
UK 5	6.2																						
UK 5 - HESI	8											•					•		•				
UK 5 - MTK - P / P	6.2													•	•		•						
UK 5 - TWIN	6.2													•	•		•						
UK 5 - TWIN - PE	6.2													•	•		•						
UK 5 N	6.2											•					•						
UK 6 N	8											•					•		•				
UK 6.3 HESI	10											•					•		•				•
UK 6-T	8											•					•		•				
UK SI	8											•					•		•				
UKH 150	>16											•					•		•				•
UKH 240	>16											•					•		•				•
UKH 25	>16											•					•		•				•
UKH 50	>16											•					•		•				•
UKH 50 - PE / N	>16											•					•		•				•
UKH 95	>16											•					•		•				•
UKH 95 - PE / N	>16											•					•		•				•
UKK 3	5.2				•		•		•			•											
UKK 4 - FS	6													•	•		•						
UKK 4 FS / FS	6													•	•		•						
UKK 5	6													•	•		•						
UKK 5 - 2 - DIO	6													•	•		•						
UKK 5 - DIO	6													•	•		•						
UKK 5 - LA	6													•	•		•						
UKK 5 - TG	6													•	•		•						
UKK 5-HESI	8											•					•		•				
UKKB 10	10											•					•		•				•
UKKB 10 / 2.5	10											•					•		•				•
UKKB 10/2.5-PE	10											•					•		•				•
UKKB 3	5				•		•		•			•											
UKKB 5	6													•	•		•						
UKN 10 (N)	10											•					•		•				•
UKN 16	10.2											•					•		•				•
UKN 16N	12.2											•					•		•				•
UKN 2.5	6													•	•		•						
UKN 35	15.2											•					•		•				•
UKN 4	6.2													•	•		•						
UKN 5	6													•	•		•						
UKN 6	8											•					•		•				
URDK	8											•					•		•				
URK - ND	10.2											•					•		•				•
URK - ND 2	10.2											•					•		•				•
URKN	10.2											•					•		•				•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
URKN - A	10.2											•					•		•	•		•
URKN/S	8.2											•					•		•	•		
URTK / S	8											•					•		•	•		
URTK / S-BEN	8											•					•		•	•		
URTK / SS	8											•					•		•	•		
URTK-BEN	8											•					•		•	•		
URTKD / SP	8											•					•		•	•		
USED 27 N	>16											•					•		•	•		•
USEN 14 N	>16											•					•		•	•		•
USEN 18 N	>16											•					•		•	•		•
USIG	10											•					•		•	•		•
USK 4	6													•	•		•					•
USLKG 1.5 N	4		•	•																		
USLKG 10 (N)	10											•					•		•	•		•
USLKG 16	12											•					•		•	•		•
USLKG 16 N	12											•					•		•	•		•
USLKG 2.5	6.2													•	•		•					
USLKG 2.5 N	5				•		•		•			•										
USLKG 3	5				•		•		•			•										
USLKG 35	15											•					•		•	•		•
USLKG 4	6.2													•	•		•					
USLKG 5	6													•	•		•					
USLKG 50	>16											•					•		•	•		•
USLKG 6 N	8											•					•		•	•		
USLKG 95	>16											•					•		•	•		•
USST 10	10											•					•		•	•		•
USST 4	6													•	•		•					
USST 6	8											•					•		•	•		
UT 10	10											•					•		•	•		•
UT 10 BU	10											•					•		•	•		•
UT 10 PE	10											•					•		•	•		•
UT 16	12											•					•		•	•		•
UT 16 BU	12											•					•		•	•		•
UT 16 PE	12											•					•		•	•		•
UT 2.5	5				•		•		•			•										
UT 35	16											•					•		•	•		•
UT 4	6													•	•		•					
UT 4 BU	6													•	•		•					
UT 4 TWIN	6													•	•		•					
UT 4 TWIN-PE	6													•	•		•					
UT 4 yE	6													•	•		•					
UT 4-MTD BU	6													•	•		•					
UT 4-MTD-PE	6													•	•		•					
UT 6	8											•					•		•	•		
UT 6 BU	8											•					•		•	•		
UT 6 PE	8											•					•		•	•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
UTI 16	12											•					•		•	•		•
UTME(D) 4	6											•			•		•					
UTME(D) 6	8											•					•		•	•		
UTN 10	10											•					•		•	•		•
UTN 2.5	5				•		•		•			•					•					
UTN 4	6														•		•					
UTN 6	8											•			•		•		•	•		
UTTB 2.5	5				•		•		•			•					•					
UTTB 4	6													•	•		•					
UVKB 4	6													•	•		•					
UW 4	8											•					•		•	•		
UWV 4	8											•					•		•	•		
UXKK 4	6.2													•	•		•					
VBSN 4 FS	6													•	•		•					
VBST 4 FS /FS	6													•	•		•					
VIOK 1.5	6													•	•		•					
VIOK 1.5-2[D	6													•	•		•					
VIOK 1.5-3D / PE	6													•	•		•					
VIOK 1.5-D /TG / D / PE	6													•	•		•					
VIOK 1.5-LA	6													•	•		•					
ZDMTK 2.5	6													•	•		•					
ZFK 6-DREHSI	12											•					•		•	•		•
ZFKK 2.5 (-MT)	5				•		•		•			•					•		•	•		
ZGSK	8											•					•		•	•		
ZPV	5				•		•		•			•					•					
ZRDK	8											•					•		•	•		
ZRTK	8											•					•		•	•		
ZRV	7.62			•								•					•					
UC1-TM 5								•														
UC1-TM 6																•						
UC1-TMF 5						•																
UC1U-TM 5								•														
UC2F-TM 5										•												
UC2-TM 4		•																				
UC2-TM 5										•												
UC2-TM 6																•						
UC3-TM 5												•										
UCT1-TM 5								•														
UCT1-TM 6																•						
UCT1-TMF 5						•																
UCT2-TM 5 / 6									•													
UCT3-TM 5												•										

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298
Width (mm)	3	4	4	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	8	8	10
Height (mm)	8	10	10	5	5	10	10	10	10	10	10	10	5	10	10	10	12	15	10	12	10
Pitch	3	4	single	5	5	5	5	5	5	5	single	single	6	6	6	single	6	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA1226	SA4294	SA1232	SA4363	SA1234	SA5443	SA4290	SA4361	SA2610	SA4295	SA4310	SA1228	SA4460	SA4441	SA4350	SA2625	SA4360	SA4296	SA4470	SA4298	
UCT6M-TM 6																		•					
UCT6M-TM 8																						•	
UCT6R-TM 5											•												
UC-TM10																							•
UC-TM4			•	•																			
UC-TM5									•			•											
UC-TM6															•		•						
UC-TM8																				•			
UC-TMF5					•																		
UC-TMF6														•									
UCT-TM10																							•
UCT-TM4			•	•																			
UCT-TM5									•			•											
UCT-TM6															•		•						
UCT-TM8																				•			
UCT-TMF5					•																		
UCT-TMF6														•									

Brady terminal block tags

Catalog #	SA4330	SA4441	SA4390
Width (mm)	5	6	6
Height (mm)	10	10	10
Pitch	single	6	single

Terminal block

Display	Width (mm)			
FK16	10			•
FK5	6.9			•
GKL3	5	•		
HK3	5.1	•		
IK10	8			•
IK120	48			•
IK16	10			•
IK240	58			•
IK25	12			•
IK3	5.1	•		
IK5	16			•
IK51	16			•
IK70	23			•
IKE10	8.5			•
IKE16	10.5			•
IKE4	7.5			•
IKEPN	6	•		•
IKEPP	6	•		•
IKEPT	6	•		•
IKEPTR	6	•		•
IKFSI5	8.1			•
IKH4	6	•		•
IKI4	6	•		•
IKPP	6	•		•
IKSI4	10			•
IKSI5	8.1			•
IKT10	8			•
IKT4	6	•		•
IKTR10	8			•
IKTR16	10			•
IKTR4	6	•		•
IKTRED	12			•
IKTS4	6	•		•
IZZ4	6.1			•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1232	SA4290	SA4295	SA1228	SA4460	SA4350	SA4296	SA4298
Width (mm)	5	5	5	6	6	6	8	10
Height (mm)	5	10	10	5	10	10	10	10
Pitch	5	5	single	6	6	single	8	10

Terminal block

Display	Width (mm)	SA1232	SA4290	SA4295	SA1228	SA4460	SA4350	SA4296	SA4298
NSYTRH12	5.2		•	•					
NSYTRH13	5.2		•	•					
NSYTRH22	6.2					•	•		
NSYTRP22	5.2		•	•					
NSYTRP23	5.2		•	•					
NSYTRP24	5.2		•	•					
NSYTRP42	6.2					•	•		
NSYTRP43	6.2					•	•		
NSYTRP44	6.2					•	•		
NSYTRR102	10.2						•	•	•
NSYTRR162	12.2						•	•	•
NSYTRR22	5.2		•	•					
NSYTRR23	5.2		•	•					
NSYTRR24	5.2		•	•					
NSYTRR26	5.2		•	•					
NSYTRR42	6.2					•	•		
NSYTRR43	6.2					•	•		
NSYTRR44	6.2					•	•		
NSYTRR62	8.2						•	•	
NSYTRR63	8.2						•	•	
NSYTRV102	10.2						•	•	•
NSYTRV162	12.2						•	•	•
NSYTRV22	5.2		•	•					
NSYTRV24	5.2		•	•					
NSYTRV352	16						•	•	•
NSYTRV42	6.2					•	•		
NSYTRV502	20						•	•	•
NSYTRV62	8.2						•	•	
NSYTRABFPV5		•							
NSYTRABFPV6					•				
NSYTRABPV5			•	•					
NSYTRABPV6						•	•		
NSYTRABPV8								•	

Brady terminal block tags

Catalog #	SA1232	SA1234	SA4960	SA1228
Width (mm)	5	5	5	6
Height (mm)	5	10	10	5
Pitch	5	5	single	6

Terminal block

Display	Width (mm)			
8WA1 011-ODF	6			•
8WA1 011-ODG	6.5			•
8WA1 011-1BF	6			•
8WA1 011-1BG	6.5			•
8WA1 011-1BH	8			•
8WA1 011-1BK	10			•
8WA1 011-1BM	16			•
8WA1 011-1BP	25			•
8WA1 011-1DF	6			•
8WA1 011-1DG	6.5			•
8WA1 011-1DH	8			•
8WA1 011-1EE	10			•
8WA1 011-1EF	6			•
8WA1 011-1MH	8			•
8WA1 011-1NF	6			•
8WA1 011-1NG	6.5			•
8WA1 011-1NH	8			•
8WA1 011-1PF	6			•
8WA1 011-1PG	7.2			•
8WA1 011-1PH	8			•
8WA1 011-1PK	12			•
8WA1 011-1PM	16			•
8WA1 011-1SF	10			•
8WA1 011-2BG11	6.5			•
8WA1 011-2DG11	6.5			•
8WA1 011-3DF	6			•
8WA1 011-3DG	19.5			•
8WA1 011-3DH	8			•
8WA1 011-3JF	6			•
8WA1 011-6BG11	6.5			•
8WA1 011-6DG11	6.5			•
8WA1 011-6EG	6.5			•
8WA1 204	10			•
8WA1 205	16			•
8WA1 206	25			•
8WA1 221	5.5			•
8WA1 232	8			•
8WA1 304	10			•
8WA1 305	16			•
8WA1 501	6			•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1232	SA1234	SA4960	SA1228
Width (mm)	5	5	5	6
Height (mm)	5	10	10	5
Pitch	5	5	single	6

Terminal block

Display	Width (mm)				
8WA1 604	10			•	
8WH / 2.5mm ²	5.2	•	•		
8WH / 35mm ²	16				
8WH / 4mm ²	6.2				•
8WA8 850-2AY				•	
8WA8 851-2AY				•	
8WA8 854-2AY				•	

Brady terminal block tags

Catalog #	SA4811	SA4812	SA4810	SA4800	SA4814
Width (mm)	5	5	6	6	8
Height (mm)	9	12	9	12	12
Pitch	5	5	6	6	8

Terminal block

Display	Width (mm)				
V7-H4	9.1				•
V7-H5	9.1				•
V7-H6	9.1				•
V7-H7	9.1				•
V7-W10	8			•	
V7-W16S	8			•	
V7-W3	5	•	•		
V7-W35	14			•	
V7-W3TW	5	•			
V7-W4	6			•	
V7-W4P	6			•	
V7-W4PTP	6			•	
V7-W6	7			•	
V7-W70	23			•	
V7-WD3	5.08	•			
V7-WD4	6		•		
V7-WD4C	6		•		
V7-WD4DF	6		•		
V7-WD4DR	6		•		
V7-WD4P	6		•		
V7-WD6	7			•	
V7-WDG4C	6		•		
V7-WDG4P	6		•		
V7-WFB10V	13			•	
V7-WFB10VA	13			•	
V7-WFB4	6		•		•
V7-WFB424	6		•		•
V7-WFB4250	6		•		•
V7-WG10S	8				•
V7-WG16	13			•	
V7-WG35	18			•	
V7-WG4	6			•	
V7-WG6	7			•	
V7-WG-70	22			•	
V7-WKD3	5	•			
V7-WKD3TP	5	•			
V7-WKD6	9			•	
V7-WR3	5	•			
V7-WTC3E	10	•			
V7-WTC3J	10	•			
V7-WTC3T	10	•			
V7-WTF3	5.08	•			
V7-WTF3LN	5.08	•			

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4811	SA4812	SA4810	SA4800	SA4814
Width (mm)	5	5	6	6	8
Height (mm)	9	12	9	12	12
Pitch	5	5	6	6	8

Terminal block

Display	Width (mm)				
V7-WTF3LP	5.08	•			
V7-WTS3	5.08	•			
V7-WTS3LN	5.08	•			
V7-WTS3LP	5.08	•			

Brady terminal block tags

Catalog #	SA1034	SA4363	SA4361	SA4441	SA4390	SA4350
Width (mm)	3	5	5	6	6	6
Height (mm)	8	5	10	10	10	10
Pitch	3	5	5	6	single	single

Terminal block

Display	Width (mm)					
2000 Series	3.5	•				
2001 Series	4.2	•				
2002 Series	5.2		•	•		
2003 Series	5.2		•	•		
2004 Series	6.2			•	•	
2005 Series	6.2			•	•	
2006 Series	7.5			•	•	
2007 Series	8			•	•	
2010 Series	10			•	•	
2016 Series	12			•	•	
2020 Series	3.5	•				
2022 Series	5.2		•	•		
264 Series	6 / 10		•	•		•
270 Series	5		•	•		
280 Series	5			•		
281 Series	6			•		•
282 Series	8			•		•
283 Series	12			•		•
284 Series	10			•		•
285 Series	16			•		•
750 Series	12 / 24 / 48		•			
753 Series	12 / 24 / 48		•			
769 Series	5		•			
780 Series	5			•		
781 Series	6			•		
782 Series	8			•		
783 Series	12			•		
784 Series	10			•		
785 Series	16			•		
788 Series	15			•		
857 Series	6			•		
858 Series	31			•		
859 Series	6			•		
869 Series	5		•	•		
870 Series	5		•	•		
880 Series	5		•	•		
248-501			•			
793-3501		•				
793-501				•		
793-5501				•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
ADK 1	6													•			•			
AKA 4	6													•			•			
AKB 4	6							•						•			•			
AKE 2.5	5.1		•	•																
AKE 4	7																•			
AKZ 1.5	5		•	•																
AKZ 2.5	5.1		•	•																
AKZ 4	6.1							•						•			•			
ASK 1	8		•																	
AST 1-4 / 35	6.2							•						•			•			
AST 5 / 35	6.5							•						•			•			
BZT ZVL 1.5	5.08		•	•	•			•				•								
DK 4	6							•						•			•			
DKT 4	6							•						•			•			
DLA 2.5	6							•						•			•			
DLD 2.5	6							•						•			•			
DLI 2.5	6							•						•			•			
EK 10	10							•									•			
EK 16	12							•									•			
EK 2.5	6							•						•			•			
EK 35	16							•									•			
EK 4	6.5							•									•			
EK 6 / 35	8							•									•			
EW 15	9.5							•				•					•			
EW 15 / 2	8							•				•					•			
EW 35	8.5							•									•			
EWK	8.5							•									•			
EWK 1	8.5							•									•			
EWK 2	8.5							•									•			
KDKS 1	8		•					•									•			
KSKM	13		•					•									•			
KST	24-34		•					•									•			
MAK 2.5 / VLI 1.5	6							•						•			•			
NT	6-12							•									•			
PDK 2.5 / 4	5		•	•	•			•												
PDL 4	5		•	•	•			•												
PDU 16	12							•									•			
PDU 2.5 / 4	5		•	•	•			•												
PDU 6 / 10	8							•									•			
PEI 16	12							•									•			
PNT 16	12							•									•			
PNT 2.5 / 4	5		•	•	•			•												
PNT 6 / 10	8							•									•			
PPE 16	12							•									•			
PPE 2.5 / 4	5		•	•	•			•												
PPE 6 / 10	8							•									•			

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
PTR 2.5 / 4	5.1		•	•	•			•												
RSF 1-3	8							•									•			
SAK 10	10							•									•			
SAK 16	12							•									•			
SAK 2.5	6.1							•	•					•			•			
SAK 2.5 / 35	5		•	•	•			•	•											
SAK 35	18							•									•			
SAK 4	6.5							•									•			
SAK 6	8							•									•			
SAK 95 / 35	28							•									•			
SAKA 10	12							•									•			
SAKB 10	10							•									•			
SAKC 10 / 35	12							•									•			
SAKC 4 / 35	6.5							•									•			
SAKD 2.5N	5		•	•	•			•												
SAKG	32-54							•									•			
SAKH 35	18							•									•			
SAKH 4-10	6.5-14							•									•			
SAKK 10	11.5							•									•			
SAKK 4	8							•									•			
SAKR	6.5							•									•			
SAKT	8							•									•			
VWGK 4	10		•	•													•			
VWGK 6	10		•	•													•			
WDK 1.5 / R 3.5	3.5	•																		
WDK 2.5	5		•	•	•			•												
WDK 2.5 800V	6							•						•			•			
WDK 2.5 BLA R5.08	5.08		•	•	•			•												
WDK 2.5 BLZ R5.08	5.08		•	•	•			•												
WDK 2.5N	5		•	•	•			•												
WDK 4N	5		•	•	•			•												
WDL 2.5	6							•						•			•			
WDT 1.5	6.5							•						•			•			
WDTR 2.5	6.2													•			•			
WDU 1.5	5.08			•	•			•				•								
WDU 1.5 BLA	5.08			•	•			•				•								
WDU 1.5 LD / BLA	5.08			•	•			•				•								
WDU 1.5 / BLZ 5.08	5.08			•	•			•				•								
WDU 1.5 / BLZ R7.62	7.62			•	•			•				•								

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
WDU 1.5/BLZ / LD / 5.08	5.08			•	•			•				•								
WDU 1.5 / R 3.5	3.5	•																		
WDU 1.5 / R / BLA	5.08			•	•			•				•								
WDU 1.5 / ZZ	5			•	•			•				•								
WDU 10	10							•										•		
WDU 120 / 150	32							•										•		
WDU 16	12							•										•		
WDU 16 N	12							•										•		
WDU 2.5	5			•	•			•				•								
WDU 2.5 F	5			•	•			•				•								
WDU 2.5 FF	5			•	•			•				•								
WDU 2.5 N	5			•	•			•				•								
WDU 2.5 TC	5			•	•			•				•								
WDU 2.5 / 1.5 / ZZ	5			•	•			•				•								
WDU 240	36							•										•		
WDU 35	16							•										•		
WDU 4	6							•						•				•		
WDU 4N	6							•						•				•		
WDU 50N	18.5							•										•		
WDU 6	8							•										•		
WDU 95N	27							•										•		
WDUL 4	6							•						•				•		
WEW 32 / 1	12.2				•			•										•		
WEW 35 / 1	12.2				•			•										•		
WEW 35 / 2	8				•			•										•		
WFF 120	42																	•		
WFF 185	55																	•		
WFF 300	55																	•		
WFF 35	27																	•		
WFF 70	32																	•		
WGK 10	10.1																	•		
WGK 16	12.1																	•		
WGK 25	15.1																	•		
WGK 4	8.1																	•		
WGK 50	18.8																	•		
WGK 95	25																	•		
WGKV 10	10.1																	•		
WGKV 25	15.1																	•		
WGKV 4	8.1																	•		
WMA 4	6							•						•				•		
WNT 10	10							•										•		
WNT 16 N	12							•										•		
WNT 2.5	5		•	•	•			•			•									
WNT 35 N	16							•										•		
WNT 4	6							•						•				•		

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
WNT 6	8							•									•			
WNT 70 N	20.5							•									•			
WPE 1.5 / R3.5	3.5	•																		
WPE 1.5 / ZZ	5		•	•	•			•				•					•			
WPE 10	10							•									•			
WPE 120	32							•									•			
WPE 16	12							•									•			
WPE 16 N	12							•									•			
WPE 2.5	5		•	•	•			•				•								
WPE 2.5 N	5		•	•	•			•				•								
WPE 2.5 / 1.5 / ZR	5		•	•	•			•				•								
WPE 35	16																•			
WPE 4	6							•						•			•			
WPE 4 N	6							•						•			•			
WPE 50 N	18.5																•			
WPE 6	8																•			
WPE 95N / 120N	27																•			
WPO 4	6							•						•			•			
WSI 25	18							•									•			
WSI 6	8							•									•			
WSI 6 / 2	12							•									•			
WTD 6 / 1	8							•									•			
WTL 35	16							•									•			
WTL 4	6							•						•			•			
WTL 6 / 1	8							•									•			
WTL 6 / 2	8							•									•			
WTL 6 / 3	8							•									•			
WTQ 6 / 1	8							•									•			
WTR 2.5	5			•	•			•				•								
WTR 35 E	32							•									•			
WTR 4	6							•						•			•			
ZDK 1.5	3.5	•																		
ZDK 2.5	5		•	•	•			•	•											
ZDK 2.5 N	5.1		•	•	•			•	•											
ZDK 2.5-2	5		•	•	•			•	•											
ZDK 4 / S	6							•						•			•			
ZDK 6 / S	8							•									•			
ZDKPE 2.5	5		•	•	•			•	•											
ZDL 2.5	5		•	•	•			•	•											
ZDLD 2.5-2	5		•	•	•			•	•											
ZDT 2.5	5		•	•	•			•	•											
ZDTPE 2.5	5		•	•	•			•	•											
ZDTR 2.5	5		•	•	•			•	•											

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298	
ZDU 1.5	3.5	•																			
ZDU 10	10							•										•			
ZDU 10/S	10							•										•			
ZDU 16	12							•										•			
ZDU 16/S	12							•										•			
ZDU 2.5	5							•	•												
ZDU 2.5-2	5							•	•												
ZDU 2.5N	5.1							•	•												
ZDU 35	16							•										•			
ZDU 4	6							•						•				•			
ZDU 4-2	6							•						•				•			
ZDU 6	8							•										•			
ZDU 6-2	8							•										•			
ZDUA 2.5-2	5		•	•	•			•	•												
ZDUA 2.5-2N	5		•	•	•			•	•												
ZDUB 2.5-2	5		•	•	•			•	•												
ZEI 16	16							•										•			
ZEI 6	10							•										•			
ZEW 35/2	8							•										•			
ZIA 1.5	5.08			•	•			•	•			•									
ZMAK 2.5	5			•	•			•	•			•									
ZNT 10/S	10							•										•			
ZNT 16/S	12							•										•			
ZNT 2.5/S	5		•	•	•			•				•									
ZNT 4/S	6							•										•			
ZNT 6/S	8							•						•				•			
ZP 2.5	5.1		•	•	•			•	•												
ZPE 16-2/1 AN	12							•										•			
ZPEA-2/E	?							•										•			
ZPV 1.5	5.08		•	•	•			•	•												
ZRV 1.5	5		•	•	•			•	•												
ZSI 2.5	8							•										•			
ZSI 2.5/2	12							•										•			
ZSI 6-2/FC	8							•										•			
ZT 2.5	5			•	•			•	•			•									
ZTD 6	8							•										•			
ZTL 6	8							•										•			
ZTPE 2.5	5			•	•			•	•			•									
ZTR 2.5	5			•	•			•	•			•									
ZTR 2.5-2	5			•	•			•	•			•									
DEK 5/5			•																		
DEK 5/6				•																	
DEK 5/7.5				•																	
DEK 5/8				•																	
MF 10/10																					•

Brady terminal block tags

Catalog #	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
Width (mm)	3	5	5	5	5	5	5	5	5	5	5	6	6	6	6	6	8	8	10
Height (mm)	8	5	8	10	10	10	10	10	10	10	15	9	10	10	10	10	10	12	10
Pitch	3	5	5	5	5	5	single	single	single	single	single	6	6	6	single	single	8	8	10

Terminal block

Display	Width (mm)	SA1034	SA4363	SA5465	SA5443	SA4290	SA4361	SA4330	SA4335	SA4295	SA4960	SA4340	SA4810	SA4441	SA4460	SA4350	SA4390	SA4296	SA4814	SA4298
MF 10 / 5					•					•										
MF 10 / 6															•	•				
MF 10 / 8																		•		
MF 12 / 5					•					•										
MF 5 / 5			•																	
MF 8 / 5					•					•										
MF-SI											•									
MF-W 5 / 5			•																	
MF-W 9 / 5							•													
MF-W 9 / 6														•			•			
WS 10 / 5					•			•												
WS 10 / 6														•			•			
WS 10 / 8																			•	
WS 12 / 3.5		•																		
WS 12 / 5					•			•												
WS 12 / 6														•			•			
WS 12 / 6.5																	•			
WS 12 / 8																			•	
WS 14 / 5					•			•												
WS 15 / 5											•									
WS 8 / 5				•																
WS 8 / 6													•							

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference
Brady terminal block tags

Catalog #	SA4700	SA4310
Width (mm)	5	5
Height (mm)	9	10
Pitch	5	single

Terminal block

Display	Width (mm)		
9700 A / 10 A35	10		•
9700 A / 12 A35	12		•
9700 A / 16 A35	16		•
9700 A / 5 S35	5	•	•
9700 A / 6 S35	6		•
9700 A / 8 A35	8		•
WK 10 / U	12		•
WK 10 / SL / U	12		•
WK 2.5 / U / D	5	•	•
WK 2.5 / U / V0	5	•	•
WK 2.5-3 D / SL	6		•
WK 2.5-3 D / U	6		•
WK 2.5-4 KI / SL	6		•
WK 2.5-4 KI / U	6		•
WK 2.5-4 KOI / U	5	•	•
WK 2.5-4 KOI / U-NGN	5	•	•
WK 2.5-4 KOI / U-PGN	5	•	•
WK 4 TKG	6		•
WK 4 TKS	6		•
WK 4 / U	6		•
WK 4 / SI-D	12		•
WK 4 / TKM	6		•
WK 6 / U	8		•
WK 8 / U	10		•
WKF 10 SL / 35	10		•
WKF 10 / 35	10		•
WKF 16 SL / 35	12		•
WKF 16 / 35	12		•
WKF 2.5 SL / 35	5	•	•
WKF 2.5 / 35	5	•	•
WKF 4 SL / 35	6		•
WKF 4 / 35	6		•
WKF 6 SL / 35	8		•
WKF 6 / 35	8		•
WKFN 2.5 E / 35	5	•	•
WKFN 2.5 E / SL / 35	5	•	•
WKFN 4 E / 35	6		•
WKFN 4 E / SL / 35	6		•
WKIF 2.5 D	5	•	•
WKM 2.5	5	•	•
WKM 4	6		•
WKN 150 / U	28		•
WKN 2.5 E / U	5	•	•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

Brady terminal block tags

Catalog #	SA4700	SA4310
Width (mm)	5	5
Height (mm)	9	10
Pitch	5	single

Terminal block

Display	Width (mm)	
WKN 25 / U	16	•
WKN 35 SL	16	•
WKN 70 SL	24	•
WKN 70 / U	24	•
WT 10	10	•
WT 10 PE	10	•
WT 16	12	•
WT 16 PE	12	•
WT 2.5	5	•
WT 2.5 PE	5	•
WT 2.5 TKM	5	•
WT 4	6	•
WT 4 D1 / 2	6	•
WT 4 D2 / 2	6	•
WT 4 E	6	•
WT 4 FSI	6	•
WT 4 PE	6	•
WT 4 TKM	6	•
WT 6	8	•
WT 6 PE	8	•

■ Width of the tag corresponds to the width of the terminal block

■ Width of the tag is less than the width of the terminal block

BradyJet J1000 material cross reference

Brady terminal block tags

Catalog #	SA4363	SA4810	SA4800
Width (mm)	5	6	6
Height (mm)	5	9	12
Pitch	5	6	6

Terminal block

Display	Width (mm)			
2711	7.5	•		
3410	7		•	
3430	6		•	
30430	6		•	
30431	6		•	
30432	6		•	
30800	6			•
30840	11			•
30841	12.5			•
30842	14.5			•
30843	16.5			•
30844	21			•
30890	6		•	
30891	6		•	
F W3450BL			•	•
F W3450GR			•	•