



Muestras de etiquetas

para la impresora industrial de etiquetas
BradyPrinter i3300

Print Your Own Magnets

The Ultimate Repositionable Label!



BBP33

B30C-2500-509-WT

B33-18-434

BRADY®

Brady Corporation
6555 West Good Hope Rd.
Milwaukee WI 53223 U.S.A.
www.bradyid.com/bbp

Serial No.

VMG10044


Location:

MILW-GHO

Mfg. Date:

05-AUG-11

Made in U.S.A.



BRADY®

Brady Corporation
6555 West Good Hope Rd.
Milwaukee WI 53223 U.S.A.
www.bradyid.com/bbp

Serial No.

VMG10043


Location:

MILW-GHO

Mfg. Date:

05-AUG-11

Made in U.S.A.



BRADY®

Brady Corporation
6555 West Good Hope Rd.
Milwaukee WI 53223 U.S.A.
www.bradyid.com/bbp

Serial No.

VMG10042


Location:

MILW-GHO

Mfg. Date:

05-AUG-11

Made in U.S.A.



BRADY®

Brady Corporation
6555 West Good Hope Rd.
Milwaukee WI 53223 U.S.A.
www.bradyid.com/bbp

Serial No.

VMG10041


Location:

MILW-GHO

Mfg. Date:

05-AUG-11

Made in U.S.A.



MOREK

MODEL: Ø391 VOLTS: 120
SERIAL: A23940 AMPS: 70

Brady B-482
Tissue Cassette Label

B33-103-457



010241



010240




010239




010238




010237



010236



010235



010234



010233

B30C-4250-551-WT

B33-17-438



Todas las etiquetas fueron creadas usando la impresora industrial de etiquetas BradyPrinter i3300 y se muestran en su tamaño real.

B30C-1125-595-YL

SERVER 7 KGX027-04
("KENT ST. SERVER")

B33-75-427

2B-C116
2B-C116

B30-222-438

ERTY OF
CER RESEARCH
STITUTE

ET No.



ERTY OF
CER RESEARCH
STITUTE

ET No.



ERTY OF
CER RESEARCH
STITUTE

ET No.

73724

73725

B33-75-427

B33-9-427

01467-I
01467-I

01468-I
01468-I

01469-I
01469-I

01464-I
01464-I

01465-I
01465-I

01466-I
01466-I

ENCLOSURE-20
UPS SUBPANEL 6 ON BREAKER 41

B30EP-174-593-BK

AMBIENT TEMP
ALARM
ALARM @ 105°F
SHUT DOWN @ 200°F

B30EP-173-593-SL



ARC FLASH AND
APPROPRIATE

- 2' - 0" - Flash Hazard Boundary
- 2.5 - cal/cm² Flash Hazard Level
- #1 - PPE Level (FR shirt, hard hat, leather chaps, leather gloves)
- 0.48 - Shock hazard width
- 3 - 6" - Limited Approach Distance
- 1' - 0" - Restricted Approach Distance
- 0' - 1" - Prohibited Approach Distance

DEVICE NAME: PLATING LINE MCC

B33-187-2-342

11208588
11208587
11208586
11208585
11208584

USA, INC 19548077 GD

B30EP-177-593-YL



WARNING

SHOCK HAZARD

PPE REQUIRED

oundry
azard at 18 inches
hirt & FR pants, or FR
hat, VR rubber or leat
hen cover is open/reme
h
bach
bach

C FED FROM: PNL 213, BRK

B30-25-595-ANSIWA

11208588

11208587

11208586

11208585

11208584

C-7

ROL CENTER
G LINE

98-904-032
01-097-987

369ml

B30-261-7569-CLP4A



B30EP-168-593-BK

Etiquetas sustituto de placas grabadas y etiquetas realizadas, están precortadas en tamaños comunes, duran 10 años en exteriores y cuestan 80% menos que las grabadas.

Cree señalamientos y etiquetas multicolor con un p impresión usando consumibles con encabezados, dia barras de colores preimpresos a color.

B30-245-595-NFPA

Ethyl Acetate

141-78-6

DANGER

Health Hazard



HEALTH HAZARDS: Flammable

Acetic Anhydride

H203: Explosive; fire, blast or projection hazard. - H204: Fire or projection hazard. - H301+H311: Toxic if swallowed or in contact with skin.

P402+P404: Store in a dry place. Store in a closed container. - P403+P235: Store in a well-ventilated place. Keep cool. EUH001: Explosive when dry. - EUH006: Explosive with or without contact with air. - EUH032: Contact with acids liberates very toxic gas.

Danger

414-414-4141

9734531-56-0
123-467-9
231-649-87-0



BRADY CORPORATION
1122 NORTH TEST
LANE
MILWAUKEE, WI 53235



COMMENTS
SECTION FOR
GHS



UPPER BA
AUTO-LO
IN "RUN"

BLANK PRE-PRINT HE

PSM

POWER SUPPLY
FOR MOTORS

RL2

RELAY #2



SW1

SWITCH #1

RL2

RELAY #2

SW3

SWITCH #3

SW2

SWITCH #2



MELZER PRES
ULTRAVIOLET U



380/220 VOLTS

50 AMP FUSES

BUS 129, SWITCH 236
THROUGH TRANSFORMER

B30C-2250-595-OR

ase de
mantes y

ard
HAZARD RATING

ability
4 Severe
3 Serious
2 Moderate
1 Slight
0 Minimal

ole

nes. Paranasal

floor, west wall

DANGER



ADER SUPPLIES FOR BRADY BBP31 PRINTER

B30-241-595-ANSIDA

-Order
nt

B30C-2250-595-GN

SS 1
UNIT



L.P. AIR 40 PS

LUBE POINT
1 PUMP WEEKLY

B30C-1125-595-WT



B30C-4000-595-YL

El vinilo B-595 es el adhesivo más agresivo que hemos tenido - se adhiere a la tubería y superficies extremadamente rugosas y dura hasta 10 años en e



B30C-2250-595-GN

B30C-1125-595-BL

Identificamos y protegemos establecimientos, productos y personas.

Para obtener mayor información o para conocer más sobre nuestros innovadores productos, visite BradyID.com.mx o BradyLatinAmerica.com.

Estados Unidos
Servicio al Cliente: 1-888-272-3946
Ventas Internas: 1-888-311-0775
BradyID.com

Canada
Servicio al Cliente: 1-800-263-6179
BradyCanada.ca

América Latina
Servicio al Cliente:
01-800-262-7777 | (664) 624-9475
BradyID.com.mx | BradyLatinAmerica.com

