



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Biohazard Signs

Brady biohazard signs are used to identify equipment, rooms and materials which contain or are contaminated with hazardous agents. Biohazard marking is required by safety code 1910.1030(g)(1), which states that warning labels must be affixed to containers of regulated waste, refrigerators and freezers containing blood or other potentially infectious material.

Regulations

OSHA 29 CFR 1910.1030

Bloodborne Pathogens:

Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b)

Labeling Requirements:

Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:

Ebola virus defined as Category A infectious substance.

CAUTION	CAUTION	DANGER	DANGER
BIOLOGICAL HAZARD AUTHORIZED PERSONNEL ONLY	POTENTIAL BIOHAZARD PRESENT	INFECTION HAZARD HANDLE NEEDLES WITH CARE	INFECTIOUS WASTE AREA
126692 7" x 10" SS	126686 7" x 10" SS	126680 7" x 10" SS	126668 7" x 10" SS
126695 10" x 14" SS	126689 10" x 14" SS	126683 10" x 14" SS	126671 10" x 14" SS
126691 7" x 10" PL	126685 7" x 10" PL	126679 7" x 10" PL	126667 7" x 10" PL
126694 10" x 14" PL	126688 10" x 14" PL	126682 10" x 14" PL	126670 10" x 14" PL
126690 7" x 10" AL	126684 7" x 10" AL	126678 7" x 10" AL	126666 7" x 10" AL
126693 10" x 14" AL	126687 10" x 14" AL	126681 10" x 14" AL	126669 10" x 14" AL

DANGER	WARNING	Bio-hazard area	BIOHAZARD
INFECTIOUS WASTE AREA USE PRECAUTIONS	BIOHAZARD AUTHORIZED PERSONNEL ONLY		
126674 7" x 10" SS	62550 7" x 10" FB		69768 10" x 14" FB
126677 10" x 14" SS	62812 10" x 14" FB		25742 7" x 10" PL
126673 7" x 10" PL	21800 7" x 10" PL		25743 10" x 14" PL
126676 10" x 14" PL	26575 10" x 14" PL		89170 3.5" x 5" SS
126672 7" x 10" AL	83928 3.5" x 5" SS		85553 7" x 10" SS
126675 10" x 14" AL	83753 7" x 10" SS		85554 10" x 14" SS
	46753 10" x 14" AL		43319 7" x 10" AL
		90704 10" x 7" BGPL	43320 10" x 14" AL



BIOHAZARD
UNIVERSAL PRECAUTIONS
MUST BE OBSERVED



BIOHAZARD
CAUTION
BIOHAZARD



126655 10" x 7" PL
126658 14" x 10" PL
126656 10" x 7" SS
126659 14" x 10" SS
126654 10" x 7" AL
126657 14" x 10" AL

69815 14" x 10" FB
25780 10" x 7" PL
25781 14" x 10" PL
89169 5" x 3.5" SS
89163 10" x 7" SS
89164 14" x 10" SS
43357 10" x 7" AL
43358 14" x 10" AL

69789 7" x 17" FB

126661 7" x 10" PL
126664 10" x 14" PL
126662 7" x 10" SS
126665 10" x 14" SS
126660 7" x 10" AL
126663 10" x 14" AL

69813 14" x 10" FB
89158 10" x 7" SS
89159 14" x 10" SS



View page 303 for biohazard labels, tape and waste disposal bags.

Personal Hygiene Signs

BradyID.com/s36

Personal Hygiene Signs

Brady personal hygiene signs remind and encourage employees to use appropriate sanitary methods such as hand washing and use of hair nets before returning to work.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison page 408
Sign Legend Index page 588



30705 10" x 14" SS
30707 10" x 14" PL



47579 10" x 14" PL



128456 10" x 7" SS
128459 14" x 10" SS
128455 10" x 7" PL
128458 14" x 10" PL
128454 10" x 7" AL
128457 14" x 10" AL



122789 7" x 10" FB
73474 10" x 14" FB
88475 7" x 10" SS
88476 10" x 14" SS
25151 7" x 10" PL
25152 10" x 14" PL
42728 7" x 10" AL
42729 10" x 14" AL
42727 10" x 14" AL



72988 14" x 20" FB
88477 7" x 10" SS
88478 10" x 14" SS
25153 7" x 10" PL
25154 10" x 14" PL
42730 7" x 10" AL
42731 10" x 14" AL



88479 7" x 10" SS
88480 10" x 14" SS
25153 7" x 10" PL
25154 10" x 14" PL
42730 7" x 10" AL
42731 10" x 14" AL



69567 10" x 14" FB
88485 7" x 10" SS
88486 10" x 14" SS
25155 7" x 10" PL
25156 10" x 14" PL
42732 7" x 10" AL
42733 10" x 14" AL



128450 10" x 7" SS
128453 14" x 10" SS
128449 10" x 7" PL
128452 14" x 10" PL
128448 10" x 7" AL
128451 14" x 10" AL



87732 10" x 14" FB
30911 10" x 14" SS
30913 10" x 14" PL
30914 10" x 14" AL



47636 10" x 7" SS
47638 10" x 7" PL
47639 10" x 7" AL



47587 10" x 14" SS
57079 10" x 14" AL



47593 10" x 14" SS
47595 10" x 14" PL



47606 10" x 14" SS
47612 10" x 14" PL



128312 10" x 7" SS
128315 14" x 10" SS
128311 10" x 7" PL
128314 14" x 10" PL
128310 10" x 7" AL
128313 14" x 10" AL



128330 7" x 10" SS
128333 10" x 14" SS
128329 7" x 10" PL
128332 10" x 14" PL
128328 7" x 10" AL
128331 10" x 14" AL



87738 10" x 14" FB
57084 10" x 14" SS
47632 10" x 14" PL



31218 10" x 14" PL
31219 10" x 14" AL



88682 7" x 10" SS
88683 10" x 14" SS
25250 7" x 10" PL
25251 10" x 14" PL
42828 10" x 14" AL



128384 7" x 10" SS
128387 10" x 14" SS
128383 7" x 10" PL
128386 10" x 14" PL
128382 7" x 10" AL
128385 10" x 14" AL



47649 10" x 7" SS
47651 10" x 7" PL
47652 10" x 7" AL

Design Online Custom Safety Signs



With Brady's online design tool,
creating custom safety signs is
simple, affordable and fast.

- Custom message
- Variety of materials
- No minimum order
- Sizes range from 3.5 in. to 36 in.
- Ships quickly

Design your signs at
BradyID.com



Admittance Signs

BradyID.com/s36

Admittance Signs (continued)



84266	7" x 10"	SS
84267	10" x 14"	SS
22246	7" x 10"	PL
22247	10" x 14"	PL
40810	7" x 10"	AL
40811	10" x 14"	AL



124853	7" x 10"	SS
124856	10" x 14"	SS
124852	7" x 10"	PL
124855	10" x 14"	PL
124851	7" x 10"	AL
124854	10" x 14"	AL



122883	7" x 10"	FB
122744	10" x 14"	FB
71282	14" x 20"	FB
122679	7" x 10"	SS
122602	10" x 14"	SS
122548	7" x 10"	PL
122485	10" x 14"	PL
122439	7" x 10"	AL
122370	10" x 14"	AL



124892	24" x 24"	SS
124889	18" x 18"	SS
124891	24" x 24"	PL
124888	18" x 18"	PL
124890	24" x 24"	AL
124887	18" x 18"	AL




124841	7" x 10"	SS
124844	10" x 14"	SS
124840	7" x 10"	PL
124843	10" x 14"	PL
124839	7" x 10"	AL
124842	10" x 14"	AL



124859	7" x 10"	SS
124862	10" x 14"	SS
124858	7" x 10"	PL
124861	10" x 14"	PL
124857	7" x 10"	AL
124860	10" x 14"	AL



122884	7" x 10"	FB
71293	10" x 14"	FB
71288	14" x 20"	FB
122680	7" x 10"	SS
84269	10" x 14"	SS
22248	7" x 10"	PL
22249	10" x 14"	PL
40812	7" x 10"	AL
40813	10" x 14"	AL



84270	7" x 10"	SS
22251	10" x 14"	PL
40815	10" x 14"	AL



69448	10" x 14"	FB
-------	-----------	----



84274	7" x 10"	SS
84275	10" x 14"	SS
22254	7" x 10"	PL
22255	10" x 14"	PL
40818	7" x 10"	AL
40819	10" x 14"	AL



71326	14" x 20"	FB
84276	7" x 10"	SS
84277	10" x 14"	SS
22256	7" x 10"	PL
40820	7" x 10"	AL



84279	7" x 10"	SS
22257	7" x 10"	PL
22258	10" x 14"	PL
40821	7" x 10"	AL
123499	14" x 10"	AL



124877	7" x 10"	SS
124880	10" x 14"	SS
124876	7" x 10"	PL
124879	10" x 14"	PL
124875	7" x 10"	AL
124878	10" x 14"	AL



95447	10" x 14"	PL
-------	-----------	----



124883	7" x 10"	SS
124886	10" x 14"	SS
124882	7" x 10"	PL
124885	10" x 14"	PL
124881	7" x 10"	AL
124884	10" x 14"	AL



95448	10" x 14"	PL
-------	-----------	----



71396	14" x 20"	FB
84284	10" x 14"	SS
22260	7" x 10"	PL
22261	10" x 14"	PL
40825	10" x 14"	AL



123491	10" x 7"	SS
123494	14" x 10"	SS
123490	10" x 7"	PL
123493	14" x 10"	PL
123489	10" x 7"	AL
123492	14" x 10"	AL



123470	7" x 10"	SS
123473	10" x 14"	SS
123469	7" x 10"	PL
123472	10" x 14"	PL
123468	7" x 10"	AL
123471	10" x 14"	AL

ANSI Signs

BradyID.com/s36

ANSI Signs (continued)



83936	3.5" x 5"	SS
83761	7" x 10"	SS
21808	7" x 10"	PL
26583	10" x 14"	PL
46484	7" x 10"	AL
46761	10" x 14"	AL



62555	7" x 10"	FB
62817	10" x 14"	FB
83933	3.5" x 5"	SS
83758	7" x 10"	SS
21805	7" x 10"	PL
26580	10" x 14"	PL
46481	7" x 10"	AL
46758	10" x 14"	AL



62560	7" x 10"	FB
62822	10" x 14"	FB
83938	3.5" x 5"	SS
83763	7" x 10"	SS
21810	7" x 10"	PL
26585	10" x 14"	PL
45047	10" x 7"	PL
45048	14" x 10"	PL
46486	7" x 10"	AL
46763	10" x 14"	AL



44979	10" x 7"	FB
44980	14" x 10"	FB
45115	10" x 7"	SS
45116	14" x 10"	SS
45047	10" x 7"	PL
45048	14" x 10"	PL
48967	10" x 7"	AL
48968	14" x 10"	AL

Sign Selection Guide

FB - Premium fiberglass (B-120)

SS - Self-sticking polyester (B-302)

PL - Plastic (B-401)

AL - Aluminum (B-555)

BGSS - BradyGlo™ self-stick polyester (B-324)

BGPL - BradyGlo™ plastic (B-347)

Material Comparison page 408

Sign Legend Index page 588



83874	3.5" x 5"	SS
21700	7" x 10"	PL
26521	10" x 14"	PL
46661	10" x 14"	AL



62561	7" x 10"	FB
83939	3.5" x 5"	SS
83764	7" x 10"	SS
26586	10" x 14"	PL
46764	10" x 14"	AL



83658	7" x 10"	SS
21707	7" x 10"	PL
26528	10" x 14"	PL
46664	10" x 14"	AL



83877	3.5" x 5"	SS
83654	7" x 10"	SS
21703	7" x 10"	PL
26524	10" x 14"	PL
46620	7" x 10"	AL
46664	10" x 14"	AL



45173	10" x 7"	SS
45105	10" x 7"	PL
45106	14" x 10"	PL
49026	14" x 10"	AL
49024	14" x 10"	AL



45035	10" x 7"	FB
45171	10" x 7"	SS
45172	14" x 10"	SS
45103	10" x 7"	PL
45104	14" x 10"	PL



45141	10" x 7"	SS
45073	10" x 7"	PL
45074	14" x 10"	PL



44985	10" x 7"	FB
45121	10" x 7"	SS
45122	14" x 10"	SS
45053	10" x 7"	PL
45054	14" x 10"	PL
48974	14" x 10"	AL



45001	10" x 7"	FB
45138	14" x 10"	SS
45069	10" x 7"	PL
48989	10" x 7"	AL
48990	14" x 10"	AL



45113	10" x 7"	SS
45045	10" x 7"	PL
48966	14" x 10"	AL



62810	10" x 14"	FB
83751	7" x 10"	SS
21798	7" x 10"	PL
26573	10" x 14"	PL
46474	7" x 10"	AL
46751	10" x 14"	AL



44999	10" x 7"	FB
45000	14" x 10"	FB
45136	14" x 10"	SS
45067	10" x 7"	PL
45068	14" x 10"	PL
48987	10" x 7"	AL
48988	14" x 10"	AL



126422	10" x 7"	SS
126425	14" x 10"	SS
126421	10" x 7"	PL
126424	14" x 10"	PL
126420	10" x 7"	AL
126423	14" x 10"	AL



132244	7" x 10"	FB
132245	10" x 14"	FB
132237	7" x 10"	SS
132238	10" x 14"	SS
132231	7" x 10"	PL
132232	10" x 14"	PL
132233	7" x 10"	AL
132234	10" x 14"	AL



45179	10" x 7"	SS
45180	10" x 7"	PL
45111	10" x 7"	AL
45112	14" x 10"	PL
49032	14" x 10"	AL



144605	7" x 10"	SS
144603	7" x 10"	PL
144602	7" x 10"	AL
144601	10" x 7"	AL



45017	10" x 7"	FB
45018	14" x 10"	FB
45153	10" x 7"	SS
45154	14" x 10"	SS
45085	10" x 7"	PL
45086	14" x 10"	PL
49005	10" x 7"	AL
49006	10" x 14"	AL

Hospital Signs

BradyID.com/s36


Hospital Signs

Brady hospital signs feature universal wayfinding symbols to clearly direct visitors of all languages to their destination. Hospital wayfinding signs are a great alternative to multi-lingual signs which are often difficult to read. Brady wayfinding signs can be customized by size, color and text and are available in aluminum, plastic and self-sticking materials.

Sign Selection Guide

FB - Premium fiberglass (B-120)
SS - Self-sticking polyester (B-302)
PL - Plastic (B-401)
AL - Aluminum (B-555)
BGSS - BradyGlo™ self-stick polyester (B-324)
BGPL - BradyGlo™ plastic (B-347)

Material Comparison page 408
Sign Legend Index page 588



Administration



Picto Only



Alternative Medicine



Picto Only



Ambulance Entrance



Picto Only



Anesthesia



Picto Only



Billing Department



Picto Only



Cardiology



Picto Only

142647	4" x 4"	SS
142593	8" x 8"	SS
142539	10" x 7"	SS
142485	10" x 7"	PL
142431	10" x 7"	AL


142621	4" x 4"	SS
142567	8" x 8"	SS
142513	10" x 7"	SS
142459	10" x 7"	PL
142405	10" x 7"	AL

142644	4" x 4"	SS
142590	8" x 8"	SS
142536	10" x 7"	SS
142482	10" x 7"	PL
142428	10" x 7"	AL

142640	4" x 4"	SS
142586	8" x 8"	SS
142532	10" x 7"	SS
142478	10" x 7"	PL
142424	10" x 7"	AL

142649	4" x 4"	SS
142595	8" x 8"	SS
142541	10" x 7"	SS
142487	10" x 7"	PL
142433	10" x 7"	AL

142633	4" x 4"	SS
142579	8" x 8"	SS
142525	10" x 7"	SS
142471	10" x 7"	PL
142417	10" x 7"	AL



Care Staff Area



Picto Only



CAT




Picto Only



Cath Lab



Picto Only



Chapel



Picto Only



CT



Picto Only



Dental



Picto Only

142612	4" x 4"	SS
142558	8" x 8"	SS
142504	10" x 7"	SS
142450	10" x 7"	PL
142396	10" x 7"	AL

142664	4" x 4"	SS
142610	8" x 8"	SS
142556	10" x 7"	SS
142502	10" x 7"	PL
142448	10" x 7"	AL

142657	4" x 4"	SS
142603	8" x 8"	SS
142549	10" x 7"	SS
142495	10" x 7"	PL
142441	10" x 7"	AL

142654	4" x 4"	SS
142600	8" x 8"	SS
142546	10" x 7"	SS
142492	10" x 7"	PL
142438	10" x 7"	AL

142663	4" x 4"	SS
142609	8" x 8"	SS
142555	10" x 7"	SS
142501	10" x 7"	PL
142447	10" x 7"	AL

142639	4" x 4"	SS
142585	8" x 8"	SS
142531	10" x 7"	SS
142477	10" x 7"	PL
142423	10" x 7"	AL

142628	4" x 4"	SS
142574	8" x 8"	SS
142520	10" x 7"	SS
142466	10" x 7"	PL
142412	10" x 7"	AL

142617	4" x 4"	SS
142563	8" x 8"	SS
142509	10" x 7"	SS
142455	10" x 7"	PL
142401	10" x 7"	AL

142629	4" x 4"	SS
142575	8" x 8"	SS
142521	10" x 7"	SS
142467	10" x 7"	PL
142413	10" x 7"	AL

142643	4" x 4"	SS
142589	8" x 8"	SS
142535	10" x 7"	SS
142481	10" x 7"	PL
142427	10" x 7"	AL

142618	4" x 4"	SS
142564	8" x 8"	SS
142510	10" x 7"	SS
142456	10" x 7"	PL
142402	10" x 7"	AL

142637	4" x 4"	SS
142583	8" x 8"	SS
142529	10" x 7"	SS
142475	10" x 7"	PL
142421	10" x 7"	AL

142651	4" x 4"	SS
142597	8" x 8"	SS
142543	10" x 7"	SS
142489	10" x 7"	PL
142435	10" x 7"	AL

142611	4" x 4"	SS
142557	8" x 8"	SS
142503	10" x 7"	SS
142449	10" x 7"	PL
142435	10" x 7"	AL

142660	4" x 4"	SS
142606	8" x 8"	SS
142552	10" x 7"	SS
142498	10" x 7"	PL
142444	10" x 7"	AL

142619	4" x 4"	SS
142565	8" x 8"	SS
142511	10" x 7"	SS
142457	10" x 7"	PL
142403	10" x 7"	AL

142638	4" x 4"	SS

<tbl_r cells="3" ix="3" maxcspan="1" max

Hospital Signs

BradyID.com/s36

Hospital Signs (continued)



Intensive Care



Picto Only



Internal Medicine



Picto Only



Interpretive Services



Picto Only



Kidney



Picto Only



Laboratory



Picto Only



Mammography



Picto Only

142613	4" x 4"	SS
142559	8" x 8"	SS
142505	10" x 7"	SS
142451	10" x 7"	PL
142397	10" x 7"	AL

142631	4" x 4"	SS
142577	8" x 8"	SS
142523	10" x 7"	SS
142469	10" x 7"	PL
142415	10" x 7"	AL

142652	4" x 4"	SS
142598	8" x 8"	SS
142544	10" x 7"	SS
142490	10" x 7"	PL
142436	10" x 7"	AL

142632	4" x 4"	SS
142578	8" x 8"	SS
142524	10" x 7"	SS
142470	10" x 7"	PL
142416	10" x 7"	AL

142622	4" x 4"	SS
142568	8" x 8"	SS
142514	10" x 7"	SS
142460	10" x 7"	PL
142406	10" x 7"	AL

142656	4" x 4"	SS
142602	8" x 8"	SS
142548	10" x 7"	SS
142494	10" x 7"	PL
142440	10" x 7"	AL

142650	4" x 4"	SS
142596	8" x 8"	SS
142542	10" x 7"	SS
142488	10" x 7"	PL
142434	10" x 7"	AL

142648	4" x 4"	SS
142594	8" x 8"	SS
142540	10" x 7"	SS
142486	10" x 7"	PL
142432	10" x 7"	AL

142626	4" x 4"	SS
142572	8" x 8"	SS
142518	10" x 7"	SS
142464	10" x 7"	PL
142410	10" x 7"	AL

142661	4" x 4"	SS
142607	8" x 8"	SS
142553	10" x 7"	SS
142499	10" x 7"	PL
142445	10" x 7"	AL

142658	4" x 4"	SS
142604	8" x 8"	SS
142550	10" x 7"	SS
142496	10" x 7"	PL
142442	10" x 7"	AL

142627	4" x 4"	SS
142573	8" x 8"	SS
142519	10" x 7"	SS
142465	10" x 7"	PL
142411	10" x 7"	AL

142620	4" x 4"	SS
142566	8" x 8"	SS
142512	10" x 7"	SS
142458	10" x 7"	PL
142404	10" x 7"	AL

142635	4" x 4"	SS
142581	8" x 8"	SS
142527	10" x 7"	SS
142473	10" x 7"	PL
142419	10" x 7"	AL

142624	4" x 4"	SS
142570	8" x 8"	SS
142516	10" x 7"	SS
142462	10" x 7"	PL
142408	10" x 7"	AL

142625	4" x 4"	SS
142571	8" x 8"	SS
142517	10" x 7"	SS
142463	10" x 7"	PL
142409	10" x 7"	AL

142615	4" x 4"	SS
142561	8" x 8"	SS
142507	10" x 7"	SS
142453	10" x 7"	PL
142399	10" x 7"	AL

142623	4" x 4"	SS
142569	8" x 8"	SS
142515	10" x 7"	SS
142461	10" x 7"	PL
142407	10" x 7"	AL

142636	4" x 4"	SS
142582	8" x 8"	SS
142528	10" x 7"	SS
142474	10" x 7"	PL
142420	10" x 7"	AL

142662	4" x 4"	SS
142608	8" x 8"	SS
142554	10" x 7"	SS
142500	10" x 7"	PL
142446	10" x 7"	AL

142616	4" x 4"	SS
142562	8" x 8"	SS
142508	10" x 7"	SS
142454	10" x 7"	PL
142400	10" x 7"	AL

142642	4" x 4"	SS
142588	8" x 8"	SS
142534	10" x 7"	SS
142480	10" x 7"	PL
142426	10" x 7"	AL

142655	4" x 4"	SS
142601	8" x 8"	SS
142547	10" x 7"	SS
142493	10" x 7"	PL
142439	10" x 7"	AL

142645	4" x 4"	SS
142591	8" x 8"	SS
142537	10" x 7"	SS
142483	10" x 7"	PL
142429	10" x 7"	AL

142637	4" x 4"	SS
142576	8" x 8"	SS
142522	10" x 7"	SS
142468	10" x 7"	PL
142414	10" x 7"	AL

142663	4" x 4"
--------	---------

Pre-Printed Labels

BradyID.com/s36

Cabinet Labels

- Clearly identify cabinets containing chemicals and safety equipment
- Specially designed for placement on any size cabinet, including one-door and low-capacity cabinets
- Made of B-302 self-adhesive laminated polyester



60284 3.5 x 12 in. Polyester 1 ea.
60261 7 x 24 in. Polyester 1 ea.



60285 3.5 x 12 in. Polyester 1 ea.
60262 7 x 24 in. Polyester 1 ea.



60286 3.5 x 12 in. Polyester 1 ea.
60263 7 x 24 in. Polyester 1 ea.



60287 3.5 x 12 in. Polyester 1 ea.
60264 7 x 24 in. Polyester 1 ea.



60288 3.5 x 12 in. Polyester 1 ea.
60265 7 x 24 in. Polyester 1 ea.



60289 3.5 x 12 in. Polyester 1 ea.
60266 7 x 24 in. Polyester 1 ea.



60290 3.5 x 12 in. Polyester 1 ea.
60267 7 x 24 in. Polyester 1 ea.



60291 3.5 x 12 in. Polyester 1 ea.
60268 7 x 24 in. Polyester 1 ea.



60292 3.5 x 12 in. Polyester 1 ea.
60269 7 x 24 in. Polyester 1 ea.



60294 3.5 x 12 in. Polyester 1 ea.
60271 7 x 24 in. Polyester 1 ea.



60295 3.5 x 12 in. Polyester 1 ea.
60272 7 x 24 in. Polyester 1 ea.



60296 3.5 x 12 in. Polyester 1 ea.
60273 7 x 24 in. Polyester 1 ea.



60297 3.5 x 12 in. Polyester 1 ea.
60274 7 x 24 in. Polyester 1 ea.



60298 3.5 x 12 in. Polyester 1 ea.
60275 7 x 24 in. Polyester 1 ea.




60299 3.5 x 12 in. Polyester 1 ea.
60276 7 x 24 in. Polyester 1 ea.



60300 3.5 x 12 in. Polyester 1 ea.
60277 7 x 24 in. Polyester 1 ea.



60301 3.5 x 12 in. Polyester 1 ea.
60278 7 x 24 in. Polyester 1 ea.



60302 3.5 x 12 in. Polyester 1 ea.
60279 7 x 24 in. Polyester 1 ea.



60303 3.5 x 12 in. Polyester 1 ea.
60280 7 x 24 in. Polyester 1 ea.



60293 3.5 x 12 in. Polyester 1 ea.
60270 7 x 24 in. Polyester 1 ea.



60304 3.5 x 12 in. Polyester 1 ea.
60281 7 x 24 in. Polyester 1 ea.



60305 3.5 x 12 in. Polyester 1 ea.
60282 7 x 24 in. Polyester 1 ea.



60306 3.5 x 12 in. Polyester 1 ea.
60283 7 x 24 in. Polyester 1 ea.

Chemical Absorbency

BradyID.com/s36

Chemical Absorbency

Color coded for when chemical-based fluids are present

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.



Liquids absorbed

- Acids and bases
- Aggressive chemicals
- Sodium hydroxide
- Solvents
- Citric acid
- Water-based fluids
- Oil-based fluids
- Other unknown chemicals

Popular applications

- Anywhere hazardous chemicals may be present
- Bulk chemical storage containers
- Nuclear power plants
- Laboratories
- Hospitals
- Pharmaceuticals and any industry utilizing chemicals
- Chemical manufacturing
- To recognize chemical waste stream



BRIGHTSORB® High-Visibility Safety Absorbents

- Safety color and print make it ideal for areas where the risk of slips, trips and falls is greatest
- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- 2-ply construction increases durability and reduces lint
- Printed safety message warns of slip, trip and fall hazards
- Bright color warns of presence of leaks, drips or spills even in low light

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Safety printed top coverstock (2-ply)
- Medium durability
- Low linting
- Perforated and dimpled
- Heavy, medium and light weights
- Cost: \$ \$\$

Recommended applications

- Areas with slip, trip and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals
- Any industrial application utilizing aggressive fluids

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
CH100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	30	100/case
CH1212	Medium-weight pad*	12 in. x 12 in.	Yes, 6 in.	12.5	30	14.5	30	200/case
CH1212-50	Medium-weight pad*	12 in. x 12 in.	Yes, 6 in.	12.5	7.5	4	72	50/case
CH200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	18	28	16	22	200/case
Rolls								
CH30DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	40	25	12	1/case
CH15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
CH303	Medium-weight roll	30 in. x 300 ft.	Yes, 15 in. and every 15 in.	12.5	70	40	8	1/bale

* Absorbent does not have print.

Chemical Absorbency

BradyID.com/s36



Universal Plus Chemical Absorbents

- Durable chemical absorbents for wiping, drips, spills and leaks that may involve hazardous chemicals.
- Product will not react with aggressive fluids
- Highly durable 3-ply construction reduces lint
- Bright color warns of presence of chemicals for proper disposal

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Top and bottom coverstock (3-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Medium weight
- Cost: \$ \$\$

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SPCUN1719	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14.5	30	100/case
SPCUN1113	Medium-weight pad	12 in. x 12 in.	No	12.5	20	16	30	200/case
Rolls								
SPCUN3800	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	39	27	12	1/case
SPCUN1019	Medium-weight roll	15 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	39	24	12	2/case



BASIC Chemical Absorbents

- Economical absorbents for drips, spills and leaks that may involve chemicals
- Product will not react with aggressive fluids
- Economical single-ply construction
- Bright color warns of presence of chemicals for proper disposal

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Heavy and light weights
- Cost: \$

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPH100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20	8.5	30	100/bale
BPH200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	13.7	24	200/bale
BPH500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale
Rolls								
BRH150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	18	38	19.5	18	1/bale
BRH152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	18	38	19.5	18	2/bale



Spill Response Plus Universal Plus Absorbents

- Convenient, portable size perfect for employees to fold or carry in their pockets
- Product will not react with aggressive fluids
- Fine fiber coverstock on each side increases product versatility
- Bright color warns of presence of chemicals for proper disposal
- Small size to clean up minor spills without wasting material

Features

- Absorbs acids, bases, oils, chemicals, solvents, water-based fluids, unknown chemicals
- Top and bottom coverstock (3-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Heavy weight
- Cost: \$ \$

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
SRPH100	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	5.5	4	96	100/case
SRPH200	Heavy-weight pad	7.5 in. x 10 in.	No	12.5	11.1	7.5	48	200/case
Rolls								
SRPH75P	Heavy-weight roll	7.5 in. x 50 ft.	Yes, 10 in.	12.5	3.3	1.85	60	1/bale

SOCs, Pillows and Drum Covers

BradyID.com/s36

HandySorb Mop System

- Handle extends up to six feet for areas you can't reach – eliminating the need for kneeling
- Patented quick-release operation for easy disposal
- "No-touch" pads and pillows keep your hands out of the mess
- Refill pads include reusable slide-on adapter to hook on the pads



"No-touch" pads and pillows have mop head adaptor attached



Refill pads use a reusable slide-on mop head adaptor



new



Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Quantity
HANDYSORB-MOPKIT	Mop Starter Kit	19 in. x 15 in.	1.5	1.5	1 handle 3 pads
HANDYSORB-NTPAD	"No-Touch" Pads	19 in. x 15 in.	12.5	12.5	25 pads
HANDYSORB-NTPILLOW	"No-Touch" Pillows	18 in. x 18 in.	12.5	28	10 pillows
HANDYSORB-BASICPAD	Refill pads with reusable adapter	19 in. x 15 in.	11	19.5	1 adaptor 100 pads

Pillows

Absorbent pillows are ideal for use under spill pallets or machines and valves that are known to drip or leak. They are easy to retrieve, and can soak up fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

- All-purpose universal pillows are suitable for water-based fluids
- Oil-only pillows absorb petroleum-based liquids while repelling water
- Chemical pillows absorb chemicals, acids and bases and are ideal for extra protection during packaging and transport

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Universal							
AW1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
AW99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
Oil Only							
OIL1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
OIL99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case
BRIGHTSORB Chemical							
CH1818	Pillow	18 in. x 18 in.	12.5	14	10	15	16/case
HAZWIK Chemical							
HAZ1818	Pillow	18 in. x 18 in.	12.5	28	19	15	16/case
HAZ99	Pillow	9 in. x 9 in.	12.5	14	10	40	32/case



ALLWIKE® Universal Pillow



BRIGHTSORB™ Chemical Pillow



HAZWIK® Chemical Pillow

Universal and Oil-Only Drum Covers

- Designed to fit 55-gallon drums — pre-cut holes fit drums with 1 or 2 bungholes
- Create a clean and safe work floor by helping to prevent pump drips from reaching the floor
- Universal absorbs water-, oil- and chemical-based liquids.
- Oil-only absorbs oil- and petroleum-based liquids while repelling water

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
DTA25	Universal	22 in. dia.	12.5	6	6	60	25/case
DTO25	Oil only	22 in. dia.	12.5	6	6	60	25/case



ALLWIKE® Universal Drum Covers



Oil-Only Drum Covers

Absorbents and Spill Control

BradyID.com/s36

Small

Medium

Large

Small Spill Response Kits (cont.)



Available with BRIGHTSORB®
High Visibility Absorbents

Economy Spill Kit

- Highly-visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20 in. x 16 in. x 4 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 1 pair nitrile gloves
- 2 SOCs (3 in. x 4 ft.)
- 1 instruction sheet
- 1 disposal bag

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	5/case
SKA-PP-TAA	Universal TAA	5	24	20	5/case
SKO-PP	Oil Only	5	24	20	5/case
SKCH-PP	BRIGHTSORB High Visibility	5	24	20	5/case
SKH-PP	Chemical	5	24	20	5/case
SKR-PP	Re-Form	5	24	20	5/case

Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit dimensions: 25.5 in. x 17 in. x 21.5 in.

Contents:

- 32 pads (15 in. x 19 in.)
- 2 disposal bags
- 5 SOCs (3 in. x 4 ft.)
- 1 pair goggles
- 1 pillow (18 in. x 18 in.)
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	24	1/case
SKO-CFB	Oil Only	15	25	24	1/case
SKH-CFB	Chemical	15	25	24	1/case

Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32 in. x 20 in. x 12 in.

Contents:

- 10 pads (15 in. x 19 in.)
- 1 pillow (18 in. x 18 in.)
- 2 SOCs (3 in. x 12 ft.)
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10	10	40	1/each
SKO-SAK	Oil Only	10	10	40	1/each
SKH-SAK	Chemical	10	10	40	1/each



Small Spill Response: 6.5-Gallon Spill Kits

One of our most popular sized kits, these 6.5-gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.

Small
Medium
Large



Available with BRIGHTSORB®
High Visibility Absorbents

6.5-Gallon Spill Bucket

- Easily accessible spill kit in a reusable bucket for a fast response to small spills
- Absorbs up to 5 gallons per kit
Kit dimensions: 14 in. x 18 in.

Contents:

- 1 pair nitrile gloves
- 1 instruction sheet
- 1 disposal bags
- 3 SOCs (3 in. x 4 ft.)
- 10 pads (15 in. x 19 in.)

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	5	9	36	1/each
SKA-BKT-TAA	Universal TAA	5	9	36	1/each
SKO-BKT	Oil only	5	9	36	1/each
SKCH-BKT	BRIGHTSORB chemical	5	8	36	1/each
SKH-BKT	Chemical	5	8	36	1/each



Bodily Fluid Spill Kit

- Assortment of pads, neutralizer, SOCs and the appropriate PPE will make cleaning up bodily fluids safer and more efficient
- Reusable screw-top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit
Kit dimensions: 14 in. x 18 in.

Contents:

- 1 pair neoprene gloves
- 1 apron
- 1 small scoop and scraper
- 1 case sanitary wipes
- 1 pair goggles
- 1 pair nitrile gloves
- 2 disposal bags
- 10 barrier-backed pads (15 in. x 19 in.)
- 1 granular (1 lb.)

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Qty.
SK-BF	Bodily fluid spill kit	4.5	9	36	1/each

ToughStripe Max Floor Marking Tape (B-543)

- Resistance to cuts and scrapes in high-traffic forklift and industrial-vehicle traffic areas due to its increased thickness (1.25 mm)
- Aggressive adhesive performance to floor, but easily removes in one piece
- Tapered edges minimize "pick points" and traffic bumps
- Service temperature range of 0° F to 140° F (-18° C to 60° C)

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	149629	149636	149643
Ylw / Blk Striped	149630	149637	149644
Red	149634	149641	149648
Orange	149635	149642	-
White	149633	149640	149647
Green	149632	149639	149646
Blue	149631	149638	149645

new



Toughstripe Floor Marking Tape (B-514)

- Ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths
- Exceeds OSHA and ANSI safety standards for clean, dry non-slip surfaces
- 0.2 mm thickness and service temperature 0° F to 140° F (-18° C to 60° C)
- Custom colors available



Colors

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Yellow	104312	104342	104372
Red	104313	104343	104373
Orange	104316	104346	104376
White	104311	104341	104371
Green	104315	104345	104375
Blue	104314	104344	104374
Purple	134086	134087	134088
Brown	134089	134090	134091
Grey	134092	134093	134094
Black	104310	104340	104370

Stripes

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Ylw / Blk	104317	104347	104377
Rd / Wht	104318	104348	104378
Rd / Ylw	132430	132431	132432
Org / Blk	132433	132434	132435
Wht / Blk	104319	104349	104379
Grn / Wht	132436	132437	132438
Blu / Ylw	132439	132440	132441



Checkers

	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
Rd / Wht	121916	121917	121918
Blk / Wht	121913	121914	121915



Overlaminate Tape

Catalog #	Description	Size
142134	Overlaminate	1 in. x 50 ft.
142136	Overlaminate	1.125 in. x 100 ft.
142135	Overlaminate	2 in. x 50 ft.
142137	Overlaminate	2.250 in. x 100 ft.
142138	Overlaminate	3 in. x 100 ft.
142139	Overlaminate	4 in. x 100 ft.




ToughStripe Floor Tape Applicator

- One applicator for all of your floor marking tapes — including thick, heavy-duty tapes and thin, temporary tapes
- Adjusts to fit 2 in. to 4 in. tape widths
- Lightweight, ergonomic design makes tape application easy
- Applicator winds tape liner onto an extra core as you go to make clean up fast and easy
- Small footprint fits in tight spaces

Catalog #	Description	Qty
150852	ToughStripe Floor Tape Applicator	1



new



Adjusts to fit 2 in. to 4 in. tape widths

ToughStripe® Floor Marking

BradyID.com/s36

ToughStripe Floor Marking Die-cut Shapes

- All the durability and high visibility of ToughStripe Floor Marking Tape, but in die-cut shapes

Dots	
3.5 in. Dia. 350/roll	
Yellow	104403
Red	104400
White	104405
Green	104401
Blue	104402
Black	104404

Arrows	
2 in. x 5 in. 100/pack	
Yellow	104415
Red	104412
White	104417
Green	104413
Blue	104414
Black	104416
3 in. x 8 in. 100/pack	4 in. x 10 in. 100/pack
Yellow	104421
Red	104418
White	104423
Green	104419
Blue	104420
Black	104422

Footprints	
10 ft. x 3.5 in. 5 right and 5 left/pack	
Yellow	104409
Red	104406
White	104411
Green	104407
Blue	104408
Black	104410

Corner Marks	
2 in. x 5 in. 20/pack	
Yellow	104433
Red	104430
White	104435
Green	104431
Blue	104432
Black	104434
3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104445
Red	104442
White	104447
Green	104443
Blue	104444
Black	104446

Center Marks	
2 in. x 5 in. 20/pack	
Yellow	104469
Red	104466
White	104471
Green	104467
Blue	104468
Black	104470
3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104475
Red	104472
White	104477
Green	104473
Blue	104474
Black	104476

Divider Marks	
2 in. x 5 in. 20/pack	
Yellow	104451
Red	104448
White	104453
Green	104449
Blue	104450
Black	104452
3 in. x 8 in. 20/pack	4 in. x 10 in. 20/pack
Yellow	104463
Red	104460
White	104465
Green	104461
Blue	104462
Black	104464

Pre-Spaced ToughStripe Shapes

Quickly lay straight, evenly spaced shapes. Simply lay down the continuous tape, then remove the clear transfer tape. No need to apply markings one by one.

	3.5 in. x 100 ft. 55 dots/18 in. apart	2 in. x 5 in. x 100 ft. 52 arrows/18 in. apart	2 in. x 8 in. x 100 ft. 46 dashes/18 in. apart
Yellow	104523	104529	104556
Red	104521	104526	142179
White	104522	104555	142177
Green	104520	104527	142181
Blue	104524	104528	142180
Black	104525	104554	142178



Pre-Printed ToughStripe Tape

Stock or custom legends available (18 character limit)

Legend	Color	2 in. x 100 ft.	3 in. x 100 ft.	4 in. x 100 ft.
QA Inspection Area	Blk on Org	121364	121365	121366
Caution ESD Area	Blk on Ylw	121367	121368	121369



Print-On-Demand ToughStripe Tape (B-483)

ToughStripe is available as a printable material for several of Brady's printers, allowing you to create custom floor labels for your facility. Simply print desired label from a select Brady printer, position label on floor and apply included B-634 polyester overlaminates for print protection.

Benchtop printers
See page 49

BMP®71 Portable Printer
See page 152

Toughstripe Floor Marking Signs

Toughstripe B-534 polyester floor signs resist harsh chemicals and are specifically designed to alert workers of potential dangers and enforce protective equipment requirements.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- Black areas of signs are coated with anti-slip tread
- 3-mil thickness, service temperature 0° F to 130° F (18° C to 54° C)
- US Patent No 8,302,337



Arrow Symbol
104489 - 17 in. dia.



Emergency Exit
104495 - 17 in. dia.



Emergency Stairs
104496 - 17 in. dia.



Exit Arrow
104490 - 17 in. dia.



Fire Extinguisher
104492 - 17 in. dia.



Fire Alarm
104493 - 17 in. dia.



Fire Hose
104494 - 17 in. dia.



Pedestrian Traffic Only
104509 - 17 in. dia.



Watch Out For Fork Lift
104501 - 17 in. dia.



Warning Forklift Traffic
104512 - 17 in. dia.



Production Area
All Through Traffic Use Designated Walkway
104513 - 17 in. dia.



First Aid w/Arrow
104486 - 17 in. dia.



Safety Shower
104487 - 17 in. dia.



Eye Wash
104507 - 17 in. dia.



Stop
104511 - 17 in. dia.



Keep Aisles Clear
104508 - 17 in. dia.



Radiation Area
104488 - 14 in. x 18 in.



First Aid
104491 - 14 in. x 18 in.



Do Not Enter
104497 - 14 in. x 18 in.



Chemical Storage
104498 - 14 in. x 18 in.



Watch Your Step
104499 - 14 in. x 18 in.



No Smoking
104500 - 14 in. x 18 in.



Ear Protection Area
104502 - 14 in. x 18 in.



Eye Protection Area
104503 - 14 in. x 18 in.



Hard Hat Area
104504 - 14 in. x 18 in.



Safety Goggles Required
104505 - 14 in. x 18 in.



Biohazard
104506 - 14 in. x 18 in.



Safety Glasses Required
104510 - 14 in. x 18 in.

Egress Marking

The 2015 versions of the International Building Code (IBC), International Fire Code (IFC) and the National Fire Protection Agency's (NFPA) 101 Life Safety Code contain new provisions for the means of egress in most new and pre-existing buildings with five or more stories.

Luminous (glow-in-the-dark) egress path markings are now required for the full width of every stair and handrail, among other markings. Brady offers a complete line of egress marking products that meet the current requirements for the 2015 means of egress regulations.



BradyGlo™ Floor Tapes

- B-324 phosphorescent surface printed polyester
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Size	Color
76430	Striped Tape	2 in. x 15 ft.
76431	Striped Tape	3 in. x 15 ft.
76432	Solid Tape	2 in. x 15 ft.
76433	Solid Tape	3 in. x 15 ft.



High Intensity Marking Tape

- Self-sticking polyester in NYC approved styles
- Ideal for marking steps and landings, door frames and handrails
- 10+ hours of glow life

Catalog #	Size	Color
81873	NYC Approved Marking Tape	1 in. x 50 ft.
81729	NYC Approved Anti-Slip Tape	1 in. x 50 ft.



High Intensity Obstacle Tape

- Self-sticking polyester in NYC approved styles
- Clearly marks obstacles that protrude into the egress path
- 10+ hours of glow life

Catalog #	Style	Size
81869	NYC Approved Obstacle Tape	1 in. x 50 ft.



BradyGlo™ Arrow Tape

- Exceeds ASTM E 2072-00 standard
- Designed to safely mark egress pathways during power outages and emergencies
- 10+ hours of glow life

Catalog #	Style	Size
90971	V-Arrow Tape	2 in. x 15 ft.
90972	V-Arrow Tape	3 in. x 15 ft.
90973	Arrow Tape	2 in. x 15 ft.
90974	Arrow Tape	3 in. x 15 ft.
76430	Striped Arrow	2 in. x 15 ft.

Regulations

OSHA 29 CFR 1910.1030

Bloodborne Pathogens:

Labels required for containers and shipments. Employers to post biohazard signs at the entrance to work areas.

DOT 49 CFR 172.400(b):

Labeling is required for infectious substances which meets one or more hazard classifications.

UN2814 Infectious Substances:

Ebola virus defined as Category A infectious substance.

Biohazard Identification



Biohazard Labels

- Labels effectively identify and warn of biohazard materials

Catalog #	Size	Qty
LH625E	4 in. x 2.875 in.	25/pk.



Biohazard Waste Disposal Bags

- 3-mil polyethylene bags to package and dispose of biohazardous waste

Catalog #	Size	Qty
145586	16 x 14 x 36 in.	100/pk
145587	30 x 14 x 39 in.	100/pk



Biohazard Tape

- Self-sticking vinyl tape is ideal for clearly identifying biohazard areas

Catalog #	Size	Qty
88051	2 in. x 108 ft.	1 roll



Clearly identify hazardous areas with Brady Biohazard Signs available on page 445.

Barricade Tape

BradyID.com/s36



Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking

Catalog #	Size	Size
91172	0.75 in. x 150 ft.	Black/Yellow
91173	0.75 in. x 150 ft.	Magenta/Yellow
91175	0.75 in. x 150 ft.	Black/Red
91176	2 in. x 200 ft.	Black/Yellow
91179	2 in. x 200 ft.	Black/Red



Re-Pulpable Barricade Tape

- Made of 100% strong woven, biodegradable cotton material
- Tape will break down if accidentally introduced into the system

2 in. x 150 ft.	3 in. x 150 ft.	Legend	Color
91082	91083	Caution	Blk/Ylw
91086	91084	Danger	Blk/Red
-	91087	Danger Do Not Enter	Blk/Ylw
-	91085	Danger Do Not Enter	Blk/Red



Reinforced Barricade Tape

- Provides fast, on-the-spot warning
- 250-lbs. tensile strength
- Standard package: one roll

Catalog #	Legend	Size
91100	Caution/Cuidado	3 in. x 500 ft.
91101	Caution Construction Area	3 in. x 500 ft.
91102	Caution Do Not Enter	3 in. x 500 ft.
91103	Caution Men Working	3 in. x 500 ft.
91104	Striped	3 in. x 500 ft.



Economy Barricade Tape

- Made of lightweight non-adhesive polyethylene
- Ideal for temporary use outdoors or permanent indoor warning

Catalog #	Size	Qty.
91228	1 in. x 100 ft.	1 roll
91237	1 in. x 500 ft.	1 roll
91229	2 in. x 200 ft.	1 roll
91238	3 in. x 500 ft.	1 roll

Regulations

Safety Color Code for Marking Physical Hazards 1910.144(a):

Use yellow and black for physical hazards, red and white for fire protection equipment, black and white for traffic and housekeeping markings, magenta and yellow for radiation hazards.



Tape Tender

- Dispenses any 2 in. or 3 in. plastic tape rolls up to 1,000 ft.
- Tape advances as needed using thumb
- Steel cutting blade cuts fast and smooth

Catalog #	Legend	Qty.
72412	Tape Tender	1



Barricade Tape

- Non-adhesive B-912 Polyethylene tapes provide fast, on-the-spot warning
- Use for temporary outdoor or permanent indoor use
- Lightweight tape can be tied, stapled or nailed to posts, fences or metal barricades
- Custom legends also available

3 in. x 200 ft.	3 in. x 1000 ft.	Legend	Color
91468	91462	Authorized Personnel Only	Blk/Ylw
91214	91454	(Blank - Blk/Yellow Stripes Only)	Blk/Ylw
91212	-	Caution	Blk/Ylw
91447	91448	Caution Biohazard	Blk/Org
91469	91463	Caution Chemical Hazard	Blk/Ylw
91217	91453	Caution Construction Area	Blk/Ylw
91224	91451	Caution Do Not Enter	Blk/Ylw
91220	91458	Caution High Voltage	Blk/Ylw
91215	91452	Caution Men Working	Blk/Ylw
91227	91457	Caution Open Trench	Blk/Ylw
91470	91464	Caution Radiation Hazard	Mag/Ylw
91256	91257	Confined Space Do Not Enter	Blk/Ylw
91200	91201	Danger	Blk/Red
91213	91455	Danger	Blk/Ylw
91255	91456	Danger Asbestos Dust Hazard	Blk/Ylw
-	102823	Danger Asbestos Dust Hazard (w/Stripes)	Blk/Red/Wht
-	102822	Danger Confined Space (w/Stripes)	Blk/Red/Wht
-	101349	Danger Keep Out	Blk/Red
102821	-	Do Not Enter (w/Stripes)	Blk/Red
102824	-	Do Not Enter	Blk/Red

Barricades / Security

BradyID.com/s36

BradyLink® Warning Post System

- Portable, non-rusting posts and chain for designating restricted areas or to guide foot and forklift traffic pathways
- Made of colorful polystyrene and polyethylene and are a decorative alternative to metal posts
- Non-conductive so can be safely used in electrically hazardous areas. Hollow base can be filled for a more stable application
- Not intended to support heavy weight



Small posts with flat base

Large with dome base

BradyLink Posts

Includes base, top and c-hook for each post

Color	Color	1 pack	6 pack
Small post with flat base			
Black	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80937	80943
Yellow	40 in. tall; 2.5 in. dia. post; 14 in. dia. flat base	80938	80944
Large post with dome base			
Black	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92116	92119
White	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92117	92120
Yellow	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92118	92121
Blk/Ylw Striped	41 in. tall; 3 in. dia. post; 16 in. dia. dome base	92122	92123



BradyLink Chain

- Polyethylene chain for indoor use only
- Link design prevents kinking

Catalog #	1.5 in. x 100 ft.	2 in. x 100 ft.	3 in. x 100 ft.
Yellow	78234	78238	37860
Black/Yellow	-	78254	37864
White	78235	78239	37861
Black	-	78268	-
Orange	-	78241	-
Yellow/Magenta	-	-	37865



Links, C-Hooks and S-Hooks

- S-hooks temporarily attach lengths of chain together
- C-hooks are installed on the post to allow chain or s-hook to attach to post

Catalog #	Description	Color	Qty.
C-hooks for post tops			
92011	C-hook	Black	36
92010	C-hook	White	36
S-hooks for chain			
78259	2 in. S-hook	Black	36
78257	2 in. S-hook	Yellow	36
78258	2 in. S-hook	White	36
Individual chain links			
78248	2 in. links	Black	36
78246	2 in. links	Yellow	36
78247	2 in. links	White	36



Post Sign Adapter

- Adaptor locks in place on top of BradyLink Warning Posts

Color	Size	1 pack	6 pack
Black	5 in. x 1.75 in.	80958	80960
Black	6 in. x 2 in.	92135	92137
Yellow	5 in. 1.75 in.	80959	80961
Yellow	6 in. x 2 in.	92134	92136



Bradycone™ Warning Cones System

- Designed to communicate temporary slip, trip and fall hazards indoors or outdoors
- Cones are light weight, portable and stackable
- Hazard message is on all four-sides of the cone, so your message can't be missed
- Enhance your message with the Lock-in Sign Frame with pictogram labels



Apply label to the 8.25 in. x 8.25 in. frame face

Bradycone Warning Cones

- Stackable for easy storage
- High impact, weather-resistant cones
- Includes notch at top of cone to attach Bradycone chain (sold separately)

Catalog #	Description	Size
77204	Blank	Orange 35 in.
77198	Blank	Yellow 25 in.
77205	Blank	Yellow 35 in.
103681	Do Not Enter	Yellow 35 in.
103682	Icy Areas	Yellow 35 in.
103683	No Parking	Yellow 35 in.
77201	Safety First	Yellow 25 in.
77203	Safety First	Yellow 35 in.
77200	Wet Floor	Yellow 25 in.
77202	Wet Floor	Yellow 35 in.
103680	Wet Floor/ Piso Mojado	Yellow 35 in.

Bradycone Accessories

- Accessories to complete your Bradycone Warning System
- Chain can be hooked into cone notch at any position along the chain

Catalog #	Description	Size
77207	Lock-in-Chain	20 in.
77208	Weight Ring	9 lbs.

Bradycone Picto Labels

- Lock-in frame easily fits to the top of the cone
- Self-sticking labels can be applied to the front of the frame

Catalog #	Legend	Size
94917	Falling Ice	8.25 in. x 8.25 in.
77221	Electrical Hazard	8.25 in. x 8.25 in.
77224	No Entry Construction	8.25 in. x 8.25 in.
77217	No Smoking	8.25 in. x 8.25 in.
77219	Out Of Service	8.25 in. x 8.25 in.
77216	Slippery	8.25 in. x 8.25 in.
77226	Watch Your Step	8.25 in. x 8.25 in.
77210	Lock-in-Frame	10 in. x 10 in.



Traffic Cones

- Vinyl construction assures flexible, yet rugged durability

Catalog #	Description	Size	Qty.
80111	Traffic Cone	18 in.	1
80112	Traffic Cone	24 in.	1



Traffic Cone Signs

- Easy to install plastic sign fits any standard traffic cone or delineator
- Legend on one side only

Catalog #	Legend	Size	Qty.
80117	Do Not Enter	10.5 in. x 12.75 in.	1
80118	Wet Floor	10.5 in. x 12.75 in.	1



Construction Barricades on page 581

Barricades / Security

BradyID.com/s36

Reversible Floor Stands

- Reversible signs contain two legends; to change legend simply detach at the bottom and flip over
- Lightweight corrugated material makes it portable and easy to handle
- 12 in. x 20 in. when closed



Floor Stands

- Made of durable polystyrene plastic
- Printing appears on both panels

Catalog #	Legend	Size
47243	Caution Tripping Hazard	12 in. x 20 in.
47239	Danger Persons Working Above	12 in. x 20 in.
47251	Notice Restroom Closed For Cleaning	12 in. x 20 in.

Heavy Duty Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of heavy-duty polypropylene
- Wording appears on both panels

Catalog #	Legend	Height
104808	Blank	24.5 in.
104810	Caution	24.5 in.
104811	Closed	24.5 in.
104809	Wet Floor	24.5 in.



Blank Tags

BradyID.com/s36

Blank Paper Tags

- Blank paper tags are an economical and convenient way to label equipment
- Standard package: 1,000 tags and attachment strings



Size	Standard Colors										Fluorescent Colors				
	White	Yellow	Pink	Orange	Green	Dark Green	Blue	Dark Blue	Lavender	Gray	Fluorescent Green	Fluorescent Red	Fluorescent Orange	Fluorescent Yellow	Fluorescent Pink
2.75 x 1.375 in.	102160	102136	102120	102128	-	102144	102088	102096	102152	102104	102064	102080	102048	102072	102056
3.25 x 1.625 in.	102161	102137	102121	102129	102113	102145	102089	102097	102153	102105	-	102081	102049	102073	102057
3.75 x 1.875 in.	102162	102138	102122	102130	102114	102146	102090	102098	102154	102106	102066	102082	102050	102074	102058
4.25 x 2.125 in.	102163	102139	102123	102131	102115	102147	102091	102099	102155	102107	102067	102083	102051	102075	102059
4.75 x 2.375 in.	102164	102140	102124	102132	102116	102148	102092	102100	-	102108	102068	102084	102052	102076	102060
5.25 x 2.625 in.	102165	102141	102125	102133	102117	102149	102093	102101	102157	102109	102069	102085	102053	102077	102061
5.75 x 2.875 in.	102166	102142	102126	102134	102118	102150	102094	102102	102158	102110	102070	102086	102054	102078	102062
6.25 x 3.125 in.	102167	102143	102127	102135	102119	102151	102095	102103	102159	102111	102071	102087	102055	102079	102063

Blank Manila Tags

- Blank paper tags are an economical and convenient way to label equipment



Blank Tyvek Tags

- Weatherproof, tearproof and lightweight
- Includes metal eyelets



Aluminum Write-On Tags

- Laminated B-184 Dead Soft Aluminum Foil on cardboard backing (includes plastic lock-on ties)
- For indoor use only



Catalog #	Size	Color	Qty.
102040	2.75 in. x 1.375 in.	Manila	1,000
102041	3.25 in. x 1.625 in.	Manila	1,000
102042	3.75 in. x 1.875 in.	Manila	1,000
102043	4.25 in. x 2.125 in.	Manila	1,000
102044	4.75 in. x 2.375 in.	Manila	1,000
102045	5.25 in. x 2.625 in.	Manila	1,000
102046	5.75 in. x 2.875 in.	Manila	1,000
102047	6.25 in. x 3.125 in.	Manila	1,000

Catalog #	Size	Color	Qty.
102032	2.75 in. x 1.375 in.	White	1,000
102033	3.25 in. x 1.625 in.	White	1,000
102034	3.75 in. x 1.875 in.	White	1,000
102035	4.25 in. x 2.125 in.	White	1,000
102036	4.75 in. x 2.375 in.	White	1,000
102037	5.25 in. x 2.625 in.	White	1,000
102038	5.75 in. x 2.875 in.	White	1,000
102039	6.25 in. x 3.125 in.	White	1,000

Catalog #	Description	Qty.
23199	1.125 in x 3.5 in. Aluminum Foil Tag	25/pk



Metal Write-On Tags

- Durable metal accepts most marking pens and includes nylon tie
- Metal can be bent and straightened

Catalog #	Size	Color	Qty.
56937	5 in. x 3 in.	White	1 ea.
56936	5 in. x 3 in.	Yellow	1 ea.
56938	5 in. x 3 in.	Blue	1 ea.
56939	5 in. x 3 in.	Green	1 ea.
56940	5 in. x 3 in.	Red	1 ea.

Color-Coded Lock-On Tags

- Plastic tag locks onto itself
- Resists moisture, grease and dirt

Catalog #	Size	Color	Qty.
30680	5.8 in. x 3.25 in.	White	25/pk
30684	5.8 in. x 3.25 in.	Yellow	25/pk
30682	5.8 in. x 3.25 in.	Blue	25/pk
30683	5.8 in. x 3.25 in.	Green	25/pk
30681	5.8 in. x 3.25 in.	Red	25/pk

Color-Coded Plasti-Tags

- Rigid 10-mil blank tags with nylon ties
- Available in square or round shapes

Catalog #	Size	Color	Qty.
56927	2.5 in. x 3.5 in.	White	25/pk
56926	2.5 in. x 3.5 in.	Yellow	25/pk
56928	2.5 in. x 3.5 in.	Blue	25/pk
56929	2.5 in. x 3.5 in.	Green	25/pk
56930	2.5 in. x 3.5 in.	Red	25/pk
56932	3 in. Round	White	25/pk
56931	3 in. Round	Yellow	25/pk
56933	3 in. Round	Blue	25/pk
56934	3 in. Round	Green	25/pk
56935	3 in. Round	Red	25/pk

BBP®85 Sign and Label Printer

BradyID.com/s36



▶ Learn more at
BradyID.com/bbp85

Printer at-a-glance

- Large output up to 10 in. wide
- Single- and multi-color printing
- PC-connect or standalone printing
- Touchscreen label creation
- 125 parts, 5 materials

Printing supplies

- BBP85 label rolls page 78
BBP85 print ribbons page 83

BBP®85 SIGN & LABEL PRINTER

**There's big and bold.
Then there's big and bold
from Brady.**

The BBP85 Sign and Label Printer allows you to create extra-large 10 inch labels in multiple colors, and it has an easier-than-ever interface that anyone on your team can use. No more complex, tedious design steps. Now you can just walk up and print – anyone can do it.

Big Output. Little Fuss.

Create custom signs and labels right now. This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user lean / 5S and kaizen labeling events.

- Unmistakably large visuals up to 10 in. wide
- Just walk up and print – it really is that easy
- Simple touchscreen interface for standalone use, including label design apps to quickly create safety signs, pipe markers, GHS, arc flash, right-to-know labels and more
- Connect to your PC to print labels created through Brady Workstation apps
- USB port for importing files, fonts and graphics

Catalog #	Description
BBP85	BBP85 Sign and Label Printer*
B85-DC	BBP85 Printer Dust Cover
STYLUS-3PK	Replacement Stylus Pens (3 per pack)

* Printer ships with documentation CD, printer driver CD, power cord, USB cord, Quick Start Guide and cleaning kit.



Big, bold and better than ever



Large signs
up to 10 in. wide



Custom signs
on demand



Equipment ID



Low light applications



GHS labels



Pipe marking

BBP®85 Sign and Label Printer

BradyID.com/s36

Printer specifications

Overview	10 in. standalone and PC-connect printer for SFID with multi-color printing. Particularly popular for any large labeling needs. The ultimate in easy and accessible with multiple colors for larger output
Applications	Larger output of equipment labels, GHS labels, safety signs and multi-color labels
Label materials	Extremely aggressive 8-10 year outdoor vinyl with high tack and chemical resistance, plus reflective, 10-hour glow-in-the-dark and polyester.
Label formats	Continuous tapes, pre-printed and blank die-cut labels
Print technology	Thermal transfer
Print resolution	300 dpi
Print speed	1 in./sec.
Media widths	4 to 10 in.
Min. label dimension	4 in.
Color printing capabilities	Monocolor and multi-color printing
Auto cut-off	Yes
X-Y plotter cutting (cutout shapes / text)	No
PC-connect or standalone operation	Standalone and PC-connect printing
Connectivity options	Standard: USB, Ethernet Optional: Wi-Fi, Wi-Fi Direct
Compatible software	Brady Workstation Apps
Compatible materials	B85-series and PowerMark materials
Compatible ribbons	B85-series and Powermark ribbons
Calibration required	No (no waste)
Label creation and set-up	Automatic (printer or PC software reads data on chip and automatically sets up label size, color, fonts, etc.)
Ribbon and label roll installation	Labels: Supplied in cartridge, drops into place, 15-second changeover Ribbon: Supplied in cartridge, snaps into place, 5-second changeover
Warranty	5 years

* Patent No. 8,542,155; 8,783,983.
Additional patents pending.



Brady Workstation Safety and Facility ID Suite

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

This suite features:

- A collection of applications for creating the custom signs, labels and pipe markers you need to add visual safety guidance to your facility
- The ability to serialize and import your data onto the labels
- Real-time information about the label material installed, enabling easy label set up
- Built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more

► Learn more on page 176 or download a free trial at Workstation.BradyID.com

Brady360® 5-year Warranty

We stand behind our products and have strengthened our commitment to you with a **5-year printer warranty**

standard and free of charge on our benchtop printer models.* With our team of certified tech support and repair technicians, you can rest easy knowing you have the support you need, every step of the way.



*Excludes repairs due to negligence. Excludes Wraptor™, BradyJet and portable models. For full coverage details and restrictions, visit BradyID.com/brady360

BBP®85 Label Materials

BradyID.com/s36

Benchtop Printers

BBP85

Indoor / Outdoor Grade Vinyl Tape (B-595)

- Durable, low-shrink vinyl with our most aggressive adhesive and 8-10 year outdoor durability
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks and wood, textured plastics, cast-iron and paper-jacketed pipes, powder-coated surfaces)

Service temp: -40° F to 180° F; Application temp: 0° F to 180° F

Average outdoor durability: 8-10 year outdoor vinyl label durability




Figure 33



Fits Printers	Figure	Catalog #	B#	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
BBP85, PMK	Fig. 33	13538	B-595	White	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13549	B-595	White	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13651	B-595	White	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13551	B-595	White	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13562	B-595	White	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13539	B-595	Yellow	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13550	B-595	Yellow	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13652	B-595	Yellow	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13552	B-595	Yellow	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13563	B-595	Yellow	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13540	B-595	Red	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13601	B-595	Red	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13654	B-595	Red	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13553	B-595	Red	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13610	B-595	Red	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13541	B-595	Blue	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13602	B-595	Blue	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13656	B-595	Blue	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13554	B-595	Blue	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13611	B-595	Blue	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13542	B-595	Green	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13603	B-595	Green	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13655	B-595	Green	7.000 (177.8)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13555	B-595	Green	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13612	B-595	Green	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13543	B-595	Orange	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13604	B-595	Orange	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13653	B-595	Orange	7.000 (177.8)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13556	B-595	Orange	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13613	B-595	Orange	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13544	B-595	Black	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13605	B-595	Black	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13557	B-595	Black	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13614	B-595	Black	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13545	B-595	Gold	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13606	B-595	Gold	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13558	B-595	Gold	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13615	B-595	Gold	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13546	B-595	Gray	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13607	B-595	Gray	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	13559	B-595	Gray	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13616	B-595	Gray	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	13547	B-595	Brown	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13608	B-595	Brown	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13560	B-595	Brown	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13617	B-595	Brown	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13548	B-595	Purple	4.000 (101.6)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13609	B-595	Purple	6.000 (152.4)	50 (15.2)	1 roll (cont)	13513
BBP85, PMK	Fig. 33	13561	B-595	Purple	8.000 (203.2)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	13618	B-595	Purple	10.000 (254.0)	50 (15.2)	1 roll (cont)	13512
BBP85, PMK	Fig. 33	59529	B-595	Clear	4.000 (101.6)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59530	B-595	Clear	6.000 (152.4)	50 (15.2)	1 roll (cont)	13511
BBP85, PMK	Fig. 33	59531	B-595	Clear	8.000 (203.2)	50 (15.2)	1 roll (cont)	13510
BBP85, PMK	Fig. 33	59532	B-595	Clear	10.000 (254.0)	50 (15.2)	1 roll (cont)	13510


U.S. Patent No. 5,318,370; 5,823,689; 6,570,602. Additional patents pending.

BBP85 Printer Ribbons

Choose from a variety of heavy-duty, smear-proof ribbons, including single color and multi-color paneled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP85 printer.

Single color print ribbons

Fits Printers	Catalog #	Color	Size Inch (mm)	Length Foot (m)
BBP85, PMK	13511	Black	6.250 (158.0)	200 (60.9)
BBP85, PMK	13510	Black	8.800 (224.0)	200 (60.9)
BBP85, PMK	13513	White	6.250 (158.0)	200 (60.9)
BBP85, PMK	13512	White	8.800 (224.0)	200 (60.9)
BBP85, PMK	13595	Red	6.250 (158.0)	200 (60.9)
BBP85, PMK	13514	Red	8.800 (224.0)	200 (60.9)
BBP85, PMK	13596	Blue	6.250 (158.0)	200 (60.9)
BBP85, PMK	13515	Blue	8.800 (224.0)	200 (60.9)
BBP85, PMK	13597	Green	6.250 (158.0)	200 (60.9)
BBP85, PMK	13516	Green	8.800 (224.0)	200 (60.9)
BBP85, PMK	13598	Magenta	6.250 (158.0)	200 (60.9)
BBP85, PMK	13517	Magenta	8.800 (224.0)	200 (60.9)
BBP85, PMK	13599	Yellow	6.250 (158.0)	200 (60.9)
BBP85, PMK	13518	Yellow	8.800 (224.0)	200 (60.9)
BBP85, PMK	13600	Orange	6.250 (158.0)	200 (60.9)
BBP85, PMK	13519	Orange	8.800 (224.0)	200 (60.9)



Single color print ribbon



Two-color panel print ribbon



Four-color panel print ribbon

Two-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create two color signs up to 8 in. long						
BBP85, PMK	13523	Black and Red	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13522	Black and Red	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13527	Black and Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13529	Black and Orange	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13704	Black and Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
BBP85, PMK	13706	Black and Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	100 labels (8 in.)
15 in. panels used to create two color signs up to 14 in. long						
BBP85, PMK	13521	Black and Red	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13520	Black and Red	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13525	Black and Blue	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13524	Black and Blue	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13526	Black and Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13528	Black and Orange	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13705	Black and Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)
BBP85, PMK	13707	Black and Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	60 labels (14 in.)

Four-color panel print ribbons

Fits Printers	Catalog #	Color	Ribbon Width Inch (mm)	Color Panel Length Inch (mm)	Overall Length Feet (m)	Typical Yield From Ribbon
8 in. panels used to create four color signs up to 8 in. long						
BBP85, PMK	13533	Black / Red / Blue / Yellow	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13532	Black / Red / Blue / Yellow	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13537	Black / Red / Blue / Green	6.250 (158.0)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	13536	Black / Red / Blue / Green	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
BBP85, PMK	51448	Black / Red / Orange / Blue	8.800 (223.5)	8.000 (203.2)	200 (60.9)	50 labels (8 in.)
15 in. panels used to create four color signs up to 14 in. long						
BBP85, PMK	13531	Black / Red / Blue / Yellow	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13530	Black / Red / Blue / Yellow	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13535	Black / Red / Blue / Green	6.250 (158.0)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)
BBP85, PMK	13534	Black / Red / Blue / Green	8.800 (223.5)	15.000 (381.0)	200 (60.9)	30 labels (14 in.)

Design Online Custom Safety Signs



With Brady's online design tool,
creating custom safety signs is
simple, affordable and fast.

- Custom message
- Variety of materials
- No minimum order
- Sizes range from 3.5 in. to 36 in.
- Ships quickly

Design your signs at
BradyID.com

