



Do-it-yourself printing for safety
& facility identification

About BRADY

Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.



Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For over a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification, safety and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase. The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady. Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

Do-it-yourself printing

The Brady advantage

When it comes to identification, safety and compliance, there's a clear advantage to working with Brady. We put our customers first in everything we do.

Our goal is to give you an unrivalled customer experience. We are relentlessly committed to performance and excellence - in our products, services and people.

Our products and solutions perform in ways that others simply can't match. Our people perform in ways that regularly exceed your expectations, and our focus and discipline work toward solid, long-term performance for our customers.

In short, Brady is the company you trust when performance matters most.

Learn more about the Brady advantage at:
www.bradyeurope.com



M710
LABEL PRINTER



BradyPrinter i3300
INDUSTRIAL LABEL PRINTER



BradyJet J7300
COLOR LABEL PRINTER



BradyJet J4000
COLOUR LABEL PRINTER



BradyPrinter S3700
SIGN & LABEL PRINTER



BradyPrinter S3100
SIGN & LABEL PRINTER

Contents

Introduction

- 6-7 Printer comparison guide
- 8 Safety and facility identification
- 9 The best printer for your application
- 10 Brady label materials are made to impress
- 11 The best label material for your application
- 12 Brady safety printers online

M710 Label Printer

- 14-19 M710 label printer and materials
- 20 M710 ribbons
- 20 M710 at a glance

i3300, S3100, S3700 printers

- 22-25 i3300, S3100, S3700 printers
- 26 Safety sliders consumable kit
- 26 CLP/GHS consumable kit
- 27 Pipe marking consumable kit
- 27 General safety consumable kit
- 28-39 i3300, S3100, S3700 printer materials
- 40 Print ribbons
- 41 i3300/S3100 at a glance
- 42 S3700 at a glance

BBP85 Sign & Label Printer

- 44-50 BBP85 Sign & Label Printer
- 45 BLS laminating system and panels
- 45 Safety sliders consumable kit
- 46-50 BBP85 Sign & Label Printer materials
- 51 BBP85 print ribbons
- 52 BBP85 at a glance

BradyJet J7300 and J4000 colour label printers

- 54-57 BradyJet J7300 Colour Label Printer and materials
- 57 J7300 at a glance
- 58-61 BradyJet J4000 Colour Label Printer and materials

Materials

- 62-63 Master material index



BBP85 LABEL PRINTER

Get the Brady printer advantage

You know that having the right identification in the right place keeps your facility safer, more efficient and more compliant. But take a look at the signs and labels in your facility:

- Are they handwritten?
- Do they fall off faster than expected?
- Do you have to wait for a label delivery before you get the identification up where you need it?
- Do you have to use an overly complicated printer with software that isn't quite compatible to create your sign or label?

If you answered yes to any of these questions, **you're ready for the Brady printer advantage.**



Whether you're looking for GHS labels, arc flash labels, pipe markers or other workplace visuals, Brady provides a complete line of on-demand printing solutions that are designed to save you time. **And unlike competitive offerings, every part of our printing solutions are designed to keep you running more efficiently. Here's how:**



Faster printing

No need to send artwork to a vendor and wait up to seven days - create and print your label with your custom words, languages and logos when you need it.



Less waste

The only complete solution on the market that includes labels, printers and software with print smart technology that work together to get from start to print in 30 seconds without any resizing, recalibrating or waste.

PIPE 4 in. label using
a Brady printer

PIPE 4 in. label using a
competitor printer



Full facility applications

You get more than 300 material options that are designed to last in even the toughest environments and meet the highest quality and testing standards.

Integrated into your workflow

When adding a piece of equipment to your facility, you want to make sure that it not only does the work you need, but also that it doesn't make a huge impact on your workflow. With Brady, you get a variety of printer options so you have the flexibility to get the tool that best fits your application needs and workflow.



Stand-alone printers

Ideal for multiple-user and network-free printing

While you have the option to do your label creation on a computer, stand-alone printers have a built-in touchscreen, keyboard and intuitive design wizards so you can easily walk up, create and print without having to be connected to your network. These printers also provide multicolour printing options.



Peripheral printers

Ideal for single-user printing

These compact printers require a desktop or laptop computer and easily fit into your tight areas so you can maximise your workspace to complete your single-colour printing tasks.



Inkjet printers

Ideal for full-colour printing

Like the peripheral printers, our inkjet printers need a desktop or laptop computer to complete identification tasks, but boast the power of full-colour, high-resolution print quality so you can add custom images to your identification.



Get the printer comparison guide



Printer comparison guide



| | M710 Portable Label Printer | i3300 Industrial Label Printer | S3100 Sign & Label Printer | S3700 Sign & Label Printer |
|--|--|---|--|--|
| Description | More speed. Less mess. It's our fastest, most advanced portable printer yet. Print 76.2 mm per second. Auto-cut labels. Work all day on one charge. Use one device for 100's of applications, printing on the toughest materials around. | Get your ideal label printing scenario with the BradyPrinter i3300 Industrial Label printer – labels and ribbons that snap into place, no calibration and no wasted blank labels. Wi-Fi connectivity allows you to get data more easily from a variety of sources. Print smart technology allows the printer to print on the first label – even sleeves and small labels. Print on a full range of safety and facility label materials. | The easy-to-use BradyPrinter S3100 sign and Label printer is designed to meet a variety of your facility identification needs, helping you save time so you can get back to work. The built-in keyboard and touchscreen interface make label creation a breeze. Ideal for multi-user areas in your facility, anyone can simply walk up, create labels and print right on the spot. | Colour your way to an improved workplace with the S3700 Sign and Label Printer. With multicolour print and shape cutting capabilities, this printer creates impactful identification that fits your application and workspace needs. |
| Printer Specifications | | | | |
| Software compatibility | Brady Workstation | Brady Workstation Windows based driver for 3rd party software use | Brady Workstation Windows based driver for 3rd party software use | Brady Workstation Express Labels Mobile App Windows based driver for 3rd party software use |
| Colour capability | Monocolour | Monocolour | Monocolour | Multicolour; Monocolour |
| Connectivity options | USB | Ethernet, USB, USB 2.0, Wi-Fi | Ethernet, USB | Bluetooth, Wi-Fi, Ethernet, USB |
| Stand-alone printing (detached from PC) | Stand-alone & Peripheral | Peripheral | Stand-alone & Peripheral | Mobile device connected, Stand-alone, Peripheral |
| Cutter | Single Hand Manual Actuate, Straight Cut, Between labels or at end of print job | Auto Cutter | Auto Cutter | XY Cutter and Auto Cutter |
| Internal memory capacity | 200 MB | 512 MB RAM, 195 MB IFFS Flash | 256 MB | 512 MB |
| Max. label width (mm) | 50.80 mm | 107.95 mm | 107.95 mm | 107.95 mm |
| Max. print width (mm) | 50.80 mm | 101.98 mm | 101.98 mm | 101.60 mm |
| Max. print length (mm) | 1016.00 | 1524.00 | 1524.00 | 2530.00 |
| Print technology | Thermal Transfer | Thermal Transfer | Thermal Transfer | Thermal Transfer |
| Print resolution (dpi) | 300 dpi | 300 dpi | 300 dpi | 300 dpi |
| Max. print speed (mm/sec) | 38.00 mm/s | 101.60 mm/s | 76.00 mm/s | 127.00 mm/s |
| Width x height x depth (mm) | 241,30 x 332,70 x 116,80 | 228,60 x 241,30 x 304,80 | 304,80 x 241,30 x 260,35 | 482,60 x 279,40 x 361,95 |
| Weight (kg) | 2.46 kg | 5.22 kg | 9.07 kg | 16.74 kg |
| Keyboard type | QWERTY, QWERTZ, AZERTY, CYRILLIC | None | Full size fold down keyboard QWERTY, AZERTY, QWERTZ, CYRILLIC | Full size fold down keyboard QWERTY, AZERTY, QWERTZ, CYRILLIC |



| | BBP85 Sign & Label Printer | BradyJet J7300 Colour Label Printer | BradyJet J4000 Colour Label Printer |
|--|---|--|--|
| Description | The BBP™85 Sign and Label Printer allows you to create upto 254.00 mm labels & signs in multiple colours. Its improved interface makes it easy to use for anyone. | Unleash your true colours with the BradyJet™ J7300 Colour Label Printer. Enjoy fast, industrial-grade full colour for variable print jobs from the production line to the lab. | The BradyJet J4000 Colour Label Printer is an industrial high quality printer. The wide format full colour inkjet label printer is very easy to use and prints reliable, high resolution signs, facility and laboratory sample labels in bright, vibrant colours to support workplace safety and efficiency. The printer includes the Brady Workstation Basic Software Suite for label design. |
| Printer Specifications | | | |
| Software compatibility | Brady Workstation, Windows based driver for 3rd party software use | Brady LINK360® Brady Workstation Windows based driver for 3rd party software use | Brady Workstation Windows based driver for 3rd party software use |
| Colour capability | Multicolour; Monocolour | Full Colour | Full colour |
| Connectivity options | Bluetooth, Ethernet (optional), USB, Wi-Fi | EthernetUSB-CWi-FiUSB Host | USB, WiFi, Ethernet |
| Stand-alone printing (detached from PC) | Stand-alone & Peripheral | Stand-alone & Peripheral | Peripheral |
| Cutter | Auto Cutter | After label, at end of job or no cutoffStandard CutterStraight CutWithout label retention | Auto Cutter |
| Internal memory capacity | 64 MB | 32 GB, expandable through USB | No Internal memory available |
| Max. label width (mm) | 254.00 mm | 107.95 mm | 203.20 mm |
| Max. print width (mm) | 254.00 | 107.95 mm | 203.20 mm |
| Max. print length (mm) | 5090.16 | 609.60 | 609.60 |
| Print technology | Thermal Transfer | Inkjet | Inkjet |
| Print resolution (dpi) | 300 | 4800 dpi | 4800 dpi |
| Print speed (mm/sec) | 50.00 mm/s | 30.48 mm/s | 114.30 mm/s |
| Width x height x depth (mm) | 500.00 x 310.00 x 500.00 | 376.30 x 230.89 x 515.70 | 438.15 x 231.14 x 438.15 |
| Weight (kg) | 24.04 | 16.33 kg | 16 kg |
| Keyboard type | QWERTY, QWERTZ, AZERTY, CYRILLIC | None | None |

Safety and facility identification



Multicolour safety signs



Pipe markers



Machine safety labels



GHS/CLP labels



Warehouse identification



Safety tags



Control panel labels






Labelling in food & bev. industry



Labelling in low light situations



| | | Stand-alone printers | | | Peripheral printer | Inkjet printers | | |
|---|--|----------------------|-------|-------|--------------------|-----------------|-------|-------|
| General and Industrial ID | | M710 | S3100 | S3700 | BBP85 | i3300 | J7300 | J4000 |
|  | Asset and component marking | | | | | | | |
| | Rating plate labels, push button labels, reflective tapes, etc. to be used on all kind of surfaces (smooth, rough, textured, low energy...) even in low light conditions, also on hazardous substances packaging...for text, symbols and barcode printing | ★★ | ★★ | ★★ | ★ | ★★ | ★★ | ★★ |
| Safety and Facility ID | | | | | | | | |
|  | Safety panels | | | | | | | |
| | Pictograms, pictograms + text, wallcharts. | ★ | ★★ | ★★ | ★★ | ★★ | ★★ | ★★ |
|  | Visual equipment control | | | | | | | |
| | Create lean visual equipment controls like gauge labels, fluide level indicator levels, gradient rulers, and customise them to your personal needs. | ★ | ★ | ★★ | ★ | ★ | ★ | ★ |
|  | Energy source labelling | | | | | | | |
| | Create your facility's energy source identification for Lockout Tagout compliance. | ★ | ★★ | ★★ | ★★ | ★★ | ★★ | ★★ |
|  | Area and pathway marking | | | | | | | |
| | ToughStripe tapes, photoluminescent tapes, reflective tapes, signage etc. for floor labelling, exit and directional signage, fire alarms and extinguisher identification, for escape or evacuation routes indication... | ★ | ★ | ★★ | ★ | ★ | — | — |
|  | Lean warehousing identification | | | | | | | |
| | Tear resistant tags, tamper-resistant labels, rough surface labels, low surface energy and powder coated surface labels, repositionable labels, in and outdoor grade facility labels, general industrial labels, etc. to be used on all kind of surfaces (smooth, rough, textured, low energy...) for shelves labelling, bin location labelling, inventory labelling, logistics labelling... | ★★ | ★★ | ★★ | ★★ | ★★ | ★★* | ★★* |
|  | Pipe and valve marking | | | | | | | |
| | Tapes for pipes and valve marking. It stands up to grease, oil, etc. to be used on irregular, curved or rough surfaces for text and symbols printing | ★ | ★ | ★★ | ★★ | ★ | ★★* | ★★* |
|  | Food processing equipment marking | | | | | | | |
| | Toughwash labels: wash down resistant and metal detectable materials designed to withstand the harsh cleaning and sanitizing methods essential to the food and beverage industry. | ★ | ★★ | ★★ | — | ★★ | — | — |
| Hazardous material labelling | | | | | | | | |
|  | Hazardous material labelling | | | | | | | |
| | Create your GHS/CLP labels using design templates that incorporate all the phrasing, pictograms and features you need for your hazardous material identification. | — | ★★ | ★★ | ★ | ★★ | ★★ | ★★ |

— Not Recommended ★ Acceptable ★★ Preferred

*For indoor use only.

Brady label materials are made to impress



*Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.

Brady labels last the longest, period.

Brady labels stick and stay stuck, plain and simple. In fact, some last up to 10 years outdoors*. You only need to make them once. And after you make them, they're there for good.

Options. Lots of options.

We make labels for specific applications. That's why we have hundreds of label types and sizes to choose from. We want you to be 100% confident that you have the right label for your exact application.

We set the bar high.

There's a reason why Brady materials lead the industry in durability and performance. It's because we design and manufacture the labels ourselves. We put our materials through rigorous, painstaking tests and trials – and nothing leaves our doors until it passes with flying colours. We set the standards high – because we know it's the only way our materials can exceed your expectations.

With label printing like this, the possibilities are endless.




Impressive material line up

Depending on the customer's needs, the printers can be used with over 400 material parts in 30 different materials designed for:

- Multicolour safety identification signs
- Pipe markers
- 5S labels and general purpose die cut labels
- Production line facility labels



The best label material for your application

| | | Thermal Transfer Materials | | | | | | | | | | | | | | Inkjet Materials | | | | | | | | | | | | |
|---|--|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------|-------|-------|--------|--------|---------|----------------|--------|---------|---------|--------|--------|---|
| | | B-403 | B-483 | B-534 | B-509 | B-526 | B-530 | B-549 | B-551 | B-569 | B-581 | B-582 | B-584 | B-593 | B-595 | B-851 | B-854 | B-855 | B-2550 | B-2551 | B-2569* | B-2581 | B-2585 | B-2595* | B-7425J | B-7569 | B-7593 | |
| General and Industrial ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Panel Identification <ul style="list-style-type: none">Panel and switch identification | | | | | | | | | | | | | ★ | ★ | | | | | | | | | | | ★ | ★ | |
|  | Asset Management <ul style="list-style-type: none">Office furnitureTools & machinesCompany cars | ★ | | | | ★ | | | | | | | | | ★ | | | | | ★ | | | | ★ | | ★ | | |
|  | Office Use <ul style="list-style-type: none">FilesDoor signs | | | | | | | | | | | | | | ★ | | | | | | ★ | ★ | | | ★ | | ★ | |
|  | Events (badges, logo...) <ul style="list-style-type: none">ExhibitionsSeminarsAdvertising / communication agencies | ★ | | | | | | | | ★ | | | | ★ | ★ | | | | ★ | ★ | ★ | | | | ★ | | ★ | ★ |
|  | Services / Recreation <ul style="list-style-type: none">Industrial contractorsHoliday centres, leisure centresTheme parks | | | | | | | | | ★ | | | | | ★ | | | | | | ★ | | | | ★ | | | |
| Safety and Facility ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Safety panels <ul style="list-style-type: none">PictogramsPictograms + textWallcharts | | | | ★ | | ★ | | ★ | ★ | | ★ | | ★ | | | | | | | ★ | | | | ★ | | ★ | |
|  | Evacuation Maps | | | | ★ | | ★ | | ★ | | | | | | | | | | | | ★ | | | | ★ | | ★ | |
|  | Safety Procedures & Machine Instructions <ul style="list-style-type: none">Valve & switch identificationEmergency proceduresLockout / TagoutSchematics | ★ | | | ★ | | ★ | | ★ | | | ★ | | ★ | | | | | ★ | | ★ | ★ | | | ★ | | ★ | |
|  | Pipe marking <ul style="list-style-type: none">Individual pipe markersRoll form pipe markersArrows | | | | | | | | ★ | | | | | | ★ | | | | | | ★ | | | | ★ | | ★ | |
|  | Photoluminescent Signage <ul style="list-style-type: none">Emergency escape routesAssembly & Emergency point signs | | | | ★ | | | | | | ★ | | | | | | | | | | | | | | | | | |
|  | Maintenance <ul style="list-style-type: none">Cleaning instructionsRepair instructions | ★ | | ★ | | | | ★ | | ★ | | | | | | | | | ★ | ★ | ★ | ★ | | | ★ | | ★ | |
|  | Logistic <ul style="list-style-type: none">Warehouse & StockBar codes | | | ★ | | | ★ | | | ★ | | | | ★ | | | | | ★ | ★ | ★ | ★ | | | ★ | | | |
|  | Cut-Out Letters & Signs | | | | | | | | ★ | | | | | ★ | | | | | | | | | | | | | ★ | |
|  | Tagout <ul style="list-style-type: none">Safety tags | | | | | | | ★ | | | | | | | | ★ | | | | ★ | | | | | | | | |
|  | Washdown labels <ul style="list-style-type: none">For use in Food & Beverage Industry | | | | | | | | | | | | | | | | ★ | ★ | | | | | | | | | | |
|  | Floormarking <ul style="list-style-type: none">Durable, easy application and high visibility | | ★ | | | | | | | | | | | | | | | | | | | | | | | | | |
| Laboratory Identification/Hazardous Material Labelling | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | Laboratory Identification | ★ | | | | | | | | | | | | | | | | | | | | | ★ | | ★ | | | |
|  | Hazardous Substances ID | ★ | | | | | | | | | | | | ★ | | | | ★ | | ★ | | ★ | ★ | | ★ | | | |
|  | Transport <ul style="list-style-type: none">Chemical substancesDirectional signsInformative signs | | | | | | | | ★ | | | | | ★ | | | | | | | | ★ [†] | | | | | | |

* For indoor use only. † BS 5609 section 2 and 3 compliant

Brady safety printers online

Surfing www.bradyeurope.com is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc.

Visit www.bradyeurope.com/safetyprinters to find technical data sheets, update your Brady printers and software or quickly register Brady products!



For more information on featured printers visit: www.youtube.com/BradyEurope



M710 LABEL PRINTER

[Scan or click the QR-code](#)



BradyPrinter S3700

SIGN & LABEL PRINTER

[Scan or click the QR-code](#)



BradyPrinter i3300 INDUSTRIAL LABEL PRINTER

[Scan or click the QR-code](#)



BBP85

[Scan or click the QR-code](#)



BradyPrinter S3100

SIGN & LABEL PRINTER

[Scan or click the QR-code](#)



BradyJet J7300 COLOUR LABEL PRINTER

[Scan or click the QR-code](#)



BradyJet J4000

COLOUR LABEL PRINTER

[Scan or click the QR-code](#)



See your printer of choice in action

Experience live how the printer works in the hands-on printer demo at your premises, or watch how it operates via a live feed.

Discuss with our specialist how the printer will support you in your specific context to choose the system that best suits your needs.

www.bradyeurope.com/safetyprinters




Register your product

After registering your product you will have access to:

- Technical support
- Notification of updates
- Special offers and product announcements

www.bradyeurope.com/registration





M710 Label Printer

- 14-15 M 710 Label Printer
- 16 B-595 high performance indoor/outdoor vinyl
- 17 B-584 reflective vinyl
- 17 B-582/B-526 Phosphorescent polyester tapes
- 17 B-483/B-634 ToughStripe area marking tape
- 17 B-854 and B-855 ToughWash series labels
- 18 B-581 repositionable vinyl
- 18 B-7593 EPREP labels – engraved plate replacement labels
- 18 B-569 High performance polyester
- 19 B-549 Cold temperature application material
- 19 B-530 security identification labels
- 19 B-423 and B-428 pre-printed labels
- 19 B-483A pre-printed labels
- 19 B-424 paper labels
- 19 B-509 Printable magnetic supply
- 20 M710 ribbons
- 20 M710 at a glance





M710 LABEL PRINTER

MORE SPEED. LESS MESS.

Print on just about anything.

Take on more jobs, and get them done in record time with the all-new M710 Label Printer. Fast and flexible, it's your tool for seamless label creation from the shop to the field. Design and print with a mobile app, software or keyboard and colour touchscreen. Enjoy printing on the toughest materials around, plus extra durability from a Li-ION battery that lasts all day long. Better jobsite performance starts with the M710.



For videos and more information please visit: www.bradyeurope.com/M710

M710 printer

| Order Reference | Art. No. | Description |
|-------------------|----------|---|
| M710-QWERTY-EU | 317810 | M710 Label Printer QWERTY EU |
| M710-WB-QWERTY-EU | 317811 | M710 Label Printer QWERTY EU with Wifi and BT |
| M710-QWERTY-UK | 317812 | M710 Label Printer QWERTY UK |
| M710-WB-QWERTY-UK | 317813 | M710 Label Printer QWERTY UK with Wifi and BT |
| M710-AZERTY-EU | 317814 | M710 Label Printer AZERTY |
| M710-WB-AZERTY-EU | 317815 | M710 Label Printer AZERTY, Wifi, BT |
| M710-WB-QWERTZ | 317816 | M710 Label Printer QWERTZ with Wifi and BT |
| M710-WB-CYRILLIC | 317817 | M710 Label Printer Cyrillic with Wifi and BT |
| M710-US | 317834 | M710 Qwerty US Label Printer |
| M710-WB-US | 317835 | M710 Qwerty US Label Printer with Wifi and BT |

This printer ships in a hard case holding a USB cable, a quick start guide, a product USB (with product info and Windows driver), a Li-ION Rechargeable Battery, an AC Adapter, a Brady Workstation Design Software, a Media Adapter, a roll of M7C-1000-595-WT and an M7-R6000 ribbon.

Includes the Brady Workstation Basic Suite as standard - <http://workstation.bradyd.com/>

M710 accessories

| Order Reference | Art. No. | Description |
|-----------------|----------|--|
| M71-CLEAN | 114886 | Cleaning Kit |
| M710-HC | 175664 | Hard Case M710 Label Printer |
| M71-ADAPT-BK | 147998 | Media Adaptor for high-end portable printer |
| BMP-SC-3 | 150619 | Protective softbag for portable printers |
| M-LION-BATTERY | 175673 | Rechargeable Lithium-ion Battery for M610/M710 printer |
| M-NIMH-BATTERY | 175674 | Rechargeable NiMH Battery for M610/M710 printers |
| USB-C-A-CABLE | 175665 | USB-C to USB Type A Cord |

GET MORE DONE WITH:



LIGHTNING-FAST PRINT SPEEDS



SHOP-TO-FIELD FLEXIBILITY



MORE THAN 60 MATERIAL OPTIONS




Pipemarking



ToughStripe area marking



General identification



Photoluminescent tape



Bin labelling



Safety labels...and many more!

M710 Printer Specifications


| Specifications | |
|------------------------------|---|
| Print Technology | Thermal Transfer |
| Print Resolution (dpi) | 300 dpi |
| Print Speed (mm/sec) | 76.20 mm/s |
| Colour Capability | Monocolour |
| Continuous vs Die-cut Labels | Continuous and Die-cut |
| Max. Label Width (mm) | 50.80 mm |
| Max. Print Length | 1016.00 mm |
| Connectivity Options | Standalone Use USB Bluetooth on selected models WiFi on selected models |
| Phones & Tablets Supported | Android devices with Android OS 6+ iPhone with iOS 10+ Only applicable to WiFi and Bluetooth models. |
| Software Compatibility | Brady Workstation, Express Labels App |
| Bar Code Type | QR Code Data Matrix Code 128 Code 39 EAN-8 EAN-13 Interleaved 2 of 5 UPC-A UPC-E More through software |
| Built-in Symbols | 500+ |
| Physical Properties | |
| Width x Height x Depth (mm) | 240.03 x 345.20 x 116.75 |
| Weight (kg) | 2.45 kg |
| On Screen Indicators | Battery Life Ribbon and label part number recognition Supply Remaining Error Messaging |
| Cutter | Auto Cutter |
| Warranty | 2 years |
| Drop Test | Resistant to 1.2 metre drops, Sand & Dust |

M710 printer with software



Design any label with Brady Workstation apps


Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.



| Order Reference | Art. No. | Description |
|-------------------|----------|--|
| M710-QY-EU-BWS | 322911 | M710 QWERTY EU + Brady Workstation Suite |
| M710-AZ-BWS | 322912 | M710 AZERTY EU + Brady Workstation Suite |
| M710-QY-UK-BWS | 322913 | M710 QWERTY UK + Brady Workstation Suite |
| M710-WB-QY-EU-BWS | 322914 | M710 QWERTY EU Wi-Fi, BT + Brady Workstation Suite |
| M710-WB-AZ-BWS | 322915 | M710 AZERTY EU Wi-Fi, BT + Brady Workstation Suite |
| M710-WB-QZ-BWS | 322916 | M710 QWERTZ EU Wi-Fi, BT + Brady Workstation Suite |
| M710-WB-QY-UK-BWS | 322917 | M710 QWERTY UK Wi-Fi, BT + Brady Workstation Suite |
| M710-WB-CYR-BWS | 322918 | M710 CYRILLIC EU Wi-Fi, BT + Brady Workstation Suite |

Brady Workstation Express Label App

Access files faster. Anywhere you work.




- ▶ **20+ barcode types**
- ▶ **85+ fonts**
- ▶ **1,400+ symbols**
- ▶ **Microsoft Excel data imports**
- ▶ **Label sequencing**
- ▶ **Label saving and sharing**
- ▶ **Accurate print preview**
- ▶ **Real-time printer status**

B-595 high performance indoor/outdoor vinyl

- Brady's indoor/outdoor grade vinyl tape adheres well to pipes, walls, equipment, windows – most clean, dry surfaces.
- Conforms well to irregular, curved or rough surfaces – it even stands up to grease, oil and most industrial chemicals.
- 8 to 10** year outdoor durability average in temperatures from -40°C to 82°C, can be applied as low as -18°C.

| Diagram | Order Reference | Colour | Finish | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|--------------|-----------------|-------------|--------|--------------|--------------|-----------------|--------------------|
| B-595: Vinyl | | | | | | | |
| | M7C-500-595-YL | Yellow | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-YL | Yellow | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-YL | Yellow | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-WT | White | Gloss | 12.70 | 15.24 | 1 | R6000HF |
| | M7C-1000-595-WT | White | Gloss | 25.40 | 15.24 | 1 | R6000HF |
| | M7C-2000-595-WT | White | Gloss | 50.80 | 15.24 | 1 | R6000HF |
| | M7C-500-595-CL | Transparent | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-CL | Transparent | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-CL | Transparent | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-TN | Tan | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-TN | Tan | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-TN | Tan | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-SB | Sky Blue | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-SB | Sky Blue | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-SB | Sky Blue | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-RD | Red | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-RD | Red | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-RD | Red | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-PL | Purple | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-PL | Purple | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-PL | Purple | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-PK | Pink | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-PK | Pink | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-PK | Pink | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-OR | Orange | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-OR | Orange | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-OR | Orange | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-OC | Ochre | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-OC | Ochre | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-OC | Ochre | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-LB | Light Blue | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-LB | Light Blue | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-LB | Light Blue | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-GY | Grey | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-GY | Grey | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-GY | Grey | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-GN | Green | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-GN | Green | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-GN | Green | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-GD | Gold | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-GD | Gold | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-GD | Gold | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-BR | Brown | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-BR | Brown | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-BR | Brown | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-BL | Blue | Gloss | 12.70 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-1000-595-BL | Blue | Gloss | 25.40 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-2000-595-BL | Blue | Gloss | 50.80 | 15.24 | 1 | R6000HF, R4400-WT |
| | M7C-500-595-BK | Black | Gloss | 12.70 | 15.24 | 1 | R4400-WT |
| | M7C-1000-595-BK | Black | Gloss | 25.40 | 15.24 | 1 | R4400-WT |
| | M7C-2000-595-BK | Black | Gloss | 50.80 | 15.24 | 1 | R4400-WT |



**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminate is recommended for harsh environments - long term exposure to wind and rain.




Order references with "C" (e.g. M7C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

B-584 reflective vinyl

- The reflective quality of this material makes it ideal for reading labels in low light conditions (with flashlights).



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Recommended Ribbon |
|------------------------|-----------------|--------|--------------|--------------|--------------------|
| B-584: Reflective Tape | | | | | |
| | BMC-1000-584-YL | Yellow | 25.40 | 22.86 | R6000HF |
| | BMC-2000-584-YL | Yellow | 50.80 | 22.86 | R6000HF |
| | BMC-1000-584-WT | White | 25.40 | 22.86 | R6000HF |
| | BMC-2000-584-WT | White | 50.80 | 22.86 | R6000HF |
| | BMC-1000-584-OR | Orange | 25.40 | 22.86 | R6000HF |
| | BMC-2000-584-OR | Orange | 50.80 | 22.86 | R6000HF |



B-582/B-526 Phosphorescent polyester tapes

- Glow-in-the-dark material. Ideal for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes.


| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Recommended Ribbon |
|---------------------------------|-----------------|------------------------|--------------|--------------|--------------------|
| B-526: Phosphorescent Polyester | | | | | |
| | BM7C-1000-526 | White | 25.40 | 22.86 | R10000 |
| | BM7C-2000-526 | White | 50.80 | 22.86 | R10000 |
| B-582: Phosphorescent Polyester | | | | | |
| | BM7C-1000-582 | Photoluminescent Green | 25.40 | 22.86 | R6000HF |
| | BM7C-2000-582 | Photoluminescent Green | 50.80 | 22.86 | R6000HF |



B-483/B-634 ToughStripe area marking tape

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine.
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine.


| Diagram | Order Reference | Colour | Finish | Width A (mm) | Length B (m) | Recommended Ribbon |
|---|-------------------|--------|--------|--------------|--------------|--------------------|
| B-483A/B-634: Polyester with Polyester Overlamine | | | | | | |
| | M7-1000-483-YL-KT | Yellow | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| | M7-2000-483-YL-KT | Yellow | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| | M7-1000-483-WT-KT | White | Gloss | 25.40 | 15.24 | R6000HF |
| | M7-2000-483-WT-KT | White | Gloss | 50.80 | 15.24 | R6000HF |
| | M7-1000-483-RD-KT | Red | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| | M7-2000-483-RD-KT | Red | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| | M7-1000-483-OR-KT | Orange | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| | M7-2000-483-OR-KT | Orange | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| | M7-1000-483-GN-KT | Green | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| | M7-2000-483-GN-KT | Green | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| | M7-1000-483-BL-KT | Blue | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| | M7-2000-483-BL-KT | Blue | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| | M7-1000-483-BK-KT | Black | Gloss | 25.40 | 15.24 | R4400-WT, R6000HF |
| | M7-2000-483-BK-KT | Black | Gloss | 50.80 | 15.24 | R4400-WT, R6000HF |



B-854 and B-855 ToughWash series labels

- Durable label construction resists harsh washdown environments and has been tested at washdown temperatures up to 80°C (175° F) and pressures up to 1500 PSI.
- B-854 is a metal detectable version, capable of being detected by commercially available metal detectors.


| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Recommended Ribbon |
|-----------------------------------|-------------------|------------------------|--------------|--------------|--------------------|
| B-854: Metal Detectable Polyester | | | | | |
| | BM7C-2000-854-CAU | Black, Yellow on White | 104.78 | | R6000HF |
| | BM7C-1000-854-WT | White | 25.40 | 22.86 | R6000HF |
| | BM7C-2000-854-WT | White | 50.80 | 22.86 | R6000HF |
| | BM7C-1000-854-YL | Yellow | 25.40 | 22.86 | R6000HF |
| | BM7C-2000-854-YL | Yellow | 50.80 | 22.86 | R6000HF |
| B-855: Polyester | | | | | |
| | BM7C-1000-855-WT | White | 25.40 | 22.86 | R6000HF |
| | BM7C-2000-855-WT | White | 50.80 | 22.86 | R6000HF |
| | BM7C-1000-855-YL | Yellow | 25.40 | 22.86 | R6000HF |
| | BM7C-2000-855-YL | Yellow | 50.80 | 22.86 | R6000HF |





B-581 repositionable vinyl

- Best choice for indoor marking where frequent repositioning is required, such as shelves. Special adhesive allows easy removal of label to re-apply again and again.



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Recommended Ribbon |
|--------------|-----------------|--------|--------------|--------------|--------------------|
| B-581: Vinyl | | | | | |
| | M7C-500-581-WT | White | 12.70 | 15.24 | R6000HF |
| | M7C-1000-581-WT | White | 25.40 | 15.24 | R6000HF |
| | M7C-2000-581-WT | White | 50.80 | 15.24 | R6000HF |
| | M7C-500-581-YL | Yellow | 12.70 | 15.24 | R6000HF |
| | M7C-1000-581-YL | Yellow | 25.40 | 15.24 | R6000HF |
| | M7C-2000-581-YL | Yellow | 50.80 | 15.24 | R6000HF |




Order references with "C" (e.g. M7C) indicate continuous. Order references beginning with "B" indicate bulk rolls.



B-7593 EPREP labels – engraved plate replacement labels

- BRADY EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.



Roll Mounted



Fanfolded




Bulk Roll

| Diagram | Order Reference | Colour | Finish | Width A (mm) | Height B (mm) | Hole Diameter C (mm) | Vertical Repeat D (mm) | Labels per Roll | Layout | Recommended Ribbon |
|--|-----------------|--------|--------|--------------|---------------|----------------------|------------------------|-----------------|------------|--------------------|
| B-7593: Polyethylene Foam Laminate Polyester | | | | | | | | | | |
| | M7-5-7593-BK | Black | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R4400-WT |
| | M7-6-7593-BK | Black | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | R4400-WT |
| | M7-5-7593-GN | Green | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R6000HF |
| | M7-5-7593-RD | Red | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R6000HF |
| | M7-6-7593-RD | Red | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | R6000HF |
| | M7-1-7593-SL | Silver | Gloss | 27.00 | 7.95 | - | 11.18 | 250 | | R6000HF |
| | M7-2-7593-SL | Silver | Gloss | 27.00 | 12.45 | - | 15.63 | 250 | | R6000HF |
| | M7-3-7593-SL | Silver | Gloss | 27.00 | 15.00 | - | 18.14 | 150 | | R6000HF |
| | M7-4-7593-SL | Silver | Gloss | 27.00 | 18.00 | - | 21.25 | 150 | | R6000HF |
| | M7-5-7593-SL | Silver | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R6000HF |
| | M7-7-7593-SL | Silver | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | | R6000HF |
| | BM-06-7593-SL | Silver | Gloss | 45.00 | 15.00 | - | 18.26 | 450 | | R6000HF |
| | M7-8-7593-SL | Silver | Gloss | 48.00 | 19.00 | - | 22.46 | 125 | | R6000HF |
| | M7-1-7593-WT | White | Gloss | 27.00 | 7.95 | - | 11.18 | 250 | | R6000HF |
| | M7-2-7593-WT | White | Gloss | 27.00 | 12.45 | - | 15.63 | 250 | | R6000HF |
| | M7-3-7593-WT | White | Gloss | 27.00 | 15.00 | - | 18.14 | 150 | | R6000HF |
| | M7-4-7593-WT | White | Gloss | 27.00 | 18.00 | - | 21.25 | 150 | | R6000HF |
| | M7-5-7593-WT | White | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R6000HF |
| | M7-7-7593-WT | White | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | | R6000HF |
| | BM-06-7593-WT | White | Gloss | 45.00 | 15.00 | - | 18.26 | 450 | | R6000HF |
| | M7-8-7593-WT | White | Gloss | 48.00 | 19.00 | - | 22.46 | 125 | | R6000HF |
| | M7-5-7593-YL | Yellow | Gloss | 30.00 | 40.00 | 24.00 | 50.80 | 100 | Fan-folded | R6000HF |
| | M7-7-7593-YL | Yellow | Gloss | 35.00 | 18.00 | - | 21.49 | 100 | | R6000HF |
| | M7-6-7593-YL | Yellow | Gloss | 45.00 | 15.00 | - | 40.37 | 100 | Fan-folded | R6000HF |

B-569 High performance polyester tape

- Recommended for low-halide labeling onto stainless steel pipes and surfaces in harsh environments.
- Applies best to very smooth surfaces and ideal for mounting to rigid panels.




| Diagram | Order Reference | Colour | Finish | Label Width A (mm) | Label Length B (m) | Labels per Roll | Printer Ribbon Series |
|------------------|-----------------|--------|--------|--------------------|--------------------|-----------------|-----------------------|
| B-569: Polyester | | | | | | | |
| | M7C-1000-569-BL | Blue | Gloss | 25.40 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-1000-569-GN | Green | Gloss | 25.40 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-1000-569-RD | Red | Gloss | 25.40 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-1000-569-WT | White | Gloss | 25.40 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-1000-569-YL | Yellow | Gloss | 25.40 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-2000-569-BL | Blue | Gloss | 50.80 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-2000-569-GN | Green | Gloss | 50.80 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-2000-569-RD | Red | Gloss | 50.80 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-2000-569-WT | White | Gloss | 50.80 | 15.24 m | 1 | R6000HF, R10000 |
| | M7C-2000-569-YL | Yellow | Gloss | 50.80 | 15.24 m | 1 | R6000HF, R10000 |

B-549 Cold temperature application material

- Special adhesive permanently adheres to extremely cold surfaces
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter
- Service temp: -40 °C to 100 °C
- Application temp: -23 °C to 100 °C


| Diagram | Order Reference | Colour | Finish | Label Width A (mm) | Label Length B (m) | Printer Ribbon Series |
|------------------|-----------------|--------|--------|--------------------|--------------------|-----------------------|
| B-549: Polyester | | | | | | |
| | M7C-1000-549-WT | White | Gloss | 25.40 | 15.24 m | R6000HF, R10000 |
| | M7C-1000-549-YL | Yellow | Gloss | 25.40 | 15.24 m | R6000HF, R10000 |
| | M7C-2000-549-WT | White | Gloss | 50.80 | 15.24 m | R6000HF, R10000 |
| | M7C-2000-549-YL | Yellow | Gloss | 50.80 | 15.24 m | R6000HF, R10000 |



B-530 security identification labels

- Tamper-resistant tape destructs into tiny fragments when being removed, makes any attempts to remove the label very difficult and time consuming.


| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|-------------------------------|-----------------|--------|--------------|--------------|-----------------|--------------------|
| B-530: Tamper-resistant Vinyl | | | | | | |
| | M7C-500-530 | White | 12.70 | 15.24 | 1 | R6000HF |
| | M7C-1000-530 | White | 25.40 | 15.24 | 1 | R6000HF |
| | M7C-2000-530 | White | 50.80 | 15.24 | 1 | R6000HF |



B-423 and B-428 pre-printed labels

- M710 printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.


| Order Reference | Colour | Finish | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|-----------------------------|----------------|--------|--------------|---------------|-----------------|--------------------|
| B-423: Polyester | | | | | | |
| M7-30-423-TEST | Green on White | Gloss | 38.10 | 19.05 | 250 | R6000HF |
| B-428: Metallised Polyester | | | | | | |
| M7-30-428-CALI | Green on Grey | Matt | 38.10 | 19.05 | 250 | R4300 |



B-483A pre-printed labels

- M710 printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.


| Order Reference | Colour | Finish | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|-------------------|------------------------|--------|--------------|---------------|-----------------|--------------------|
| B-483A: Polyester | | | | | | |
| M7-38-483-CAUTION | Black, Yellow on White | Gloss | 101.60 | 48.26 | 100 | R6000HF |
| M7-38-483-DANGER | Red on White | Gloss | 101.60 | 48.26 | 100 | R6000HF |
| M7-38-483-NOTICE | Blue on White | Gloss | 101.60 | 48.26 | 100 | R6000HF |
| M7-38-483-WARNING | Black, Orange on White | Gloss | 101.60 | 48.26 | 100 | R6000HF |



B-424 paper labels

- Economical choice for light duty general ID.
- White finish and matt topcoat.
- Excellent contrast and smear resistance for barcode printing.


| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|--------------|-----------------|--------|--------------|---------------|-----------------|--------------------|
| B-424: Paper | | | | | | |
| | M7-20-424 | White | 25.40 | 50.80 | 100 | R4300 |
| | BM-20-424 | White | 50.80 | 25.40 | 1000 | R4300 |



B-509 Printable magnetic supply

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications

| Diagram | Order Reference | Colour | Finish | Label Width A (mm) | Label Length B (m) | Printer Ribbon Series |
|---------------------------|------------------|--------|--------|--------------------|--------------------|-----------------------|
| B-509: Magnetic Polyester | | | | | | |
| | BM7C-1000-509-WT | White | Matt | 25.40 | 7.62 | R10000 |
| | BM7C-1000-509-YL | Yellow | Matt | 25.40 | 7.62 | R10000 |
| | BM7C-1800-509-WT | White | Matt | 45.72 | 7.62 | R10000 |
| | BM7C-1800-509-YL | Yellow | Matt | 45.72 | 7.62 | R10000 |



M710 ribbons

| Order Reference | Colour | Roll Width (mm) | Roll Length (m) | Formulation | Notes / Details |
|-----------------|---------|-----------------|-----------------|-------------|---|
| M7-R10000 | Black | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's built super-tough for outdoor and industrial use. |
| M7-R10000-BL | Blue | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's the ink is super-tough for outdoor and industrial use. |
| M7-R10000-GN | Green | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's built super-tough for outdoor and industrial use. |
| M7-R10000-RD | Red | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's built super-tough for outdoor and industrial use. |
| M7-R10000-WT | White | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's built super-tough for outdoor and industrial use. |
| M7-R10000-YL | Yellow | 50.00 | 45.72 | Resin | Featuring a 5-second "drop and click" supply change, this smear-proof M710 Ribbon needs no threading or calibration. And, it's built super-tough for outdoor and industrial use. |
| M7-R4400-WT | White | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6000 | Black | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6200 | Black | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6400 | Black | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6600 | Black | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6800-WT | White | 50.00 | 36.58 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6900-BL | Blue | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6900-GN | Green | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6900-MA | Magenta | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6900-RD | Red | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6900-YL | Yellow | 50.00 | 45.72 | Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R4300 | Black | 50.00 | 45.72 | Wax/Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |
| M7-R6700-WT | White | 50.00 | 45.72 | Wax/Resin | M710 Series snap-in print ribbons enable 5-second ribbon supply changes. No calibrating, no threading, no waste, no hassles and the ink always faces the right direction! |

M710 at a glance



Watch the how to videos on our Brady YouTube channel.



**2 YEAR
WARRANTY**



i3300, S3100, S3700 printers

- 22 BradyPrinter i3300 Industrial Label Printer
- 23 BradyPrinter S3100 Sign & Label Printer
- 24-25 S3700 Sign & Label Printer
- 26 Safety sliders consumable kit
- 26 CLP/GHS consumable kit
- 27 Pipe marking consumable kit
- 27 General safety consumable kit
- 27 i3300, S3100, i3300-, S3100-, S3700 floor marking kit
- 28 B-595 high performance indoor/outdoor vinyl
- 29-30 B-569 high performance polyester
- 30 Premask application tapeB-595 pre-printed right-to-know chemical labels
- 30 B-595 pre-printed pre-cut blank sign headers
- 31 B-595 pre-printed right-to-know chemical labels
- 31 B-851 non-adhesive pre-printed and pre-cut safety tags
- 32 B-7569 pre-printed GHS/CLP chemical labels
- 33 B-483/B-634 ToughStripe floor marking tape with overlamine
- 34 B-854 and B-855 ToughWash washdown resistant labels
- 34 B-584 retro reflective tape
- 35 Continuous tapes for general identification
- 35 B-526 BradyGlo high-intensity photoluminescent tape
- 35 B-565 high temp metallised polyester tape
- 35 B-595 and B-7569 pre-cut blank labels
- 36 B-851 non-adhesive tag stock
- 36 Coloured nylon ties
- 36 B-509 printable magnetic supply
- 36 B-549 cold temperature application material
- 37 B-7569 indoor/outdoor vinyl
- 38 B-581 repositionable vinyl
- 38 B-593 raised profile labels - push button style
- 39 B-593 raised profile labels
- 40 Print ribbons
- 41 i3300/S3100 at a glance
- 42 S3700 at a glance



Learn more about the BradyPrinter i3300 on:
www.bradyeurope.com/i3300

i3300 printers

| Order Ref. | Art. No. | Description |
|-------------------|----------|---|
| i3300-C-EU | 149553 | i3300 Industrial Label Printer- EU |
| i3300-C-EU-BWS | 322883 | i3300 Industrial Label Printer- EU + Brady Workstation Suite |
| i3300-SPS-EU | 302754 | i3300 Industrial Label Printer-EU with Barcode Reader and Brady Workstation Scan & Print Suite |
| i3300-300-C-UK | 149555 | i3300 Industrial Label Printer- UK |
| i3300-C-UK-BWS | 322884 | i3300 Industrial Label Printer- UK + Brady Workstation Suite |
| i3300-300-C-US | 149551 | i3300 Industrial Label Printer- US |
| i3300-C-US-BWS | 322885 | i3300 Industrial Label Printer- US + Brady Workstation Suite |
| i3300-C-EU-WF | 149554 | i3300 Industrial Label Printer with Wi-Fi - EU |
| i3300-SPS-EU-WF | 302672 | i3300 Industrial Label Printer with Wi-Fi-EU, Barcode Reader and Brady Workstation Scan & Print Suite |
| i3300-C-EU-W-BWS | 322887 | i3300 Industrial Label Printer with Wi-Fi - EU + Brady Workstation Suite |
| i3300-300-C-UK-WF | 149556 | i3300 Industrial Label Printer with Wi-Fi- UK |
| i3300-SPS-UK-WF | 302673 | i3300 Industrial Label Printer with Wi-Fi-UK, Barcode Reader and Brady Workstation Scan & Print Suite |
| i3300-C-UK-W-BWS | 322888 | i3300 Industrial Label Printer with Wi-Fi- UK + Brady Workstation Suite |
| i3300-300-C-US-WF | 149552 | i3300 Industrial Label Printer with Wi-Fi - US |
| i3300-C-US-W-BWS | 322889 | i3300 Industrial Label Printer with Wi-Fi- US + Brady Workstation Suite |

This i3300 printer comes in a cardboard box. It ships with a power cord, a license for Brady Workstation Software suites, a USB cable, a product CD holding the manual, a cleaning kit and a printed quick start guide.



Ships with the free Brady Workstation Basic software that includes fundamental apps and features to create labels.



Ships with a license for the Brady Workstation suite of your preference: Product & Wire Identification, Safety & Facility Identification, or Lab Identification, enabling easy creation of a wide range of labels and signs.

i3300 accessories

| Order Ref. | Article No. | Description |
|-------------|-------------|---|
| Squeegee | 036612 | Squeegee |
| B30-TROLLEY | 120994 | Trolley for S3100, i3300 |
| PCK-6 | 133251 | Printer Cleaning Kit, Thermal Transfer Printers |
| B31-WIPER | 142114 | Media Wiper 5 Pack |
| B31-CCT | 142116 | Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3100, i3300, S3700 |

BradyPrinter i3300 INDUSTRIAL LABEL PRINTER

Print a huge range of labels & signs

With the BradyPrinter i3300, you can print a huge range of reliable labels and signs at your location in monocolour. More than 50 different Brady label materials are compatible with the BradyPrinter i3300. Labels & signs that can be printed with the BradyPrinter i3300 include:

- wire & cable identification labels
- product and laboratory identification labels
- safety and facility signs

These can be used both in- and outdoor, and include specialty solutions like ToughWash labels and ToughStripe floor marking.

Designed to last

The BradyPrinter i3300 prints on Brady's industrial grade labels that have been designed to last in challenging conditions. All Brady labels have been tested in line with international ASTM test methods and a technical data sheet is available for every material.

Extremely easy to use

The BradyPrinter i3300 is extremely easy to use and features auto-calibration and automatic label material setup. This will enable you to immediately start printing the signs and labels you need. Switching to another label material is easy and extremely fast thanks to the printer's 'drop-in' label materials and matching ink ribbons that can be switched out in less than 20 seconds. When used with Brady Workstation apps, a wide variety of sign & label design options becomes available.

| Printer specifications | |
|---|--|
| Language Support | Bulgarian, Chinese (Simplified), Chinese (Traditional), Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French (Canada), French, German, Hungarian, Italian, Korean, Norwegian (Bokmål), Polish, Portuguese (Brazil), Portuguese, Romanian, Russian, Spanish (Mexico), Spanish, Swedish, Thai, Turkish |
| Software Compatibility | Brady Workstation Windows based driver for 3rd party software use |
| Bar Code Type | Code 128A, Code 128B, Code 128C, Code 39, Code 93, EAN-13, EAN-8, HIBC, interleaved 2 of 5, Interleaved 2 of 5 with check digit, JAN-13, JAN-8, UPC-A |
| Colour Capability | Monocolour |
| Stand-alone Printing (Detached from PC) | Peripheral |
| Connectivity Options | Ethernet, USB, Wi-Fi |
| Print Speed (mm/sec) | 101.60 mm/s |
| Print Technology | Thermal Transfer |
| Print Resolution (dpi) | 300 dpi |
| Smart Cell | Yes |
| Max. Label Width (mm) | 107.95 |
| Max. Print Width (mm) | 101.98 |
| Materials Supported | FreezerBondz™ Polyester, Heat-shrink Polyolefin, High Temperature Heat, shrink Polyvinylidene Fluoride Sleeve, Magnetic Polyester, Metal-detectable, Polyester, Metallic, Non-metal Polyester, Metallised Polyester, Metallised, Polyester with Polyester Overlamine, Nylon Cloth, Paper, Phosphorescent Polyester, Polyester, Polyester with Polyester Overlamine, Polyimide, Polyolefin, Polypropylene, Polyvinylfluoride, Reflective Tape, Self-laminating Polyester, Self-laminating Vinyl, StainerBondz™ Polyester, Static Dissipative Polyester, Tamper-evident Metallised Polyester, Vinyl, Vinyl Cloth |
| Display | Colour LCD Touchscreen |
| Cutter | Auto Cutter |
| Width x Height x Depth (mm) | 228.60 x 241.30 x 304.80 |
| Power Supply | AC Adaptor |
| Weight (kg) | 5.22 kg |

BradyPrinter S3100 SIGN & LABEL PRINTER

With the S3100 Sign & Label Printer, you can print a wide range of signs and labels to increase safety and efficiency in any workplace. Safety signs, floor marking, 5S labels, lean labels, labels to identify racks, doors, stairs, bins, desks and chairs and CLP-labels to identify chemicals can all be printed with the S3100 at your location whenever you need them.

- Intuitive built-in features offer ease of use so anyone can walk up and print labels
- Ideal for centralised locations and lean/5S events
- Compatible with powerful Brady Workstation label apps for added versatility
- “Drop in ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps
- You can get on with the job faster, giving you more time for other tasks



Consult the video of the S3100 Sign & Label Printer on www.bradyeurope.com/S3100



S3100 kits

| Order Reference | Art. No. | Description |
|-------------------|----------|---|
| S3100-QY-UK-W-BWS | 198575 | S3100 Sign and Label Printer with Wifi - QWERTY UK + BWS Suite |
| S3100-QY-UK-BWS | 198576 | S3100 Sign and Label Printer - QWERTY UK + BWS Suite |
| S3100-QY-EU-W-BWS | 198577 | S3100 Sign and Label Printer with Wi-Fi - QWERTY EU + BWS Suite |
| S3100-QY-EU-BWS | 198578 | S3100 Sign and Label Printer - QWERTY EU + BWS Suite |
| S3100-AZ-W-BWS | 198579 | S3100 Sign and Label Printer with Wi-Fi - AZERTY + BWS Suite |
| S3100-AZ-BWS | 198580 | S3100 Sign and Label Printer - AZERTY + BWS Suite |
| S3100-CYR-W-BWS | 198581 | S3100 Sign and Label Printer with Wi-Fi - CYRILLIC + BWS Suite |
| S3100-QZ-W-BWS | 198582 | S3100 Sign and Label Printer with Wi-Fi - QWERTZ + BWS Suite |
| S3100-QZ-BWS | 198583 | S3100 Sign and Label Printer - QWERTZ + BWS Suite |
| S3100-W-BWS | 198584 | S3100 Sign and Label Printer with Wi-Fi - QWERTY US + BWS Suite |
| S3100-BWS | 198585 | S3100 Sign and Label Printer - QWERTY US + BWS Suite |



The Basic Suite is included with every printer, download it: WorkStation.BradyID.com/Free



Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID



S3100 printers

| Order Reference | Art. No. | Description |
|-----------------|----------|--|
| S3100-QZ-W | 149118 | S3100 Sign and Label Printer with Wifi - QWERTZ |
| S3100-QY-UK-W | 149119 | S3100 Sign and Label Printer with Wifi - QWERTY UK |
| S3100-W | 149121 | S3100 Sign and Label Printer with Wifi - QWERTY US |
| S3100-AZ-W | 149122 | S3100 Sign and Label Printer with Wifi - AZERTY |
| S3100-CYR-W | 149123 | S3100 Sign and Label Printer with Wifi - CYRILLIC |
| S3100-QY-EU-W | 149127 | S3100 Sign and Label Printer with Wifi - QWERTY EU |
| S3100 | 149120 | S3100 Sign and Label Printer - QWERTY US |
| S3100-QY-EU | 149126 | S3100 Sign and Label Printer - QWERTY EU |
| S3100-AZ | 149517 | S3100 Sign and Label Printer - AZERTY |
| S3100-QZ | 149519 | S3100 Sign and Label Printer - QWERTZ |

S3100 accessories

| Order Reference | Art. No. | Description |
|------------------|----------|---|
| 999834 | 999834 | Supplies Carrying Case |
| B31-CCT | 142116 | Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3100 and i3300 printer |
| B31-DC | 142117 | BBP31 Dust Cover |
| B31-WIPER | 142114 | Media Wiper 5 Pack |
| BBP31/33 TROLLEY | 120994 | Trolley for BBP3x, S3xxx, i3300 |
| PCK-6 | 133251 | Printer Cleaning Kit, Thermal Transfer Printers |
| SQUEEGEE | 036612 | Squeegee |





S3700 Sign & Label Printer

| Order Reference | Art. No. | Description |
|--------------------|----------|--|
| S3700-WB-QWERTZ | 176427 | S3700 Multicolour & Cut Sign and Label Printer with QWERTZ keyboard, Wifi and Bluetooth enabled |
| S3700-QWERTZ | 176428 | S3700 Multicolour & Cut Sign and Label Printer with QWERTZ keyboard |
| S3700-WB-AZERTY | 176429 | S3700 Multicolour & Cut Sign and Label Printer with AZERTY keyboard, Wifi and Bluetooth enabled |
| S3700-AZERTY | 176430 | S3700 Multicolour & Cut Sign and Label Printer with AZERTY Keyboard |
| S3700-WB-QWERTY-EU | 176431 | S3700 Multicolour & Cut Sign and Label Printer with QWERTY EU keyboard, Wifi and Bluetooth enabled |
| S3700-QWERTY-EU | 176432 | S3700 Multicolour & Cut Sign and Label Printer with QWERTY EU keyboard |
| S3700-WB-QWERTY-UK | 176433 | S3700 Multicolour & Cut Sign and Label Printer with QWERTY UK keyboard, Wifi and Bluetooth enabled |
| S3700-QWERTY-UK | 176434 | S3700 Multicolour & Cut Sign and Label Printer with QWERTY UK keyboard |
| S3700-WB-CYRILLIC | 176435 | S3700 Multicolour & Cut Sign and Label Printer with CYRILLIC keyboard, Wifi and Bluetooth enabled |
| S3700-CYRILLIC | 176436 | S3700 Multicolour & Cut Sign and Label Printer with CYRILLIC keyboard |

Prints on a variety of material options so you can create signs and labels for a variety of applications



The Basic Suite is included with every printer, download it: Workstation. BradyID.com/Free

BradyPrinter S3700

SIGN & LABEL PRINTER

Brady's sign and label printers give you the power to make signs and labels in the colours and shapes you need to make an impact – right at your own facility and right when you need them. With remarkable multicolour printing, versatile shape-cutting capabilities and impressively fast print speeds, you won't remember how you lived without one of these printers.

Multiple print colours

Multicolour print capabilities make it ideal for creating impactful safety signs, lockout tags, warning labels and more in a single pass

Shape cutting

Built in XY-cutter allows for the creation of die-cut shapes and text that gives the flexibility to choose where to place new messaging

Label making made easy

Label creation is even faster with the quick setup and print speeds that come with print smart technology from BradyPrints on a variety of material options so you can create signs and labels for a variety of applications



Printer comparison guide can be found on **pages 6 & 7**

Automatic label setup

Printers read critical information from the supply cartridge and then automatically set it up so you can start printing immediately

No more calibration or wasted labels, no print speed/burn temperature trial labels, no scrolling through screens to select a label and no wasted time setting up label dimensions or text size

20-second material changeovers

"Drop in" ribbons and labels mean no complicated threading, assembling spindles, sensor adjustment or calibration steps

You can get on with the job faster, giving you more time for other tasks



Create custom signs, labels and pipemarkers with WorkStation. BradyID.com/SFID



Printer specifications

| | |
|---|--|
| Language Support | English (US), French, Portuguese, Spanish, Bahasa (Indonesian), Bahasa Malay, Czech, Danish, German, Estonian, Croatian, Italian, Hungarian, Dutch, Norwegian (Bokmål), Polish, Romanian, Slovak, Slovenian, Finnish, Swedish, Vietnamese, Turkish, Bulgarian, Russian, Korean, Chinese (Traditional & Simplified), Thai, Japanese |
| Software Compatibility | Brady Workstation, Express Labels Mobile App, Windows based driver for 3rd party software use |
| Bar Code Type | Code 128 Auto, Code 39, Interleaved 2 of 5, More through Brady WorkStation, EAN-13, UPC-A, PDF417, QR code |
| Recommended Usage per Day | 600 |
| Built-in Symbols | 664 |
| Colour Capability | Multicolour; Monocolour |
| Stand-alone Printing (Detached from PC) | Mobile device connected Stand-alone Peripheral |
| Connectivity Options | Bluetooth, Wi-Fi, Ethernet, USB |
| Internal Memory Capacity | 512 MB |
| Print Speed (mm/sec) | 127.00 mm/s |
| Print Technology | Thermal Transfer |
| Print Resolution (dpi) | 300 dpi |
| Text Sizes (pt) | 4 - 600 pt |
| Max. Label Width (mm) | 107.95 |
| Max. Print Width (mm) | 101.60 |
| Materials Supported | Magnetic Polyester, Metal-detectable Polyester, Metallic, Non-metal Polyester, Metallised Polyester, Paper, Phosphorescent Polyester, Polyester, Polyester with Polyester Overlamine, Polyimide, Polyvinylfluoride, Reflective Tape, Tamper-evident Metallised Polyester, Transfer Tape, Vinyl, Vinyl Cloth, Heavy Duty Polyester |
| Display | Colour LCD Touchscreen |
| Cutter | XY Cutter and Auto Cutter |
| Dimensions | 482.60 mm (W) x 279.40 mm (H) x 361.95 mm (D) |
| Power Supply | AC Adaptor |
| Weight (kg) | 16.74 kg |

i3300, S3100 and S3700 accessories

| Printer Compatibility | Order Reference | Art. No. | Description |
|-----------------------|-----------------|----------|---|
| S3100 | B31-DC | 142117 | S3100 Dust Cover |
| S3000; S3100 | B30-TROLLEY | 120994 | Trolley for S3100, i3300 |
| S3000; S3100 | B31-CCT | 142116 | Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3100, i3300, S3700 |
| S3100; S3700 | NET-LAN | 142267 | LAN Network Card |
| S3000; S3100; S3700 | PCK-6 | 133251 | Printer Cleaning Kit - Thermal Transfer Printers |
| S3000; S3100; S3700 | B31-WIPER | 142114 | Media Wiper 5 Pack |
| S3000; S3100; S3700 | Squeegee | 036612 | Squeegee |



Multicolour safety signs




Pipe markers



Machine safety labels



GHS/CLP labels



Safety tags



Floor marking

Consumable kits for every safety signage project



Safety sliders consumable kit

Print these blank rigid boards for use in Brady's flexible Safety Slider facility communication system. Two versions exist for this kit, one for the BBP30, BBP31, i3300, S3100, BBP35, BBP37 printers and one for the BBP85 printer.



| Order Reference | Description |
|--------------------|--|
| B30-RIGID SIGN-KIT | Rigid signs panel kit for BBP3x Printers |

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) |
|---------------------------------------|-------------|--------|---------------------|----------------------|---------------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | - | 60.90 |
| B30-R10000-BL | Ribbon(s) | Blue | 110.00 | - | 60.90 |
| B30-R10000-GN | Ribbon(s) | Green | 110.00 | - | 60.90 |
| B30-R10000-RD | Ribbon(s) | Red | 110.00 | - | 60.90 |
| B30-R10000-YL | Ribbon(s) | Yellow | 110.00 | - | 60.90 |
| B30C-4000-7569-WT | Roll(s) | White | 101.00 | - | 30.00 |
| SLIDER BOARD-PVC-296x650mm-BLANK-4x45 | Sign(s) | White | 296.00 | 650.00 | - |
| SLIDER INSERT-PP-148x210mm-BLANK | Sign(s) | White | 148.00 | 210.00 | - |
| SLIDER TITLE-PP-296x150mm-BLANK | Sign(s) | White | 296.00 | 150.00 | - |

Compatible with BBP37, BBP35, BBP30, i3300, BBP31 & S3100 printers.






CLP/GHS consumable kit

Label chemicals in compliance with the chemicals classification & labelling legislation.



| Order Reference | Description |
|-----------------|--|
| B30-CLP-KIT | Pre-printed GHS/CLP Chemical Labels kit for BBP3x Printers |

This kit includes one each of the following parts:

| Order Reference | Description | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) | Labels per Roll |
|--------------------|--|---------------------|----------------------|---------------------|-----------------|
| B30-R10000 | Ribbon(s) | 110.00 | - | 60.90 | - |
| B30-260-7569-CLP4B |  Label(s) | 55.00 | 85.00 | - | 340 |
| B30-261-7569-CLP4B |  Label(s) | 75.00 | 110.00 | - | 270 |
| B30-262-7569-CLP4B |  Label(s) | 105.00 | 155.00 | - | 200 |

Compatible with S3700, BBP30, i3300, BBP31 & S3100 printers.

Pipe marking consumable kit

Print these durable tapes on-site and in line with legislation and specific industry standards.



| Order Reference | Description |
|-----------------|-------------------------------------|
| B30-PM-KIT | Pipe marking kit for BBP3x Printers |

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Length B (m) |
|------------------|-------------|--------|---------------------|---------------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | 60.90 |
| B30-R10000-WT | Ribbon(s) | White | 110.00 | 60.90 |
| B30C-4000-595-BL | Roll(s) | Blue | 101.00 | 30.40 |
| B30C-4000-595-BR | Roll(s) | Brown | 101.00 | 30.40 |
| B30C-4000-595-GN | Roll(s) | Green | 101.00 | 30.40 |
| B30C-4000-595-PL | Roll(s) | Purple | 101.00 | 30.40 |
| B30C-4000-595-RD | Roll(s) | Red | 101.00 | 30.40 |
| B30C-4000-595-YL | Roll(s) | Yellow | 101.00 | 30.40 |

Compatible with BBP37, BBP35, BBP30, i3300, BBP31 & S3100 printers.

General safety consumable kit

Use these blank labels to quickly create compliant mandatory, prohibition, warning and emergency signage for your facility.



| Order Ref. | Description |
|----------------|---------------------------------------|
| B30-SAFETY-KIT | General safety kit for BBP3x Printers |

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Length B (m) |
|------------------|-------------|--------|---------------------|---------------------|
| B30-R10000 | Ribbon(s) | Black | 110.00 | 60.90 |
| B30-R10000-BL | Ribbon(s) | Blue | 110.00 | 60.90 |
| B30-R10000-GN | Ribbon(s) | Green | 110.00 | 60.90 |
| B30-R10000-RD | Ribbon(s) | Red | 110.00 | 60.90 |
| B30-R10000-YL | Ribbon(s) | Yellow | 110.00 | 60.90 |
| B30C-4000-595-WT | Roll(s) | White | 101.00 | 30.40 |
| B30C-4000-595-YL | Roll(s) | Yellow | 101.00 | 30.40 |

Compatible with BBP37, BBP35, BBP30, i3300, BBP31 & S3100 printers.

i3300, S3100, i3300-, S3100-, S3700 floor marking kit

Create custom-printed floor labels using your Brady printer. This kit allows you to place printable messages on the floor. The floor marking roll is supplied with a separate roll of B-634 Polyester Overlamine to protect your legend.



| Order Reference | Art. No. | Description |
|-----------------|----------|--|
| B30-FLOOR-KIT | 199986 | Floor marking kit for BBP35/BBP37/S3xxx/i3300 printers |




B-595 high performance indoor/outdoor vinyl

For general facility and safety identification: our best industrial vinyl yet

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|-------------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-500-595-YL | Yellow | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-3000-595-YL | Yellow | 75.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-WT | White | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-WT | White | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-WT | White | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-3000-595-WT | White | 75.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-WT | White | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-CL | Transparent | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-CL | Transparent | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-CL | Transparent | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-CL | Transparent | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-RD | Red | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-RD | Red | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-RD | Red | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-RD | Red | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-PL | Purple | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-PL | Purple | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-PL | Purple | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-PL | Purple | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-OR | Orange | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-OR | Orange | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-OR | Orange | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-OR | Orange | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-OC | Ochre | 29.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-2250-595-OC | Ochre | 57.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-4000-595-OC | Ochre | 101.00 | 30.40 | 1 | B30-R60000C |
| ∞ | B30C-500-595-GY | Grey | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-GY | Grey | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-GY | Grey | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-GY | Grey | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-GN | Green | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-GN | Green | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-GN | Green | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-GN | Green | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-GD | Gold | 12.70 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-595-GD | Gold | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-595-GD | Gold | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-595-GD | Gold | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-595-BR | Brown | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-BR | Brown | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-BR | Brown | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-BR | Brown | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-BL | Blue | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-BL | Blue | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-BL | Blue | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-BL | Blue | 101.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-500-595-BK | Black | 12.70 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-595-BK | Black | 29.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-595-BK | Black | 57.00 | 30.40 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-595-BK | Black | 101.00 | 30.40 | 1 | B30-R10000-WT |




B-569 high performance polyester


For labelling stainless steel and smooth surfaces

- Recommended for low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|-------------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-500-569-YL | Yellow | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-YL | Yellow | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-YL | Yellow | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-YL | Yellow | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-WT | White | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-WT | White | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-WT | White | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-3000-569-WT | White | 76.20 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-WT | White | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-CL | Transparent | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-CL | Transparent | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-CL | Transparent | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-CL | Transparent | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-TN | Tan | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-TN | Tan | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-TN | Tan | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-TN | Tan | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-SB | Sky Blue | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-SB | Sky Blue | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-SB | Sky Blue | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-SB | Sky Blue | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-RD | Red | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-RD | Red | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-RD | Red | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-RD | Red | 101.60 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-PL | Purple | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-PL | Purple | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-PL | Purple | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-PL | Purple | 101.60 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-PK | Pink | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-PK | Pink | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-PK | Pink | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-PK | Pink | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-OR | Orange | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-OR | Orange | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-OC | Ochre | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-OC | Ochre | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-OC | Ochre | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-LB | Light Blue | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-LB | Light Blue | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-LB | Light Blue | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-LB | Light Blue | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-GY | Grey | 12.70 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-1125-569-GY | Grey | 28.58 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-2250-569-GY | Grey | 57.15 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-4000-569-GY | Grey | 101.60 | 30.48 | 1 | B30-R10000 |
| ∞ | B30C-500-569-GN | Green | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-GN | Green | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-GN | Green | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-GN | Green | 101.60 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-BR | Brown | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-BR | Brown | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-BR | Brown | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-BR | Brown | 101.60 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-BL | Blue | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-BL | Blue | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-BL | Blue | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-BL | Blue | 101.60 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-500-569-BK | Black | 12.70 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-569-BK | Black | 28.58 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-569-BK | Black | 57.15 | 30.48 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-569-BK | Black | 101.60 | 30.48 | 1 | B30-R10000-WT |





Premask application tape

- Use Premask Application Tape to easily apply cut out letters and shapes in a straight line.

| Art. No. | Description | Width A (mm) | Length B (m) |
|----------|--------------------------|--------------|--------------|
| 243242 | PREMASK APPLICATION TAPE | 100.00 | 50.00 |



B-595 pre-printed pre-cut blank sign headers

For creating Arc Flash and safety warning labels in seconds


- Allows the printer to create multi-colour signs fast - in a single print pass
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces



Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP35/37 printer or with the templates in the Workstation software.



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--|--------------|---------------|-----------------|--------------------|
| ⊗ | B30-25-595-ANSIDA | | 152.40 | 101.60 | 175 | B30-R10000 |
| ⊗ | B30-241-595-ANSIDA | | 76.20 | 57.15 | 300 | B30-R10000 |
| ⊗ | B30-25-595-ANSICA | | 152.40 | 101.60 | 175 | B30-R10000 |
| ⊗ | B30-241-595-ANSICA | | 76.20 | 57.15 | 300 | B30-R10000 |
| ⊗ | B30-25-595-ANSIWA | | 152.40 | 101.60 | 175 | B30-R10000 |
| ⊗ | B30-241-595-ANSIWA | | 76.20 | 57.15 | 300 | B30-R10000 |
| ⊗ | B30-25-595-ANSINO | | 152.40 | 101.60 | 175 | B30-R10000 |
| ⊗ | B30-241-595-ANSINO | | 76.20 | 57.15 | 300 | B30-R10000 |
| ⊗ | B30-25-595-OSHADA | | 152.40 | 101.60 | 175 | B30-R10000 |
| ⊗ | B30-241-595-OSHACA | | 76.20 | 57.15 | 300 | B30-R10000 |
| ▲ | B30-25-595-BLNKWT | | 152.40 | 101.60 | 175 | B30-R10000 |
| ▲ | B30-241-595-BLNKWT | | 76.20 | 57.15 | 300 | B30-R10000 |
| ▲ | B30-242-595-BLNKWT | | 28.58 | 72.39 | 300 | B30-R10000 |
| ▲ | B30-219-595-BLNKWT | | 57.15 | 97.79 | 250 | B30-R10000 |
| ▲ | B30-25-595-BLNKYL | | 101.60 | 152.40 | 175 | B30-R10000 |
| ▲ | B30-241-595-BLNKYL | | 57.15 | 76.20 | 300 | B30-R10000 |



*The text area below the header is yellow. Text area below other signs are white
B30-R10000 coloured ribbons can also be used on these parts

*The text area below the header is yellow. Text area below other signs are white
B30-R10000 coloured ribbons can also be used on these parts


B-595 pre-printed right-to-know chemical labels

For quickly creating NFPA and Colour Bar labels

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--|--------------|---------------|-----------------|--------------------|
| | B30-263-595-NFPA | | 158.75 | 101.60 | 170 | B30-R10000 |
| | B30-244-595-CB | | 57.15 | 57.15 | 365 | B30-R10000 |
| | B30-244-595-NFPA | | 57.15 | 57.15 | 365 | B30-R10000 |
| | B30-245-595-CB | | 101.60 | 57.15 | 240 | B30-R10000 |
| | B30-245-595-NFPA | | 101.60 | 57.15 | 240 | B30-R10000 |
| | B30-244-595-HMIG | | 57.15 | 57.15 | 365 | B30-R10000 |
| | B30-246-595-HMIG | | 76.20 | 28.58 | 300 | B30-R10000 |
| | B30-246-595-NFR | | 76.20 | 28.58 | 300 | B30-R10000 |




B-851 non-adhesive pre-printed and pre-cut safety tags

Pre-printed and pre-cut to save you time

- Non-adhesive semi-rigid polyester card stock
- Tags are pre-cut with hole and chamfered corners
- Perforated between tags
- Snap-in plastic grommets available for extra strength around mounting hole. Order reference: 020596



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--|--------------|---------------|-----------------|--------------------|
| | B30-255-851OSHADSB | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-ANSIDB | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-OSHADB | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-WHT-B | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851OSHADSF | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-ANSIDF | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-OSHADF | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-WHT-F | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-OST-BK | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-YLW | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-GRN | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-RED | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-ORNG | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-BLUE | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-ANSIDA | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-OSHADA | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-ANSICA | | 82.55 | 146.05 | 100 | B30-R10000 |
| | B30-255-851-WHT | | 82.55 | 146.05 | 100 | B30-R10000 |






B-7569 pre-printed GHS/CLP chemical labels

Print 2 colour GHS labels in one fast print pass

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 4 sizes of labels that match templates in the Brady Workstation CLP (GHS) app. Find out more at workstation.bradyd.com!
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--|--------------|---------------|-----------------|--------------------|
| ▲ | B30-260-7569-CLP1 | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-260-7569-CLP2 | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-260-7569-CLP3A | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-260-7569-CLP3B | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-260-7569-CLP4A | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-260-7569-CLP4B | | 84.99 | 55.00 | 340 | B30-R10000 |
| ▲ | B30-261-7569-CLP1 | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-261-7569-CLP2 | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-261-7569-CLP3A | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-261-7569-CLP3B | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-261-7569-CLP4A | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-261-7569-CLP4B | | 110.00 | 75.00 | 270 | B30-R10000 |
| ▲ | B30-262-7569-CLP1 | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-262-7569-CLP2 | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-262-7569-CLP3A | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-262-7569-CLP3B | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-262-7569-CLP4A | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-262-7569-CLP4B | | 154.99 | 104.98 | 200 | B30-R10000 |
| ▲ | B30-18-7569-CLP4C | | 76.20 | 25.40 | 1000 | B30-R10000 |



Brady Workstation CLP (GHS) labels app

Easily design and print GHS/CLP labels using the predefined chemical descriptions, symbols and signal words in the Brady Workstation GHS/CLP label app.

The Brady Workstation GHS/CLP label app enables users to select chemicals by name or CAS-number. The app then automatically populates all required fields to create a compliant GHS/CLP label.




Discover Brady Workstation
www.bradyeurope.com/workstation


B-483/B-634 ToughStripe floor marking tape with overlamine

Ideal for marking aisles, passageways and storage locations

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-2250-483BK-KT | Black | 57.15 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-1125-483BL-KT | Blue | 28.58 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-2250-483BL-KT | Blue | 57.15 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-4000-483BL-KT | Blue | 101.60 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-1125-483GN-KT | Green | 28.58 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-2250-483GN-KT | Green | 57.15 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-4000-483GN-KT | Green | 101.60 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-2250-483OR-KT | Orange | 57.15 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-4000-483OR-KT | Orange | 101.60 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-1125-483RD-KT | Red | 28.58 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-2250-483RD-KT | Red | 57.15 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-4000-483RD-KT | Red | 101.60 | 30.48 | 1 | B30-R4400-WT |
| ∞ | B30C-1125-483WT-KT | White | 28.58 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-2250-483WT-KT | White | 57.15 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-3000-483WT-KT | White | 76.20 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-4000-483WT-KT | White | 101.60 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-1125-483YL-KT | Yellow | 28.58 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-2250-483YL-KT | Yellow | 57.15 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-3000-483YL-KT | Yellow | 76.20 | 30.48 | 1 | B30-R6000 |
| ∞ | B30C-4000-483YL-KT | Yellow | 101.60 | 30.48 | 1 | B30-R6000 |



ToughStripe floor tape adhesion rates

Floor types

Silica grit
Aluminium oxide grit
Garnet grit
Particle epoxy
Large diamond metal

Small diamond metal
Hexagonal metal
Smooth epoxy

Ceramic tile
Linoleum tile
Flecked urethane
Solid urethane
Concrete



Low adhesion

Moderate adhesion

Strong adhesion





B-854 and B-855 ToughWash washdown resistant labels

Withstands pressures of high heat, harsh chemicals and numerous washdown cycles

- Ideal for use in the Food & Beverage industry
- Legible and long-lasting for even the toughest washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--|--------------|---------------|--------------|-----------------|--------------------|
| ∞ | B30C-1125-855-YL | | 28.58 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-1125-855-WT | | 28.58 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-2250-855-YL | | 57.15 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-2250-855-WT | | 57.15 | - | 15.24 | 1 | B30-R6000 |
| ⊗ | B30-25-855-WARN | | 101.60 | 152.40 | - | 100 | B30-R6000 |
| ⊗ | B30-25-855-CAUT | | 101.60 | 152.40 | - | 100 | B30-R6000 |
| ⊗ | B30-25-854-WARN | | 101.60 | 152.40 | - | 100 | B30-R6000 |
| ⊗ | B30-25-854-DANG | | 101.60 | 152.40 | - | 100 | B30-R6000 |
| ⊗ | B30-25-854-CAUT | | 101.60 | 152.40 | - | 100 | B30-R6000 |
| ∞ | B30C-4000-854-WT | | 101.60 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-4000-855-YL | | 101.60 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-4000-855-WT | | 101.60 | - | 15.24 | 1 | B30-R6000 |
| ∞ | B30C-4000-854-YL | | 101.60 | - | 15.24 | 1 | B30-R6000 |




B-584 retro reflective tape

For highly reflective identification that shines back brightly when struck by light

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-1125-584-OR | Orange | 28.58 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-2250-584-OR | Orange | 57.15 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-4000-584-OR | Orange | 101.60 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-1125-584-SL | Silver | 28.58 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-2250-584-SL | Silver | 57.15 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-4000-584-SL | Silver | 101.60 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-1125-584-YL | Yellow | 28.58 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-2250-584-YL | Yellow | 57.15 | 15.20 | 1 | B30-R10000 |
| ∞ | B30C-4000-584-YL | Yellow | 101.60 | 15.20 | 1 | B30-R10000 |




Continuous tapes for general identification

Allows for efficient material use

- Materials have high-tack adhesives for use onto a wide variety of surfaces and components
- Good for cutting out custom-sized labels

| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|-----------------|-------------|--------------|--------------|-----------------|--------------------|
| | B30C-4000-787 | White | 101.60 | 18.29 | 1 | B30-R6000HF |
| | B30C-4000-486 | Light Grey | 101.60 | 35.05 | 1 | B30-R4300 |
| | B30C-4000-432 | Transparent | 101.60 | 36.58 | 1 | B30-R6000HF |
| | B30C-4000-724 | Amber | 101.60 | 39.62 | 1 | B30-R4300 |
| | B30C-4000-428 | Light Grey | 101.60 | 39.62 | 1 | B30-R4300 |
| | B30C-4000-434 | Silver | 101.60 | 39.62 | 1 | B30-R6000HF |
| | B30C-4000-483 | White | 101.60 | 39.62 | 1 | B30-R6000HF |
| | B30C-4000-489 | White | 101.60 | 39.62 | 1 | B30-R4300 |
| | B30C-4000-488 | White | 101.60 | 39.62 | 1 | B30-R4300 |
| | B30C-4000-727 | White | 101.60 | 39.62 | 1 | B30-R6000HF |
| | B30C-4000-423 | White | 101.60 | 45.72 | 1 | B30-R6000HF |
| | B30C-4000-437 | White | 101.60 | 45.72 | 1 | B30-R4300 |
| | B30C-4000-484 | White | 101.60 | 45.72 | 1 | B30-R6000HF |
| | B30C-4000-424 | White | 101.60 | 45.72 | 1 | B30-R4300 |




B-526 BradyGlo high-intensity photoluminescent tape

For glow-in-the dark identification - up to 10 hours

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls


| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|-----------------|------------------------|--------------|--------------|-----------------|--------------------|
| | B30C-1125-526 | Photoluminescent Green | 28.58 | 15.24 | 1 | B30-R10000 |
| | B30C-2250-526 | Photoluminescent Green | 57.15 | 15.24 | 1 | B30-R10000 |
| | B30C-4000-526 | Photoluminescent Green | 101.60 | 15.24 | 1 | B30-R10000 |



B-565 high temp metallised polyester tape

- B-565 material has a high upper temperature rating and is not tamper-evident
- Ideal for product rating labels, product warranty labels and asset identification labels

| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| | B30C-1125-565-SL | Silver | 28.58 | 30.48 | 1 | B30-R10000 |
| | B30C-2250-565-SL | Silver | 57.15 | 30.48 | 1 | B30-R10000 |
| | B30C-4000-565-SL | Silver | 101.60 | 30.48 | 1 | B30-R10000 |




B-595 and B-7569 pre-cut blank labels

For general purpose, peel-off-and-apply identification

- Ideal for a wide range of labelling applications
- Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
- Indoor/Outdoor grade material

| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--------|--------------|---------------|-----------------|--------------------|
| | B30-241-7569-YL | Yellow | 57.00 | 75.00 | 300 | B30-R10000 |
| | B30-241-595-BLNKYL | Yellow | 57.15 | 76.20 | 300 | B30-R10000 |
| | B30-25-7569-YL | Yellow | 101.00 | 152.00 | 175 | B30-R10000 |
| | B30-25-595-BLNKYL | Yellow | 101.60 | 152.40 | 175 | B30-R10000 |
| | B30-242-7569-WT | White | 28.58 | 72.00 | 300 | B30-R10000 |
| | B30-242-595-BLNKWT | White | 28.58 | 72.39 | 300 | B30-R10000 |
| | B30-241-7569-WT | White | 57.00 | 75.00 | 300 | B30-R10000 |
| | B30-219-7569-WT | White | 57.00 | 98.00 | 250 | B30-R10000 |
| | B30-219-595-BLNKWT | White | 57.15 | 97.79 | 250 | B30-R10000 |
| | B30-241-595-BLNKWT | White | 76.20 | 57.15 | 300 | B30-R10000 |
| | B30-25-7569-WT | White | 101.00 | 152.00 | 175 | B30-R10000 |
| | B30-25-595-BLNKWT | White | 152.40 | 101.60 | 175 | B30-R10000 |






B-851 non-adhesive tag stock

For safety, lockout and general purpose hanging tags

- Non-adhesive, polyester stock
- Hole punch available separately. Order reference: 020591
- Optional snap-in grommets available. Order Reference: 020596



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| | B30C-2500-551-WT | White | 63.50 | 15.24 | 1 | B30-R10000 |
| | B30C-3250-551-WT | White | 82.55 | 15.24 | 1 | B30-R10000 |
| | B30C-4250-551-WT | White | 107.95 | 15.24 | 1 | B30-R10000 |



Coloured nylon ties

Coloured nylon ties provide you with an option of colour coded application.

| Order Reference | Art. No. | Colour | Width (mm) | Length (mm) | Packaging |
|------------------|----------|--------|------------|-------------|-----------|
| NYTIE-3.6X200-YL | 196352 | Yellow | 3.50 | 200.00 | 100 |
| NYTIE-3.6X140-YL | 196346 | Yellow | 3.60 | 140.00 | 100 |
| NYTIE-3.5X140-NT | 196310 | White | 3.50 | 140.00 | 100 |
| NYTIE-3.5X200-NT | 196311 | White | 3.50 | 200.00 | 100 |
| NYTIE-3.6X140-RD | 196343 | Red | 3.60 | 140.00 | 100 |
| NYTIE-3.6X200-RD | 196351 | Red | 3.60 | 200.00 | 100 |
| NYTIE-3.6X140-GN | 196340 | Green | 3.60 | 140.00 | 100 |
| NYTIE-3.6X200-GN | 196350 | Green | 3.60 | 200.00 | 100 |
| NYTIE-3.6X140-BL | 196337 | Blue | 3.60 | 140.00 | 100 |
| NYTIE-3.6X200-BL | 196349 | Blue | 3.60 | 200.00 | 100 |
| NYTIE-3.5X200-BK | 196283 | Black | 3.50 | 200.00 | 100 |




B-509 printable magnetic supply

Easiest and quickest material for removing and repositioning

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| | B30C-2500-509-YL | Yellow | 64.00 | 7.60 | 1 | B30-R10000 |
| | B30C-4250-509-YL | Yellow | 108.00 | 7.60 | 1 | B30-R10000 |
| | B30C-2500-509-WT | White | 64.00 | 7.60 | 1 | B30-R10000 |
| | B30C-4250-509-WT | White | 108.00 | 7.60 | 1 | B30-R10000 |




B-549 cold temperature application material

For identification in temperatures as cold as -40°C

- Special adhesive permanently adheres to extremely cold surfaces
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| | B30C-1125-549-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 |
| | B30C-2250-549-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 |
| | B30C-4000-549-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 |
| | B30C-1125-549-WT | White | 29.00 | 30.40 | 1 | B30-R10000 |
| | B30C-2250-549-WT | White | 57.00 | 30.40 | 1 | B30-R10000 |
| | B30C-4000-549-WT | White | 101.00 | 30.40 | 1 | B30-R10000 |




B-7569 indoor/outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl





| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|-------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-500-7569-YL | Yellow | 12.70 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-1125-7569-YL | Yellow | 29.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-2250-7569-YL | Yellow | 57.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-3000-7569-YL | Yellow | 75.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-4000-7569-YL | Yellow | 101.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-500-7569-WT | White | 12.70 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-1125-7569-WT | White | 29.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-2250-7569-WT | White | 57.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-3000-7569-WT | White | 75.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-4000-7569-WT | White | 101.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-500-7569-RD | Red | 12.70 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-7569-RD | Red | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-7569-RD | Red | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-7569-RD | Red | 101.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-500-7569-OR | Orange | 12.70 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-1125-7569-OR | Orange | 29.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-2250-7569-OR | Orange | 57.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-4000-7569-OR | Orange | 101.00 | 30.00 | 1 | B30-R10000 |
| ∞ | B30C-500-7569-GN | Green | 12.70 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-7569-GN | Green | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-7569-GN | Green | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-7569-GN | Green | 101.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-500-7569-BL | Blue | 12.70 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-7569-BL | Blue | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-7569-BL | Blue | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-7569-BL | Blue | 101.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-500-7569-BK | Black | 12.70 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-1125-7569-BK | Black | 29.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-2250-7569-BK | Black | 57.00 | 30.00 | 1 | B30-R10000-WT |
| ∞ | B30C-4000-7569-BK | Black | 101.00 | 30.00 | 1 | B30-R10000-WT |



Transfer tape is the best way to apply cut-out shapes and text!

1. Cut out your shape or text and weed away unneeded material
2. Apply transfer tape over your cut-out objects and press firmly
3. Peel back the transfer tape and expose the adhesive side of your pre-spaced objects
4. Position object in place and press firmly onto final surface
5. Peel back transfer tape at sharp angle to surface
6. Works great for cut-out text on rigid sign panels too.






B-581 repositionable vinyl

For 5S and lean applications

- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B30C-500-581-YL | Yellow | 12.50 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-581-YL | Yellow | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-581-YL | Yellow | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-581-YL | Yellow | 101.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-500-581-WT | White | 12.50 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-1125-581-WT | White | 29.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-2250-581-WT | White | 57.00 | 30.40 | 1 | B30-R10000 |
| ∞ | B30C-4000-581-WT | White | 101.00 | 30.40 | 1 | B30-R10000 |




B-593 raised profile labels - push button style

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed with 22.50 and 30.50 mm hole diam and non-keyed with 22.50 mm hole diam)



| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Hole Diameter C (mm) | Vertical Repeat D (mm) | Labels per Roll | Recommended Ribbon |
|---------|-------------------|--------|--------------|---------------|----------------------|------------------------|-----------------|--------------------|
| ☐ | B30EP-167-593-YL | Yellow | 30.48 | 38.10 | 22.50 | 44.45 | 200 | B30-R6000 |
| ▶ | B30EP-167U-593-YL | Yellow | 30.48 | 38.10 | 22.60 | 44.45 | 200 | B30-R6000 |
| ☐ | B30EP-168-593-YL | Yellow | 30.48 | 48.26 | 22.50 | 53.98 | 180 | B30-R6000 |
| ☐ | B30EP-169-593-YL | Yellow | 45.72 | 45.72 | 30.50 | 50.80 | 190 | B30-R6000 |
| ☐ | B30EP-170-593-YL | Yellow | 60.96 | 60.96 | 30.48 | 66.68 | 145 | B30-R6000 |
| ☐ | B30EP-167-593-WT | White | 30.48 | 38.10 | 22.50 | 44.45 | 200 | B30-R6000 |
| ▶ | B30EP-167U-593-WT | White | 30.48 | 38.10 | 22.60 | 44.45 | 200 | B30-R6000 |
| ☐ | B30EP-168-593-WT | White | 30.48 | 48.26 | 22.50 | 53.98 | 180 | B30-R6000 |
| ☐ | B30EP-169-593-WT | White | 45.72 | 45.72 | 30.48 | 50.80 | 190 | B30-R6000 |
| ☐ | B30EP-170-593-WT | White | 60.96 | 60.96 | 30.48 | 66.68 | 145 | B30-R6000 |
| ☐ | B30EP-167-593-RD | Red | 30.48 | 38.10 | 22.50 | 44.45 | 200 | B30-R4400-WT |
| ▶ | B30EP-167U-593-RD | Red | 30.48 | 38.10 | 22.60 | 44.45 | 200 | B30-R4400-WT |
| ☐ | B30EP-168-593-RD | Red | 30.48 | 48.26 | 22.50 | 53.98 | 180 | B30-R4400-WT |
| ☐ | B30EP-169-593-RD | Red | 45.72 | 45.72 | 30.48 | 50.80 | 190 | B30-R4400-WT |
| ☐ | B30EP-170-593-RD | Red | 60.96 | 60.96 | 30.48 | 66.68 | 145 | B30-R4400-WT |
| ☐ | B30EP-167-593-GN | Green | 30.48 | 38.10 | 22.50 | 44.45 | 200 | B30-R4400-WT |
| ▶ | B30EP-167U-593-GN | Green | 30.48 | 38.10 | 22.60 | 44.45 | 200 | B30-R4400-WT |
| ☐ | B30EP-168-593-GN | Green | 30.48 | 48.26 | 22.50 | 53.98 | 180 | B30-R4400-WT |
| ☐ | B30EP-169-593-GN | Green | 45.72 | 45.72 | 30.48 | 50.80 | 190 | B30-R4400-WT |
| ☐ | B30EP-167-593-BK | Black | 30.48 | 38.10 | 22.50 | 44.45 | 200 | B30-R4400-WT |
| ▶ | B30EP-167U-593-BK | Black | 30.48 | 38.10 | 22.60 | 44.45 | 200 | B30-R4400-WT |
| ☐ | B30EP-168-593-BK | Black | 30.48 | 48.26 | 22.50 | 53.98 | 180 | B30-R4400-WT |
| ☐ | B30EP-169-593-BK | Black | 45.72 | 45.72 | 30.48 | 50.80 | 190 | B30-R4400-WT |
| ☐ | B30EP-170-593-BK | Black | 60.96 | 60.96 | 30.48 | 66.68 | 145 | B30-R4400-WT |




B-593 raised profile labels

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes



| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Vertical Repeat D (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------|--------|--------------|---------------|------------------------|-----------------|--------------------|
| ▲ | B30EP-171-593-YL | Yellow | 26.92 | 12.45 | 19.10 | 500 | B30-R6000HF |
| ▲ | B30EP-172-593-YL | Yellow | 44.99 | 14.99 | 21.60 | 450 | B30-R6000HF |
| ▲ | B30EP-173-593-YL | Yellow | 50.80 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-175-593-YL | Yellow | 76.20 | 19.05 | 25.40 | 375 | B30-R6000HF |
| ▲ | B30EP-176-593-YL | Yellow | 76.20 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-177-593-YL | Yellow | 76.20 | 63.50 | 69.90 | 125 | B30-R6000HF |
| ▲ | B30EP-174-593-YL | Yellow | 101.60 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-171-593-WT | White | 26.92 | 12.45 | 19.10 | 500 | B30-R6000HF |
| ▲ | B30EP-172-593-WT | White | 44.99 | 14.99 | 21.60 | 450 | B30-R6000HF |
| ▲ | B30EP-173-593-WT | White | 50.80 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-175-593-WT | White | 76.20 | 19.05 | 25.40 | 375 | B30-R6000HF |
| ▲ | B30EP-176-593-WT | White | 76.20 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-177-593-WT | White | 76.20 | 63.50 | 69.90 | 125 | B30-R6000HF |
| ▲ | B30EP-174-593-WT | White | 101.60 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-171-593-SL | Silver | 26.92 | 12.45 | 19.10 | 500 | B30-R6000HF |
| ▲ | B30EP-172-593-SL | Silver | 44.99 | 14.99 | 21.60 | 450 | B30-R6000HF |
| ▲ | B30EP-173-593-SL | Silver | 50.80 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-174-593-SL | Silver | 101.60 | 25.40 | 31.80 | 300 | B30-R6000HF |
| ▲ | B30EP-171-593-RD | Red | 26.92 | 12.45 | 19.10 | 500 | B30-R4400-WT |
| ▲ | B30EP-172-593-RD | Red | 44.99 | 14.99 | 21.60 | 450 | B30-R4400-WT |
| ▲ | B30EP-173-593-RD | Red | 50.80 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-174-593-RD | Red | 101.60 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-171-593-GN | Green | 26.92 | 12.45 | 19.10 | 500 | B30-R4400-WT |
| ▲ | B30EP-172-593-GN | Green | 44.99 | 14.99 | 21.60 | 450 | B30-R4400-WT |
| ▲ | B30EP-173-593-GN | Green | 50.80 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-175-593-GN | Green | 76.20 | 19.05 | 25.40 | 375 | B30-R4400-WT |
| ▲ | B30EP-176-593-GN | Green | 76.20 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-177-593-GN | Green | 76.20 | 63.50 | 69.90 | 125 | B30-R4400-WT |
| ▲ | B30EP-174-593-GN | Green | 101.60 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-171-593-BK | Black | 26.92 | 12.45 | 19.10 | 500 | B30-R4400-WT |
| ▲ | B30EP-172-593-BK | Black | 44.99 | 14.99 | 21.60 | 450 | B30-R4400-WT |
| ▲ | B30EP-173-593-BK | Black | 50.80 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-175-593-BK | Black | 76.20 | 19.05 | 25.40 | 375 | B30-R4400-WT |
| ▲ | B30EP-176-593-BK | Black | 76.20 | 25.40 | 31.80 | 300 | B30-R4400-WT |
| ▲ | B30EP-177-593-BK | Black | 76.20 | 63.50 | 69.90 | 125 | B30-R4400-WT |
| ▲ | B30EP-174-593-BK | Black | 101.60 | 25.40 | 31.80 | 300 | B30-R4400-WT |





Print ribbons

“Drop & Click” Print Ribbons for Quick and Easy Supply Changes

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels



All multi-colour panelled and process colour ribbons are compatible with BBP35 & BBP37 only.

| Order Reference | Colour | Width A (mm) x Length B (m) |
|-------------------|---------------|-----------------------------|
| B30-R10000-BL | Blue | 110.00 mm x 60.00 m |
| B30-R10000-GN | Green | 110.00 mm x 60.00 m |
| B30-R10000-MA | Magenta | 110.00 mm x 60.00 m |
| B30-R10000-OR | Orange | 110.00 mm x 60.00 m |
| B30-R10000-RD | Red | 110.00 mm x 60.00 m |
| B30-R10000-YL** | Yellow | 110.00 mm x 60.00 m |
| B30-R10000 | Black | 110.00 mm x 60.00 m |
| B30-R60000C | Black | 110.00 mm x 60.00 m |
| B30-R6000HF | Black | 110.00 mm x 60.00 m |
| B30-R4300 | Black | 110.00 mm x 60.00 m |
| B30-R6600 | Black | 110.00 mm x 60.00 m |
| B30-R6200 | Black | 110.00 mm x 60.00 m |
| B30-R10000-WT | White | 110.00 mm x 60.00 m |
| B30-R4400-WT | White | 110.00 mm x 60.00 m |
| B30-R6700-WT | White | 110.00 mm x 60.00 m |
| B30-R10000-PRCYEL | Yellow | 110.00 mm x 60.00 m |
| B30-R10000-PRCMAG | Magenta | 110.00 mm x 60.00 m |
| B30-R10000-PRCCY | Cyan | 110.00 mm x 60.00 m |
| B30-R10000-KG-16* | Black, Green | 110.00 mm x 60.00 m |
| B30-R10000-KG-8* | Black, Green | 110.00 mm x 60.00 m |
| B30-R10000-KO-8* | Black, Orange | 110.00 mm x 60.00 m |

| Order Reference | Colour | Width A (mm) x Length B (m) |
|---------------------|------------------------------|-----------------------------|
| B30-R10000-KB-8* | Black, Blue | 110.00 mm x 60.00 m |
| B30-R10000-KY-8* | Black, Yellow | 110.00 mm x 60.00 m |
| B30-R10000-KR-8* | Black, Red | 110.00 mm x 60.00 m |
| B30-R10000-KB-16* | Black, Blue | 110.00 mm x 60.00 m |
| B30-R10000-KY-16* | Black, Yellow | 110.00 mm x 60.00 m |
| B30-R10000-KO-16* | Black, Orange | 110.00 mm x 60.00 m |
| B30-R10000-KR-16* | Black, Red | 110.00 mm x 60.00 m |
| B30-R10000-RB-16* | Blue, Red | 110.00 mm x 60.00 m |
| B30-R10000-KRGB-16* | Black, Blue, Green, Red | 110.00 mm x 60.00 m |
| B30-R10000-KRYB-16* | Black, Blue, Red, Yellow | 110.00 mm x 60.00 m |
| B30-R10000-KRYG-8* | Black, Green, Red, Yellow | 110.00 mm x 60.00 m |
| B30-R10000-KRGB-8* | Black, Blue, Green, Red | 110.00 mm x 60.00 m |
| B30-R10000-KRBO-8* | Black, Blue, Orange, Red | 110.00 mm x 60.00 m |
| B30-R10000-KRYB-8* | Black, Blue, Red, Yellow | 110.00 mm x 60.00 m |
| B30-R10000-CMYK-16* | Cyan, Magenta, Yellow, Black | 110.00 mm x 60.00 m |
| B30-R10000-CMYK-8* | Cyan, Magenta, Yellow, Black | 110.00 mm x 60.00 m |

* ‘-8’ have 200mm colour panels; those ending in ‘-16’ have 400mm colour panels.

** For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2.

***Black Heavy-Duty Print Ribbon to print Ochre B-595 on BBP3x Printers

i3300, S3100, S3700 print ribbon/material compatibility

| B Number | B30-R10000 Black | B30-R10000-WT White | B30-R10000 Colours | B30-R10000-YL2** Yellow | B30-R4400-WT White | B30-R60000C Black | B30-R6000HF Black |
|-------------|------------------|---------------------|--------------------|-------------------------|--------------------|-------------------|-------------------|
| B-483/B-634 | | | | | ✓ | | ✓ |
| B-509 | ✓ | | ✓ | | | | ✓ |
| B-526 | ✓ | | ✓ | | | | ✓ |
| B-549 | ✓ | ✓ | ✓ | | | | |
| B-551 | ✓ | | ✓ | | | | ✓ |
| B-569 | ✓ | ✓ | ✓ | | | | ✓ |
| B-581 | ✓ | ✓ | ✓ | | | | ✓ |
| B-584 | ✓ | | ✓ | | | | ✓ |
| B-593 | | | | | ✓ | | ✓ |
| B-595 | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ |
| B-851 | ✓ | | ✓ | | | | |
| B-854 | | | | | | | ✓ |
| B-855 | | | | | | | ✓ |
| B-7569 | ✓ | ✓ | ✓ | | | | ✓ |

** For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2

i3300/S3100 at a glance





Watch the how to videos on our Brady YouTube channel.



S3700 at a glance



Learn more at bradyeurope.com/S3700 or scan to watch the overview video



BBP85 Sign & Label Printer

- 44-45 BBP85 Sign & Label Printer
- 45 BLS laminating system and panels
- 45 Safety sliders consumable kit
- 46 B-595 high performance indoor/outdoor vinyl
- 47 B-595 pre-printed right-to-know chemical labels
- 47 B-595 pre-printed pre-cut blank sign headers
- 48 B-7569 indoor/outdoor vinyl
- 48 B-7569 pre-printed GHS/CLP chemical labels
- 49 B-7569 pre-printed pre-cut blank sign headers
- 49 B-569 high performance polyester
- 50 B-584 retro reflective tape
- 50 B-526 BradyGlo high-intensity photoluminescent tape
- 51 BBP85 print ribbons
- 52 BBP85 at a glance





BBP85 SIGN & LABEL PRINTER

The BBP85 Sign and Label Printer allows you to create 254 mm wide labels in multiple colours, and it has an easier-than-ever interface that anyone on your team can use! No more complex, tedious design steps. No more ordering and waiting. Now you can just walk up and print... and instantly create high quality, multi-coloured visuals up to 254 mm wide.

Big output. Little fuss.

Create extra-large custom signs and labels right now! This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user Lean, 5S and Kaizen Labelling events!



- Unmistakably large visuals up to 254 mm wide
- Just walk up and print... it really is that easy!
- Simple touch-screen interface for stand-alone use, or print from your PC with MarkWare Software
- Timesaving label design apps to create pipe markers, safety signs, right-to-know labels and more!
- USB port for importing files, fonts and graphics

Bold multi-colour printing.

Get your message noticed with strong, colourful visuals. Print up to 4 colours on a single label for professional-looking, custom-made signs, labels and warnings that demand attention.



- Highly durable multi-colour thermal transfer printing
- Print common sign formats even faster using pre-printed sign header supplies
- Add more label creation flexibility with Brady Workstation signs creation apps
- Ethernet port for easy printer networking



Multi-colour signs



Reflective signs



Photoluminescent signs



Pipe markers



Warehouse identification



Hazard warning signs

Best-of-the-best materials.

Brady's sign and label materials lead the industry in durability and performance. They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 Sign and Label Printer, you can choose from over one hundred supply options, including:



- Huge selection of 101.60 mm wide to 254 mm wide industrial grade outdoor materials
- Specialty materials including Reflective and Glow-in-the-Dark
- Pre-printed sign header supplies for CLP (GHS) and OSHA or ANSI safety signs, which means only one print pass!

BBP85 printer

| Order Reference | Art. No. | Description |
|-----------------|----------|--|
| BBP85-AM | 132741 | BBP85 Sign and Label Printer QWERTY US |
| BBP85-AZ-BWS | 198566 | BBP85 Sign & Label Printer - AZERTY + BWS Suite |
| BBP85-CYR-BWS | 198567 | BBP85 Sign & Label Printer - CYRILLIC + BWS Suite |
| BBP85-QY-EU-BWS | 198568 | BBP85 Sign & Label Printer - QWERTY EU + BWS Suite |
| BBP85-QY-UK-BWS | 198570 | BBP85 Sign & Label Printer - QWERTY UK + BWS Suite |
| BBP85-QZ-BWS | 198571 | BBP85 Sign & Label Printer - QWERTZ + BWS Suite |
| BBP85-AZ | 198689 | BBP85 Sign and Label Printer AZERTY |
| BBP85-CYR | 198690 | BBP85 Sign and Label Printer CYRILLIC |
| BBP85-QY-EU | 198691 | BBP85 Sign and Label Printer QWERTY EU |
| BBP85-QY-UK | 198693 | BBP85 Sign and Label Printer QWERTY UK |
| BBP85-QZ | 198694 | BBP85 Sign and Label Printer QWERTZ |



The Basic Suite is included with every printer, download it: Workstation.BradyID.com/Free



Create custom signs, labels and pipemarkers with WorkStation.BradyID.com/SFID

BBP85 accessories

| Order Reference | Art. No. | Description |
|-----------------|----------|------------------------------|
| B85-DC | 134001 | BBP85 Dust Cover |
| NET-LAN | 142267 | LAN Network Card |
| Cleaning Pen | 064692 | Cleaning Pen for DIY systems |



BLS laminating system and panels

Brady's BLS2000 laminating system quickly mounts printed signs to acrylic panels.

Offers rigidity and protection for signs affected by external factors such as acid spills, solvents, etc. The end result makes the signs look even more professional, allowing the panel to be mounted to, or suspended from the structure of your choice.

| Art. No. | Description |
|----------|--|
| 013506 | BLS 2000 Laminating System |
| 013401 | Clear Acrylic Semi-Rigid Panel 203 mm x 203 mm |
| 013403 | Clear Acrylic Semi-Rigid Panel 254 mm x 177 mm |



Safety sliders consumable kit

Print these blank rigid boards for use in Brady's flexible Safety Slider facility communication system.



| Order Reference | Description |
|--------------------|---|
| B85-RIGID SIGN-KIT | Rigid signs panel kit for BBP85 Printer |

This kit includes one each of the following parts:

| Order Reference | Description | Colour | Size - Width A (mm) | Size - Height B (mm) | Size - Length B (m) |
|-------------------------------------|-------------|--------|---------------------|----------------------|---------------------|
| B85-R-158x60-BK | Ribbon(s) | Black | 158.00 | - | 60.00 |
| B85-R-158x60-RD | Ribbon(s) | Red | 158.00 | - | 60.00 |
| B85-R-158x60-BL | Ribbon(s) | Blue | 158.00 | - | 60.00 |
| B85-R-158x60-GN | Ribbon(s) | Green | 158.00 | - | 60.00 |
| B85-R-158x60-YL | Ribbon(s) | Yellow | 158.00 | - | 60.00 |
| B85-150x15M-7569WT | Roll(s) | White | 150.00 | - | 15.00 |
| SLIDER BOARD-PVC-450x850mm-BLANK-LS | Sign(s) | White | 450.00 | 830.00 | - |
| SLIDER INSERT-PP-450x150mm-BLANK | Sign(s) | White | 450.00 | 150.00 | - |

Compatible with BBP85 printer.



B-595 high performance indoor/outdoor vinyl


For general facility and safety identification: our best industrial vinyl yet

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



Safety and facility identification: 5S labels, pipe markers, safety & warning labels, equipment & panel labels, arc flash & chemical labels and more!

| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|-------------|--------------|--------------|-----------------|--------------------|
| ∞ | B85-100x15M-595-YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-595-YL | Yellow | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-200x15M-595-YL | Yellow | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-595-WT | White | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-200x15M-595-WT | White | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-CL | Transparent | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-CL | Transparent | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-200x15M-595-CL | Transparent | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-CL | Transparent | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-RD | Red | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-RD | Red | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-178x15M-595-RD | Red | 178.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-200x15M-595-RD | Red | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-RD | Red | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-595-PL | Purple | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-150x15M-595-PL | Purple | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-595-PL | Purple | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-PL | Purple | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-595-OR | Orange | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-OR | Orange | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x15M-595-OR | Orange | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-200x15M-595-OR | Orange | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-OR | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-GY | Grey | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-GY | Grey | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-200x15M-595-GY | Grey | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-GY | Grey | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-GN | Green | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-GN | Green | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-178x15M-595-GN | Green | 178.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-200x15M-595-GN | Green | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-GN | Green | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-595-GD | Gold | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-GD | Gold | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-200x15M-595-GD | Gold | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-GD | Gold | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-595-BR | Brown | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-150x15M-595-BR | Brown | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-595-BR | Brown | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-BR | Brown | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-595-BL | Blue | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-595-BL | Blue | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-178x15M-595-BL | Blue | 178.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-200x15M-595-BL | Blue | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-BL | Blue | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-595-BK | Black | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-150x15M-595-BK | Black | 150.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-595-BK | Black | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-595-BK | Black | 250.00 | 15.00 | 1 | B85-R-220x60-WT |



U.S. Patent Nos.
5,318,370;
5,823,689;
6,570,602.
Additional Patents
Pending.

B-595 pre-printed right-to-know chemical labels

For quickly creating NFPA and Colour Bar labels

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|---------------------------|--|--------------|---------------|-----------------|---------------------------|
| | B85-102x152-595-NFPADIA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-NFPADIA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-152x152-595-NFPA | | 152.00 | 152.40 | 95 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-COLOURBAR | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-COLOURBAR | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |



B-595 pre-printed pre-cut blank sign headers

For creating safety warning labels in seconds.

- Allows the printer to create multi-colour signs fast - in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------------|--|--------------|---------------|-----------------|---------------------------|
| | B85-102x152-595-ANSICA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-ANSICA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-ANSIDA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-ANSIDA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-ANSINO | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-ANSINO | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-ANSIWA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-ANSIWA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-OSHACA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-OSHACA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-102x152-595-OSHADA | | 152.40 | 101.60 | 95 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-OSHADA | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-WT | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |
| | B85-178x254-595-YL | | 254.00 | 177.80 | 60 | R6000 Halogen Free, R6000 |



Which material for which application?


For more information on which printer material is suitable for a particular application, please refer to our guide located on page 9.



B-7569 indoor/outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl




| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B85-100x15M-7569YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-7569YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-200x15M-7569YL | Yellow | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-7569YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-7569WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-150x15M-7569WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-200x15M-7569WT | White | 200.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x15M-7569WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-7569RD | Red | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-7569RD | Red | 200.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-250x15M-7569RD | Red | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-250x15M-7569OR | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x15M-7569GN | Green | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-7569GN | Green | 200.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-250x15M-7569GN | Green | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-7569BL | Blue | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-200x15M-7569BL | Blue | 200.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-250x15M-7569BL | Blue | 250.00 | 15.00 | 1 | B85-R-220x60-WT |
| ∞ | B85-100x15M-7569BK | Black | 100.00 | 15.00 | 1 | B85-R-158x60-WT |
| ∞ | B85-250x15M-7569BK | Black | 250.00 | 15.00 | 1 | B85-R-220x60-WT |



B-7569 pre-printed CLP (GHS) chemical labels

Print 2 colour CLP (GHS) labels in one fast print pass!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour CLP (GHS) labels in one print pass
- 3 sizes of labels, each with 6 diamond layouts that match templates in the Brady Workstation CLP (GHS) app. Find out more at workstation.bradys.com!
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



| Diagram | Order Reference | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|------------------------|--------------|---------------|-----------------|--------------------|
| □ | B85-105x155-7569-CLP1 | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-105x155-7569-CLP2 | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-105x155-7569-CLP3A | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-105x155-7569-CLP3B | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-105x155-7569-CLP4A | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-105x155-7569-CLP4B | 154.94 | 104.14 | 90 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP1 | 210.82 | 154.90 | 70 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP2 | 210.82 | 154.90 | 70 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP3A | 210.82 | 154.90 | 70 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP3B | 210.82 | 154.90 | 70 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP4A | 210.82 | 154.90 | 70 | B85-R-158x60-BK |
| □ | B85-155x210-7569-CLP4B | 210.82 | 154.90 | 70 | B85-R-158x60-BK |


B-7569 pre-printed pre-cut blank sign headers

For creating safety warning labels in seconds.

- Allows the printer to create multi-colour signs fast - in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards
- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl



| Diagram | Order Reference | | Width A (mm) | Height B (mm) | Labels per Roll | Recommended Ribbon |
|---------|-------------------------|---------|--------------|---------------|-----------------|--------------------|
| | B85-254x356-7569-WT | | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-YL | | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-OSHACA | CAUTION | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-ANSICA | CAUTION | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-ANSIDA | DANGER | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-ANSINO | NOTICE | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-ANSIWA | WARNING | 356.00 | 25.40 | 40 | B85-R-220x60-BK |
| | B85-254x356-7569-OSHADA | DANGER | 356.00 | 25.40 | 40 | B85-R-220x60-BK |




B-569 high performance polyester

For labelling stainless steel and smooth surfaces

- Recommended for low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|-------------|--------------|--------------|-----------------|--------------------|
| | B85-100x15M-569-LB | Light Blue | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-LB | Light Blue | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-LB | Light Blue | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-LB | Light Blue | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-100x15M-569-OC | Ochre | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-OC | Ochre | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-OC | Ochre | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-OC | Ochre | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-100x15M-569-OR | Orange | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-OR | Orange | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-OR | Orange | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-OR | Orange | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-PK | Pink | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-100x15M-569-CL | Transparent | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-CL | Transparent | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-CL | Transparent | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-CL | Transparent | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-100x15M-569-WT | White | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-WT | White | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-WT | White | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-WT | White | 250.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-100x15M-569-YL | Yellow | 100.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-150x15M-569-YL | Yellow | 150.00 | 15.00 | 1 | B85-R-158x60-BK |
| | B85-178x15M-569-YL | Yellow | 178.00 | 15.00 | 1 | B85-R-220x60-BK |
| | B85-250x15M-569-YL | Yellow | 250.00 | 15.00 | 1 | B85-R-220x60-BK |






B-584 retro reflective tape

For highly reflective identification that shines back brightly when struck by light

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions
- Class 1 Reflectivity (Fed. Spec. L-S-300)



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|--------|--------------|--------------|-----------------|--------------------|
| ∞ | B85-100x10M-584-OR | Orange | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-OR | Orange | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-OR | Orange | 250.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x10M-584-SV | Silver | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-SV | Silver | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-SV | Silver | 250.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-100x10M-584-YL | Yellow | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-584-YL | Yellow | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-584-YL | Yellow | 250.00 | 10.00 | 1 | B85-R-220x60-BK |




B-526 BradyGlo high-intensity photoluminescent tape

For glow-in-the dark identification - up to 10 hours

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls
- Class B material according to the PSPA Performance classification



| Diagram | Order Reference | Colour | Width A (mm) | Length B (m) | Labels per Roll | Recommended Ribbon |
|---------|--------------------|------------------------|--------------|--------------|-----------------|--------------------|
| ∞ | B85-100x10M-526-GN | Photoluminescent Green | 100.00 | 10.00 | 1 | B85-R-158x60-BK |
| ∞ | B85-178x10M-526-GN | Photoluminescent Green | 178.00 | 10.00 | 1 | B85-R-220x60-BK |
| ∞ | B85-250x10M-526-GN | Photoluminescent Green | 250.00 | 10.00 | 1 | B85-R-220x60-BK |



Clearly indicate safe escape routes leading to emergency exits with our photoluminescent tape.

Contact our Brady distributor for more information about our complete range of marking and signage products.



Choose from a variety of heavy-duty, smear-proof ribbons, including single colour and multi-colour panelled ribbons. These ribbons are uniquely designed with memory cells that communicate information to the BBP85 Sign & Label Printer.

Printer notifies user if the installed ribbon is not recommended for the installed labels.

Single colour print ribbons

| Order Reference | Colour | Width (mm) | Length (m) |
|-----------------|---------|------------|------------|
| B85-R-158x60-BK | Black | 158.00 | 60 |
| B85-R-220x60-BK | Black | 220.00 | 60 |
| B85-R-158x60-BL | Blue | 158.00 | 60 |
| B85-R-220x60-BL | Blue | 220.00 | 60 |
| B85-R-158x60-GN | Green | 158.00 | 60 |
| B85-R-220x60-GN | Green | 220.00 | 60 |
| B85-R-158x60-MA | Magenta | 158.00 | 60 |
| B85-R-220x60-MA | Magenta | 220.00 | 60 |
| B85-R-158x60-OR | Orange | 158.00 | 60 |
| B85-R-220x60-OR | Orange | 220.00 | 60 |
| B85-R-158x60-RD | Red | 158.00 | 60 |
| B85-R-220x60-RD | Red | 220.00 | 60 |
| B85-R-158x60-WT | White | 158.00 | 60 |
| B85-R-220x60-WT | White | 220.00 | 60 |
| B85-R-158x60-YL | Yellow | 158.00 | 60 |
| B85-R-220x60-YL | Yellow | 220.00 | 60 |



Two colour panelled print ribbons

| Order Reference | Colour | Additional Information | Width (mm) | Length (m) |
|-------------------------|-----------------|--|------------|------------|
| B85-R-158x60-BK/BL-380P | Black & Blue | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/BL-380P | Black & Blue | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/GN-200P | Black & Green | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-158x60-BK/GN-380P | Black & Green | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/GN-200P | Black & Green | Two Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-220x60-BK/GN-380P | Black & Green | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/RD-380P | Black & Red | Two Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-BK/RD-200P | Black & Red | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/RD-380P | Black & Red | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-BK/RD-200P | Black & Red | Two Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/YL-200P | Black & Yellow | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/YL-380P | Black & Yellow | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-158x60-BK/OR-200P | Black on Orange | Two Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-BK/OR-380P | Black on Orange | Two Colour Ribbon 380mm long Panels | 220.00 | 60 |




Four colour panelled print ribbons

| Order Reference | Colour | Additional Information | Width (mm) | Length (m) |
|------------------------|--------------------------|---|------------|------------|
| B85-R-158x60-KRBG-380P | Black, Red, Blue, Green | Four Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-KRBG-200P | Black, Red, Blue, Green | Four Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-KRBG-380P | Black, Red, Blue, Green | Four Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-KRBG-200P | Black, Red, Blue, Green | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-158x60-KRBY-380P | Black, Red, Blue, Yellow | Four Colour Ribbon 380mm long Panels | 158.00 | 60 |
| B85-R-158x60-KRBY-200P | Black, Red, Blue, Yellow | Four Colour Ribbon 200mm long Panels | 158.00 | 60 |
| B85-R-220x60-KRBY-380P | Black, Red, Blue, Yellow | Four Colour Ribbon 380mm long Panels | 220.00 | 60 |
| B85-R-220x60-KRBY-200P | Black, Red, Blue, Yellow | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |
| B85-R-220x60-KROB-200P | Black, Red, Orange, Blue | Four Colour Ribbon 200mm long Panels | 220.00 | 60 |



BBP85 at a glance



Watch the how to videos on our Brady YouTube channel.





BradyJet J7300 and J4000 colour label printers

54-57 BradyJet J7300 Colour Label Printer and materials

57 BradyJet J7300 at a glance

58-61 BradyJet J4000 Colour Label Printer and materials





Make a statement with inkjet made for industrial spaces.

Pivot through a demanding print queue with the BradyJet™ J7300 Colour Label Printer. Make an impact with vibrant full colour. Print on industrial-strength labels. And say goodbye to time-wasting setup thanks to built-in LabelSense™ print technology. Any colour, any information - do exactly what the job demands from the production line to the lab with the J7300.

Power it on. Get it done.

With the power of automatic LabelSense™ print technology, the J7300 stands ready to print whatever you need at a moment's notice. Because you only need blank-white label material, you're ready to go from sharp barcodes to colour-coded lab labels to vivid full-colour photo tags - all with zero to minimal material changes and waste.



BradyJet J7300 printers

| Order Reference | Article No. | Description |
|-----------------|-------------|---|
| J7300-W-EU | 176884 | BradyJet™ J7300 Colour Label Printer, Wi-Fi, EU |
| J7300-W-UK | 322659 | BradyJet™ J7300 Colour Label Printer, Wi-Fi, UK |
| J7300-EU | 176883 | BradyJet™ J7300 Colour Label Printer EU |
| J7300-UK | 322658 | BradyJet™ J7300 Colour Label Printer UK |

This BradyJet™ J7300 Printer ships in a cardboard box with a CMY Ink Cartridge with built in printhead, a Black Ink cartridge with built in Printhead, a Brady Workstation Basic Software, a J-Align roll, a media starter B-2595 Vinyl roll, an AC Adapter, a Power Cord, a USB cable and a USB Flash Drive with product information.

BradyJet J7300 kits

| Order Reference | Article No. | Description |
|-----------------|-------------|---|
| J7300-W-EU-BWS | 322666 | BradyJet™ J7300 Colour Label Printer, Wi-Fi, EU + Brady Workstation Suite |
| J7300-W-UK-BWS | 322667 | BradyJet™ J7300 Colour Label Printer, Wi-Fi, UK + Brady Workstation Suite |
| J7300-EU-BWS | 322660 | BradyJet™ J7300 Colour Label Printer EU + Brady Workstation Suite |
| J7300-UK-BWS | 322661 | BradyJet™ J7300 Colour Label Printer UK + Brady Workstation Suite |

This BradyJet™ J7300 Printer ships in a cardboard box with a CMY Ink Cartridge with built in printhead, a Black Ink cartridge with built in Printhead, a license for Brady Workstation Software suites, a J-Align roll, a media starter B-2595 Vinyl roll, an AC Adapter, a Power Cord, a USB cable and a USB Flash Drive with product information.

BradyJet J7300 inks

| Order Reference | Article No. | Description |
|-----------------|-------------|---|
| P-CMY-1 | 176504 | CMY Ink Cartridge for BradyJet™ J7300 Colour Label Printer |
| P-1CMY2K | 177431 | Ink Multipack for BradyJet™ J7300 Colour Label Printer (1x CMY, 2x K) |
| P-2CMY1K | 177432 | Ink Multipack for BradyJet™ J7300 Colour Label Printer (2x CMY, 1x K) |
| P-K-1 | 176505 | K True Black Ink Cartridge for BradyJet™ J7300 Colour Label Printer |



Safety signage



CLP/GHS



Pipe marking



Tag



Lean/5S



Facility signage


| Printer Specifications | |
|---------------------------|--|
| Print Technology | Inkjet |
| Print Resolution (dpi) | 4800 |
| Print Speed (mm/sec) | 30.48 |
| Colour Capability | Full Colour |
| Max. Label Width (mm) | 107.95 |
| Min. Label Width (mm) | 17.78 |
| Recommended Usage per Day | 5000 |
| Internal Memory Capacity | 32 GB, expandable through USB |
| Connectivity Options | Ethernet, USB-C, Wi-Fi, USB Host |
| Software Compatibility | Brady LINK360®, Brady Workstation, Windows based driver for 3rd party software use |
| Bar Code Type | More through Brady WorkStation, More through software |
| Built-in Symbols | Dependant on software |

| Physical Properties | |
|---------------------|---|
| Dimensions | 376.30 mm (W) x 230.89 mm (H) x 515.70 mm (D) |
| Weight (kg) | 16.33 |
| Device Indicators | Application LED, Power LED |
| Cutter | After label, at end of job or no cutoff, Standard Cutter, Straight Cut, Without label retention |
| Warranty | 2 years |




J7300 SFID materials

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Diameter C (mm) | Total Qty/ Pack |
|-----------------------------------|-----------------|----------|--------|--------------------|---------------------|--------------------|-----------------|-----------------|
| Heavy Duty Polyester | | | | | | | | |
| ∞ | JC-2500-2551 | 176589 | White | 63.50 | — | 12.24 m | — | 1 |
| ∞ | JC-3250-2551 | 170468 | White | 101.60 | — | 45.72 m | — | 1 |
| + | J-374-2551 | 170467 | White | 76.20 | 38.10 | — | — | 500 |
| + | J-392-2551 | 170466 | White | 82.55 | 133.35 | — | — | 200 |
| Inkjet Receptive Polyester | | | | | | | | |
| ∞ | JC-1125-2569 | 176577 | White | 28.58 | — | 45.72 m | — | 1 |
| ∞ | JC-2250-2569 | 176578 | White | 57.15 | — | 45.72 m | — | 1 |
| ∞ | JC-4000-2569 | 170452 | White | 101.60 | — | 45.72 m | — | 1 |
| ▲ | J-391-2569 | 176624 | White | 82.55 | 57.15 | — | — | 500 |
| ▲ | J-260-2569 | 176600 | White | 55.12 | 85.09 | — | — | 500 |
| ▲ | J-261-2569 | 170453 | White | 74.93 | 109.98 | — | — | 300 |
| ▲ | J-371-2569 | 176625 | White | 88.90 | 127.00 | — | — | 300 |
| ▲ | J-262-2569 | 170454 | White | 104.90 | 154.94 | — | — | 250 |
| Inkjet Receptive Vinyl | | | | | | | | |
| × | J-388-2595 | 170476 | White | — | — | — | 25.40 mm | 500 |
| × | J-390-2595 | 170477 | White | — | — | — | 50.80 mm | 500 |
| × | J-389-2595 | 176630 | White | — | — | — | 38.10 mm | 500 |
| ∞ | JC-1125-2595 | 176580 | White | 28.58 | — | 45.72 m | — | 1 |
| ∞ | JC-2250-2595 | 176581 | White | 57.15 | — | 45.72 m | — | 1 |
| ∞ | JC-3000-2595 | 176582 | White | 76.20 | — | 45.72 m | — | 1 |
| ∞ | JC-4000-2595 | 170458 | White | 101.60 | — | 45.72 m | — | 1 |
| ▲ | J-179-2595 | 170459 | White | 25.40 | 25.40 | — | — | 1000 |
| ▲ | J-386-2595 | 176626 | White | 38.10 | 38.10 | — | — | 1000 |
| ▲ | J-372-2595 | 176628 | White | 73.03 | 38.10 | — | — | 1000 |
| ▲ | J-373-2595 | 176629 | White | 98.43 | 48.26 | — | — | 500 |
| ▲ | J-387-2595 | 176627 | White | 50.80 | 50.80 | — | — | 500 |
| ▲ | J-260-2595 | 176601 | White | 55.12 | 85.09 | — | — | 500 |
| ▲ | J-261-2595 | 176603 | White | 74.93 | 109.98 | — | — | 300 |
| ▲ | J-262-2595 | 176604 | White | 104.90 | 154.94 | — | — | 250 |



J7300 CLP materials

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Total Qty/Pack |
|---------------------------------------|-----------------|----------|--------|--------------------|---------------------|--------------------|----------------|
| Inkjet Receptive Polypropylene | | | | | | | |
| ∞ | JC-1125-7425J | 176584 | White | 28.58 | — | 45.72 m | 1 |
| ∞ | JC-2250-7425J | 176585 | White | 57.15 | — | 45.72 m | 1 |
| ▲ | J-18-7425J | 176615 | White | 76.20 | 25.40 | — | 1000 |
| ▲ | J-260-7425J | 176614 | White | 55.12 | 85.09 | — | 500 |
| ▲ | J-261-7425J | 176617 | White | 74.93 | 109.98 | — | 300 |
| ▲ | J-262-7425J | 176618 | White | 104.90 | 154.94 | — | 250 |
| Inkjet Receptive Vinyl | | | | | | | |
| ∞ | JC-1125-2595 | 176580 | White | 28.58 | — | 45.72 m | 1 |
| ∞ | JC-2250-2595 | 176581 | White | 57.15 | — | 45.72 m | 1 |
| ∞ | JC-4000-2595 | 170458 | White | 101.60 | — | 45.72 m | 1 |
| ▲ | J-18-2595 | 176602 | White | 76.20 | 25.40 | — | 1000 |
| ▲ | J-260-2595 | 176601 | White | 55.12 | 85.09 | — | 500 |
| ▲ | J-261-2595 | 176603 | White | 74.93 | 109.98 | — | 300 |
| ▲ | J-262-2595 | 176604 | White | 104.90 | 154.94 | — | 250 |





B-2581 repositionable vinyl labels

Position your labels perfectly with Repositionable Labels that are designed to adhere when you need identification, and remove cleanly without leaving residue behind.

- Ideal for inventory marking, Lean/5S projects and identification of reusable containers
- Service temperature of -40 to 140° F (-40 to 60° C)



| Order Reference | Article No. | Description | Width A (mm) | Length B (m) | Labels per Roll |
|-----------------|-------------|--|--------------|--------------|-----------------|
| JC-1125-2581 | 170455 | Repositionable Vinyl Labels for BradyJet™ J7300 Colour Label Printer | 28.58 | 45.72 | 1 |
| JC-2250-2581 | 170456 | Repositionable Vinyl Labels for BradyJet™ J7300 Colour Label Printer | 57.15 | 45.72 | 1 |
| JC-4000-2581 | 170457 | Repositionable Vinyl Labels for BradyJet™ J7300 Colour Label Printer | 101.60 | 45.72 | 1 |



B-2509 magnetic polyester labels

Reduce and reuse in your rotating inventory areas with Magnetic Labels.

- Get fast and easy identification changes on your metallic surfaces
- Ideal for shelves, drawers, bins, Lean/5S and warehouse and inventory racking



| Order Reference | Article No. | Description | Width A (mm) | Length B (m) | Labels per Roll |
|-----------------|-------------|--|--------------|--------------|-----------------|
| JC-2500-2509 | 170450 | Magnetic Labels for BradyJet™ J7300 Colour Label Printer | 63.50 | 7.62 | 1 |
| JC-4250-2509 | 170451 | Magnetic Labels for BradyJet™ J7300 Colour Label Printer | 107.95 | 7.62 | 1 |




B-2550 paper labels

Paper Labels offer an economical solution to your labelling needs.

- Ideal for light duty, temporary and general identification labelling
- Provides excellent contrast and smear resistance for barcode printing




| Diagram | Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll |
|---------|-----------------|-------------|---|--------------|---------------|--------------|-----------------|
| ∞ | JC-4000-2550 | 170471 | Paper Label Tape for BradyJet™ J7300 Colour Label Printer | 101.60 | - | 45.72 | 1 |
| ▲ | J-18-2550 | 170472 | Paper Labels for BradyJet™ J7300 Colour Label Printer | 76.20 | 25.40 | - | 1000 |
| ∞ | JC-1125-2550 | 176587 | Paper Label Tape for BradyJet™ J7300 Colour Label Printer | 28.58 | - | 45.72 | 1 |
| ∞ | JC-2250-2550 | 176588 | Paper Label Tape for BradyJet™ J7300 Colour Label Printer | 57.15 | - | 45.72 | 1 |
| ▲ | J-19-2550 | 176621 | Paper Labels for BradyJet™ J7300 Colour Label Printer | 76.20 | 50.80 | - | 750 |
| ▲ | J-261-2550 | 176622 | Paper Labels for BradyJet™ J7300 Colour Label Printer | 74.93 | 109.98 | - | 300 |
| ▲ | J-262-2550 | 176623 | Paper Labels for BradyJet™ J7300 Colour Label Printer | 104.90 | 154.94 | - | 250 |



B-403 dissolvable paper labels

The water dissolvable paper label is self-adhesive and extremely easy to apply. Exposing the label to warm water will completely dissolve it within 30 seconds, without damage to the surface it was applied to, and without leaving any residue. It reduces the labour required to remove labels, reduces maintenance to filters and drains and enables easy re-identification of reusable items in a range of industries.

| Diagram | Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll |
|---------|-----------------|-------------|---|--------------|---------------|--------------|-----------------|
| ∞ | JC-2250-403 | 170460 | Water Soluble Paper Label Tape for BradyJet™ J7300 Colour Label Printer | 57.15 | - | 45.72 | 1 |
| ▲ | J-17-403 | 170461 | Water Soluble Paper Labels for BradyJet™ J7300 Colour Label Printer | 50.80 | 25.40 | - | 1000 |
| ▲ | J-55-403 | 170462 | Water Soluble Paper Labels for BradyJet™ J7300 Colour Label Printer | 101.60 | 50.80 | - | 750 |
| ∞ | JC-1125-403 | 176583 | Water Soluble Paper Label Tape for BradyJet™ J7300 Colour Label Printer | 28.58 | - | 45.72 | 1 |
| ▲ | J-19-403 | 176605 | Water Soluble Paper Labels for BradyJet™ J7300 Colour Label Printer | 76.20 | 50.80 | - | 750 |




BS 5609 marine

The BS 5609 certified label materials B-595, B-2585 and B-7569 can be printed at your location using a quality sign & label printer from Brady, such as the BBP35, BBP37, BradyJet J2000, J4000, J5000 or BradyJet J7300. Labels with black & red print on white backgrounds, like CLP-labels, can easily be created with these printers and Brady's CLP-app in port, at sea or off-shore to address ad hoc identification needs. Other applications, such as full colour safety signs and pipe markers, can also be printed on-site or at the Brady factory.

- Stays attached and legible for 3 months in the sea
- Can be printed in full colour with the BradyJet J2000, J4000, J5000 or BradyJet J7300
- Enter name or CAS number in our app to auto-design compliant GHS/CLP labels



| Diagram | Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll |
|---------|-----------------|-------------|--|--------------|---------------|--------------|-----------------|
| ∞ | JC-4000-2585 | 170469 | BS 5609 Marine Label Tape for BradyJet™ J7300 Colour Label Printer | 101.60 | - | 45.72 | 1 |
| ▲ | J-261-2585 | 170470 | BS 5609 Marine Labels for BradyJet™ J7300 Colour Label Printer | 74.93 | 101.60 | - | 300 |
| ∞ | JC-2250-2585 | 176586 | BS 5609 Marine Labels for BradyJet™ J7300 Colour Label Printer | 57.15 | - | 45.72 | 1 |
| ▲ | J-260-2585 | 176619 | BS 5609 Marine Labels for BradyJet™ J7300 Colour Label Printer | 55.12 | 85.09 | - | 500 |
| ▲ | J-262-2585 | 176620 | BS 5609 Marine Labels for BradyJet™ J7300 Colour Label Printer | 104.90 | 154.94 | - | 250 |



J7300 at a glance



Watch the how to videos on our Brady YouTube channel.





BradyJet J4000

COLOUR LABEL PRINTER

The BradyJet J4000 Colour Label Printer is an industrial high quality printer. The wide format full colour inkjet label printer is very easy to use and prints reliable, high resolution signs, facility and laboratory sample labels in bright, vibrant colours to support workplace safety and efficiency. The printer includes the Brady Workstation Basic Software Suite for label design.

More time for critical tasks

When the printer does the busy work, you have more time to focus on the important work needed to keep your operations running smoothly.

BradyJet J4000 printer

| Order Reference | Article No. | Description |
|-----------------|-------------|--|
| J4000-US-BWS | 322925 | BradyJet J4000 Colour Label Printer US + Brady Workstation Suite |
| J4000-UK-BWS | 322924 | BradyJet J4000 Colour Label Printer UK + Brady Workstation Suite |
| J4000-EU-BWS | 322923 | BradyJet J4000 Colour Label Printer EU + Brady Workstation Suite |
| J4000-UK | 152712 | BradyJet J4000 Colour Label Printer |
| J4000-EU | 152711 | BradyJet J4000 Colour Label Printer |
| J4000-US | 152710 | BradyJet J4000 Colour Label Printer |



Ships with the free Brady Workstation Basic software that includes fundamental apps and features to create labels.



Ships with a license for the Brady Workstation suite of your preference: Product & Wire Identification, Safety & Facility Identification, or Lab Identification, enabling easy creation of a wide range of labels and signs.



Prints well with others

Create however it works best for you, then easily print PDFs or from third-party software packages with the optimised Windows driver.



BradyJet J4000 ink and storage caps

| Order Reference | Article No. | Description |
|-----------------|-------------|--|
| 152713 | J40-CAP | J4000 Ink Cartridge Storage Caps |
| 152714 | J40-CMY | BradyJet J4000 Full Colour Ink Cartridge |



Safety signage



CLP/GHS



Pipe marking



Evacuation map



Lean/5S



Facility signage

Quickly print full colour durable signs & labels


The BradyJet J4000 Colour Label Printer quickly prints full colour safety and lean signs, logos and images in photo-quality on durable materials.

Printer Specifications

| | |
|------------------------------|--|
| Print Resolution (dpi) | Up to 4800 |
| Print Technology | Inkjet |
| Colour Capability | Full Colour |
| Continuous vs Die-cut Labels | Continuous Tape & Die Cut Labels |
| Max. Label Width (mm) | 209.55 |
| Max. Print Width (mm) | 203.2 |
| Max. Print Length (mm) | 609.6 |
| Cutter | After label, at end of job or no cutoff. Auto Cutter |
| Print Speed (mm/sec) | 114.30 |
| PC Connectivity | Yes |
| Software Compatibility | Brady Workstation, Windows based driver for 3rd party software use |
| Connectivity Options | USB, Ethernet |
| Height x Width x Depth (mm) | 231.14 x 438.15 x 438.15 |
| Weight (kg) | 16 |
| Display | LED |
| Operating Temperature | 15°C-32°C |
| Approval/Compliance | UL, FCC ClassA, cUL, CE, 2011/65/EU, 2015/863/EU RoHS2 |
| Warranty | 1 year |

Fast

Print full colour signs and labels in one pass at a top speed of 114 mm per second. That makes the BradyJet J4000 Colour Label Printer a great peripheral tool for any company that needs to quickly add or renew indoor safety signs, lean labels or pipe markers.




Durable

The BradyJet J4000 Colour Label Printer prints on Brady's durable B-2595 vinyl and B-2569 polyester sign and label material range. These labels feature a topcoat that enhances the colour and label appearance, and protects your print from smudging and harsh conditions. The labels have been tested to withstand exposure to liquids, alcohol and chemicals. Available in sizes ranging from 55.00 to 203.20 mm for the BradyJet J4000 Colour Label Printer.

B-2595/B-2569 Inkjet receptive polyester and vinyl labels for BradyJet J4000 and J5000

| Diagram | Order Reference | Colour | Width A (mm) | Height B (mm) | Length B (m) | Labels per Roll |
|-----------------------------------|-----------------|--------|--------------|---------------|--------------|-----------------|
| Inkjet Receptive Polyester | | | | | | |
| ∞ | J50C-2250-2569 | White | 57.00 | - | 30 | 1 |
| ∞ | J50C-4000-2569 | White | 101.00 | - | 30 | 1 |
| ∞ | J50C-6000-2569 | White | 152.00 | - | 30 | 1 |
| ∞ | J50C-8000-2569 | White | 203.20 | - | 30 | 1 |
| ▲ | J50-260-2569 | White | 55.00 | 85.00 | - | 340 |
| ▲ | J50-261-2569 | White | 75.00 | 110.00 | - | 270 |
| ▲ | J50-262-2569 | White | 105.00 | 155.00 | - | 200 |
| ▲ | J50-267-2569 | White | 155.00 | 210.00 | - | 120 |
| ▲ | J50-265-2569 | White | 178.00 | 254.00 | - | 100 |
| Inkjet Receptive Vinyl | | | | | | |
| ∞ | J50C-2250-2595 | White | 57.00 | - | 30 | 1 |
| ∞ | J50C-4000-2595 | White | 101.00 | - | 30 | 1 |
| ∞ | J50C-6000-2595 | White | 152.00 | - | 30 | 1 |
| ∞ | J50C-8000-2595 | White | 203.20 | - | 30 | 1 |
| ▲ | J50-260-2595 | White | 55.00 | 85.00 | - | 340 |
| ▲ | J50-261-2595 | White | 75.00 | 110.00 | - | 270 |
| ▲ | J50-262-2595 | White | 105.00 | 155.00 | - | 200 |
| ▲ | J50-267-2595 | White | 155.00 | 210.00 | - | 120 |
| ▲ | J50-265-2595 | White | 178.00 | 254.00 | - | 100 |





Laminates for outdoor durability

The BradyJet J4000 Colour Label Printer is able to quickly print full colour signs and labels with indoor durability. By applying a laminate, these on-site printed full colour signs and labels can be given 3 year outdoor durability, considerably expanding the printer's applications. 4 sizes of laminates can be applied, and each laminate is 12 mm wider than its corresponding label material for easier application of the laminate.



| Order Reference | Article No. | Description | Width A (mm) | Roll Length (m) | Labels per Roll |
|-----------------|-------------|---|--------------|-----------------|-----------------|
| LAM-6000-910 | 149257 | Overlamine for J4000 and J5000 Printer Consumables | 165.10 | 36.56 | 1 |
| LAM-4000-910 | 149258 | Overlamine for J2000, J4000 and J5000 Printer Consumables | 114.30 | 36.56 | 1 |
| LAM-2250-910 | 149259 | Overlamine for J2000, J4000 and J5000 Printer Consumables | 69.85 | 36.56 | 1 |
| LAM-8000-910 | 149260 | Overlamine for J4000 and J5000 Printer Consumables | 215.90 | 36.56 | 1 |





BS 5609 marine

The BS 5609 certified label materials B-595, B-2585 and B-7569 can be printed at your location using a quality sign & label printer from Brady, such as the BBP35, BBP37, BradyJet J2000, J4000 or BradyJet J5000. Labels with black & red print on white backgrounds, like CLP-labels, can easily be created with these printers and Brady's CLP-app in port, at sea or off-shore to address ad hoc identification needs. Other applications, such as full colour safety signs and pipe markers, can also be printed on-site or at the Brady factory.

- Stays attached and legible for 3 months in the sea
- Can be printed in full colour with the BradyJet J2000; J4000 or BradyJet J5000
- Enter name or CAS number in our app to auto-design compliant GHS/CLP labels

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|-----------------|----------|--------|--------------------|---------------------|--------------------|-----------------|
| ∞ | J50C-2250-2585 | 150760 | White | 57.15 | — | 30.48 m | 1 |
| ∞ | J50C-4000-2585 | 150761 | White | 101.60 | — | 30.48 m | 1 |
| ∞ | J50C-6000-2585 | 150762 | White | 152.40 | — | 30.48 m | 1 |
| ∞ | J50C-8000-2585 | 150763 | White | 203.20 | — | 30.48 m | 1 |
| ▲ | J50-260-2585 | 150753 | White | 55.00 | 85.00 | — | 340 |
| ▲ | J50-261-2585 | 150754 | White | 75.00 | 110.00 | — | 270 |
| ▲ | J50-262-2585 | 150755 | White | 105.00 | 155.00 | — | 200 |
| ▲ | J50-267-2585 | 150756 | White | 154.90 | 210.00 | — | 120 |
| ▲ | J50-268-2585 | 150757 | White | 203.00 | 279.40 | — | 100 |



B-2551 Polyester Tags

B-2551 material is a thick, polyester tagstock with an inkjet-receptive vinyl adhered.

- Ideal for use in general facility labelling, including accident prevention, confined space tags and Lockout/Tagout tags
- Ideal for on-the-spot dangerous condition warnings
- Tags are pre-perforated and feature chamfered corners
- Tags on a roll separate cleanly


| Order Reference | Article No. | Description | Width A (mm) | Height B (mm) | Labels per Roll |
|-----------------|-------------|-----------------------------------|--------------|---------------|-----------------|
| J40-385-2551 | 170396 | Polyester Tags for J4000 Printers | 82.55 | 146.05 | 100 |



B-2581 Repositionable vinyl material

The material can be printed in full colour at your premises when you need them and they are designed for frequent repositioning.


| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Length B (m) | Labels per Roll |
|---------|-----------------|----------|--------|--------------------|--------------------|-----------------|
| ∞ | J50C-2250-2581 | 151110 | White | 57.15 | 30.48 m | 1 |
| ∞ | J50C-4000-2581 | 151111 | White | 101.60 | 30.48 m | 1 |
| ∞ | J50C-6000-2581 | 151112 | White | 152.40 | 30.48 m | 1 |
| ∞ | J50C-8000-2581 | 151113 | White | 203.20 | 30.48 m | 1 |



B-2475 Polyester material

Ideal for product labelling, logos, Right to Know labels and barcode applications. UL approved.


| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|-----------------|----------|--------|--------------------|---------------------|--------------------|-----------------|
| ∞ | J40C-1125-2475 | 152809 | White | 28.58 | — | 30.48 m | 1 |
| ∞ | J40C-2250-2475 | 152810 | White | 57.15 | — | 30.48 m | 1 |
| ∞ | J40C-4000-2475 | 152811 | White | 101.60 | — | 30.48 m | 1 |
| ∞ | J40C-8000-2475 | 152812 | White | 203.20 | — | 30.48 m | 1 |
| ▲ | J40-136-2475 | 152802 | White | 38.10 | 19.05 | — | 1000 |
| ▲ | J40-235-2475 | 152803 | White | 38.10 | 25.40 | — | 750 |
| ▲ | J40-137-2475 | 152804 | White | 50.80 | 25.40 | — | 750 |
| ▲ | J40-18-2475 | 152805 | White | 76.20 | 25.40 | — | 750 |
| ▲ | J40-19-2475 | 152806 | White | 76.20 | 50.80 | — | 250 |
| ▲ | J40-55-2475 | 152807 | White | 101.60 | 50.80 | — | 250 |
| ▲ | J40-25-2475 | 152808 | White | 101.60 | 152.40 | — | 80 |



B-7425J Chemically resistant polypropylene material

This polypropylene material is ideal for GHS and other full-colour identification applications where resistance to harsh chemicals is required.

| Diagram | Order Reference | Art. No. | Colour | Label Width A (mm) | Label Height B (mm) | Label Length B (m) | Labels per Roll |
|---------|-----------------|----------|--------|--------------------|---------------------|--------------------|-----------------|
| ∞ | J40C-2250-7425J | 152783 | White | 57.15 | — | 30.48 m | 1 |
| ∞ | J40C-4000-7425J | 152784 | White | 101.60 | — | 30.48 m | 1 |
| ∞ | J40C-6000-7425J | 152785 | White | 152.40 | — | 30.48 m | 1 |
| ∞ | J40C-8000-7425J | 152786 | White | 203.20 | — | 30.48 m | 1 |
| ▲ | J40-260-7425J | 152778 | White | 55.00 | 85.00 | — | 340 |
| ▲ | J40-321-2475J | 152781 | White | 203.20 | 133.35 | — | 100 |
| ▲ | J40-262-7425J | 152779 | White | 104.90 | 155.00 | — | 200 |
| ▲ | J40-265-7425J | 152780 | White | 177.80 | 254.00 | — | 100 |
| ▲ | J40-268-2475J | 152782 | White | 203.20 | 279.40 | — | 100 |



Design, print and manage your labelling with software

Brady Workstation Desktop-Software

Design and print labels seamlessly with Brady Workstation software suites and apps specially designed for a variety of common industry-related tasks. Along with popular time-saving features like auto-formatting and built-in templates, Brady Workstation features an intuitive interface that integrates seamlessly with the work you do.



Design any label with Brady Workstation apps

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. Label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.

Simply download Brady Workstation to your desktop and add the applications you need:

www.workstation.bradyyid.com





This section provides a quick reference to Brady materials listed throughout this catalogue, including basic attributes, applications and regulatory compliance where applicable. For more detailed material attribute and performance information, please refer to the material's Technical Data Sheet, listed at www.bradyeurope.com/tds.

| Brady Material No. | Material | Print Technology | Finish | Colour | Temp (°C) (Tested for 30 days) | | Properties & Applications | Approval/Compliance |
|--------------------|-------------------------------------|------------------|--------|------------------------|-----------------------------------|--------|--|--|
| | | | | | Min. | Max. | | |
| B-2509 | Magnetic Polyester | Inkjet | Matt | White | -40 °C | 60 °C | B-2509 is an aqueous inkjet printable label, with matt finish that adheres via magnetic attraction. These are ideal for temporary, reusable and movable signs | — |
| B-2550 | Inkjet Receptive Paper | Inkjet | Matt | White | -40 °C | 60 °C | B-2550 white paper label stock is an aqueous inkjet printable, matt finish, pressure sensitive adhesive product. B-2550 is designed to be used with the BradyJet™ J2000 and J7300 Colour Label Printer. Aqueous inkjet printable paper label stock that yields full colour and high resolution graphics. | — |
| B-2551 | Heavy Duty Polyester | Inkjet | Matt | White | -40 °C | 60 °C | B-2551 indoor marking tag stock is an aqueous inkjet receptive, rigid, matt finish, tag product, designed for use in roll form with the BradyJet J2000, J4000, J5000 and J7300 Colour Label Printers. B-2551 enables compliance if printed and applied according to standards for tag out tags and lockout tags. | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |
| B-2569 | Inkjet Receptive Polyester | Inkjet | Matt | White | -40 °C | 60 °C | B-2569 is a polyester indoor marking material used indoors for Pipemarkers, Arrow Tape, Warehouse Marking, Warning Panels, Safety Signs, Arc Flash and Visual Workplace labels. | — |
| B-2581 | Inkjet Receptive Vinyl | Inkjet | Matt | White | -40 °C | 60 °C | B-2581 is an aqueous inkjet printable vinyl with matt finish and repositionable adhesive. Ideal for labelling where frequent repositioning may be required | — |
| B-2585 | Polypropylene | Inkjet | Matt | White | -40 °C | 60 °C | B-2585 is an aqueous inkjet printable polypropylene, with a matt finish and permanent acrylic adhesive. Suitable for international container labelling where coloured identification is required | BS 5609:1986 Section 2 and section 3 |
| B-2595 | Inkjet Receptive Vinyl | Inkjet | Matt | White | -40 °C | 60 °C | B-2595 is a vinyl indoor marking material used indoors for Pipemarkers, Arrow Tape, Warehouse Marking, Warning Panels, Safety Signs, Arc Flash and Visual Workplace labels. | — |
| B-403 | Paper | Thermal Transfer | Matt | Black on White | -70 °C | 100 °C | White dissolvable paper. Dissolves completely in water leaving no adhesive residue, ideal for temporary labelling applications | — |
| B-483A/B-634 | Polyester with Polyester Overlamine | Thermal Transfer | Gloss | White | -18 °C | 54 °C | ToughStripe™ floor marking thermal transfer printable polyester with ultra-aggressive adhesive which allows for printable messages to be placed on the floor. The floor marking roll ships with a separate roll of B-634 Polyester Overlamine to protect your legend. Ideal to create custom-printed floor labels. Available in white, yellow, red, orange, green, blue and black. | — |
| B-509 | Magnetic Polyester | Thermal Transfer | Matt | White | -18 °C | 70 °C | Magnetic Back Polyester is used for temporary, reusable and movable signs | — |
| B-526 | Phosphorescent Polyester | Thermal Transfer | Gloss | Photoluminescent Green | -40 °C | 60 °C | BradyGlo™ High Intensity laminate is designed to provide high adhesion and luminescence for egress marking in low light areas in and along stairwells of public buildings, exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes. | New York Local Law 26 RS 6-1 & 6-1A; City of New York, Department of Buildings MEA No. 467-06-M UV: 46-9-7 |
| B-530 | Tamper-resistant Vinyl | Thermal Transfer | Gloss | White | -40 °C | 90 °C | Brady's tamper resistant tape destructs into tiny fragments when tampered with. | — |
| B-549 | Polyester | Thermal Transfer | Gloss | White | -40 °C | 100 °C | Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape for permanent application. Adhesive can be applied at temperatures down to -10°F (-23°C). | — |
| B-551 | Polyester Tag | Thermal Transfer | Matt | White | -40 °C | 89 °C | Tag material used for marking on-the-spot warning of dangerous conditions | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |

| Brady Material No. | Material | Print Technology | Finish | Colour | Temp (°C) (Tested for 30 days) | | Properties & Applications | Approval/Compliance |
|--------------------|--------------------------------------|------------------|--------|--|-----------------------------------|--------|--|---|
| | | | | | Min. | Max. | | |
| B-526 | Phosphorescent Polyester | Thermal Transfer | Gloss | Photoluminescent Green | -40 °C | 60 °C | BradyGlo™ High Intensity laminate is designed to provide high adhesion and luminance for egress marking in low light areas in and along stairwells of public buildings, exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes. | New York Local Law 26 RS 6-1 & 6-1A; City of New York, Department of Buildings MEA No. 467-06-M UV: 46-9-7 |
| B-530 | Tamper-resistant Vinyl | Thermal Transfer | Gloss | White | -40 °C | 90 °C | Brady's tamper resistant tape destructs into tiny fragments when tampered with. | — |
| B-549 | Polyester | Thermal Transfer | Gloss | White | -40 °C | 100 °C | Flexible, dimensionally stable, low temperature, pressure sensitive adhesive tape for permanent application. Adhesive can be applied at temperatures down to -10°F (-23°C). | — |
| B-551 | Polyester Tag | Thermal Transfer | Matt | White | -40 °C | 89 °C | Tag material used for marking on-the-spot warning of dangerous conditions | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |
| B-569 | Polyester | Thermal Transfer | Gloss | Green | -40 °C | 100 °C | Designed for use on stainless steel pipes in harsh environments such as the Pulp and Paper Industry | — |
| B-581 | Vinyl | Thermal Transfer | Gloss | White | -40 °C | 82 °C | Only indoor use, where frequent repositioning is required | — |
| B-582 | Phosphorescent Polyester | Thermal Transfer | Gloss | Photoluminescent Green | -40 °C | 80 °C | Phosphorescent Polyester is used for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuations routes. | ASTM E-2072-00 / ASTM E-2073-00; ASTM E-162; ASTM E-648; ASTM E-662; IMO Resolution A.752(18); ISO/CD 15370; Marine Safety Committee MSC.27(61); DIN 67510 (Parts 1 - 4) Meets OSHA 1910.37 |
| B-584 | Reflective Tape | Thermal Transfer | Gloss | Orange | -40 °C | 70 °C | Suitable for outdoor use. Also available in silver and yellow. | — |
| B-593 | Polyester | Thermal Transfer | Gloss | White | -20 °C | 100 °C | EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow. | UL Recognised; cUL Recognised |
| B-595 | Vinyl | Thermal Transfer | Gloss | White | -40 °C | 82 °C | Durable, low-shrink vinyl with our most aggressive adhesive. Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces). Adheres to "difficult" low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics). Available in a wide range of colours. | BS 5609:1986 Section 2 and section 3 |
| B-7425J | Inkjet Receptive Polypropylene | Inkjet | Matt | White | -80 °C | 70 °C | B-7425J is an inkjet receptive material with a matt finish and permanent acrylic adhesive. Suitable for printing coloured laboratory labels such as vials, centrifuge and test tubes | — |
| B-7569 | Vinyl | Thermal Transfer | Gloss | White | -20 °C | 75 °C | Used for Pipe Markers, Arrow Tape, Warehouse Marking, Floor Marking, Warning Panels, Safety Signs and Hazardous Substance Identification. Available in a wide range of colours. | BS 5609:1986 Section 2 and section 3 |
| B-7593 | Polyethylene Foam Laminate Polyester | Thermal Transfer | Gloss | White, Yellow, Red, Green, Silver, Black | -40 °C | 100 °C | EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow. | — |
| B-851 | Polyester | Thermal Transfer | | Red on White | -40 °C | 100 °C | B-851 is a rigid Polyester, with a textured write-on surface which allows for authorised signatures, dates and other special instructions | Complies to OSHA 1910.145(f) when printed with required signal word and major message. |
| B-854 | Metal Detectable Polyester | Thermal Transfer | Matt | White | -40 °C | 110 °C | Tough against harsh washdown environments; metal detectable. Also available in yellow. | — |
| B-855 | Polyester | Thermal Transfer | Matt | White | -40 °C | 110 °C | Tough against harsh washdown environments. Also available in yellow. | — |
| B-910 | Acrylic | | Gloss | Transparent | -29 °C | 150 °C | Overlaminate for J4000 and J5000 Printer Consumables | — |

**Africa**

Randburg, South Africa
Tel.: +27 11 704 3295
Email: africa@bradycorp.com

Benelux

Zelee, Belgium
Tel.: +32 (0) 52 45 78 11
Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
Tel.: +421 2 3300 4800
Email: central_europe@bradycorp.com

Denmark

Odense
Tel.: +45 66 14 44 00
Email: denmark@bradycorp.com

France

Roncq
Tel.: +33 (0) 3 20 76 94 48
Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
Tel.: +49 (0) 6103 7598 660
Email: germany@bradycorp.com

Hungary

Budaörs
Tel.: +36 23 500 275
Email: hungary@bradycorp.com

Italy

Gorgonzola
Tel.: +39 02 26 00 00 22
Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
Tel.: +971 4881 2524
Email: cs_me@bradycorp.com

Norway

Kjeller
Tel.: +47 70 13 40 00
Email: norway@bradycorp.com

Spain & Portugal

Madrid, Spain
Tel.: +34 900 902 993
Email: spain@bradycorp.com,
portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
Tel.: +46 (0) 8 590 057 30
Email: sweden@bradyeurope.com

Turkey

Istanbul
Tel.: +90 212 264 02 20 / 264 02 21
Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
Tel.: +44 (0) 1295 228 288
Email: uk@bradycorp.com

Our mission is to identify and protect people,
products and premises



To help minimise our impact on the environment,
Brady limits its number of reprints.

Updated versions are always available for
download on www.bradyeurope.com.



Search for: EUR-M-801-EN



Y490929

Your distributor