

# Do-it-yourself Signmaking



Industrial Sign- and Labelmaking Systems

# About BRADY



Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.

## Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

## Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

## Trust

For almost a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

## Inform

We also have specialised dealers in your region, who can answer all your identification and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

	Which system for what application. ....	2
	HandiMark™ .....	4
	MiniMark™ .....	8
	GlobalMark® Monocolor. ....	12
	GlobalMark® Multicolor and Color & Cut. ....	14
	PowerMark™ .....	18
	MarkWare™ Industrial Signmaking Software .....	22
	Surf On Signs™: Signs & Symbols Catalogue on CD-ROM. ....	23
	Which supplies for what application. ....	24
	Which material for which printer .....	26
	Technical Data. ....	27
	The Choice Of Performance. ....	28

# Which system for what application?



Ideal



Good



Acceptable



## Safety Panels

- Pictograms
- Pictograms + text
- Wallcharts

## Evacuation Maps



## Safety Procedures & Machine Instructions

- Valve & switch identification
- Emergency procedures
- Lockout / Tagout
- Schematics



## Pipe Marking

- Individual pipe markers
- Roll form pipe markers
- Arrows



## Hazardous Substances Identification



## Photoluminescent Signage

- Emergency escape routes
- Assembly & Emergency point signs



## Maintenance

- Cleaning instructions
- Repair instructions



## Panel Identification

- Panel and switch identification
- Wire marking



## Asset Management

- Office furniture
- Tools & machines
- Company cars



## Logistic

- Warehouse & Stock
- Bar codes



## Transport

- Chemical substances
- Directional signs
- Informative signs



## Office Use

- Files
- Door plates




## Cut-Out Letters & Signs



## Tagout Labels

- Safety Tags



## Events (badges, logos...)

- Exhibitions
- Seminars
- Advertising / communication agencies

## Services / Recreation

- Industrial contractors
- Holiday centres, leisure centres
- Theme parks



**HANDIMark**  
Portable Label Maker

**MINIMARK**  
INDUSTRIAL LABEL PRINTER

**GLOBALMARK 2**  
INDUSTRIAL LABEL MARKER

**GLOBALMARK 2**  
INDUSTRIAL LABEL MARKER

**GLOBALMARK 2**  
INDUSTRIAL LABEL MARKER

**POWERMark**  
sign and label maker


★ Up to 50 mm high Monochrome	★ Up to 100 mm high Monochrome (300 mm with tiling)	★ Up to 100 mm high Monochrome (300 mm with tiling)	★★ Up to 100 mm high Multicolour (300 mm with tiling)	★★★ Up to 100 mm high Multicolour (300 mm with tiling)	★★★ Up to 250 mm high Multicolour
—	—	—	★★ Up to 100 mm high Multicolour (300 mm with tiling)	★★★ Up to 100 mm high Multicolour (300 mm with tiling and auto-cut labels)	★★★ Up to 250 mm high Multicolour (600 mm with tiling)
★★ Up to 17 lines on 50 mm high using 2 mm font size	★★★ Up to 25 lines on 100 mm high using 2 mm font size	★★★ Up to 25 lines on 100 mm high using 2 mm font size	★★★ Up to 25 lines on 100 mm high using 2 mm font size	★★★ Up to 25 lines on 100 mm high using 2 mm font size	★★★ Up to 42 lines on 250 mm high using 2 mm font size
★★ Individual pipe markers Monochrome in 13, 25 and 50 mm	★★ Individual pipe markers Monochrome in 13, 29, 57 and 100 mm	★★ Individual pipe markers Monochrome in 13, 29, 57 and 100 mm	★★★ Individual pipe markers Multicolour in 13, 29, 57 and 100 mm	★★★ Individual or multiple-up pipe markers Multicolour and cut to shape in 13, 29, 57 and 100 mm	★★★ Individual or multiple-up pipe markers Multicolour or monochrome in 13 mm to 250 mm
—	★★★ 55, 75 and 105 mm Pre-printed HSID labels	—	—	—	★ 100, 150, 200 and 250 mm Multicolour
—	—	★★★ Up to 100 mm high Monochrome	★★★ Up to 100 mm high Multicolour	★★★ Up to 100 mm high Multicolour	★★★ Up to 250 mm high
★★★ Up to 17 lines on 50 mm high	★★★ Up to 25 lines on 100 mm high	★★★ Up to 25 lines on 100 mm high	★★★ Up to 25 lines on 100 mm high	★★★ Up to 25 lines on 100 mm high	★★★ Up to 42 lines on 250 mm high
★★★	★★★ Self-Laminating wiremarkers	★★★	★★★	★★★	★
★★★ Tamper-evident Polyester	★★★ Tamper-evident Polyester and specific warehouse labels	★★★	★★★	★★★	★
★ Up to 15 Bar Code types using MarkWare™ software	★★★ Up to 15 Bar Code types using MarkWare™ software and specific warehouse labels	★★ Up to 15 Bar Code types using MarkWare™ software	★★ Up to 15 Bar Code types using MarkWare™ software	★★ Up to 15 Bar Code types using MarkWare™ software	★ Up to 15 Bar Code types using MarkWare™ software
★ Up to 50 mm high Monochrome	★ Up to 100 mm high Monochrome	★ Up to 100 mm high Monochrome	★★ Up to 100 mm high Multicolour	★★★ Up to 100 mm high Multicolour (300 mm with tiling)	★★★ Up to 250 mm high Multicolour
★★★	★★	★★	★★★	★★★	★
—	—	—	—	★★★	—
★	—	★★ Semi-rigid, non-adhesive material	★★★ Semi-rigid, non-adhesive material multi-colour (prints photos)	★★★ Semi-rigid, non-adhesive material multi-colour (prints photos)	★
★	★★ Up to 100 mm high Monochrome	★★ Up to 100 mm high Monochrome	★★★ Print photos in full colour	★★★ Print photos in full colour Cut out letters and shapes	★★★
★	★ Up to 100 mm high Monochrome (300 mm with tiling)	★ Up to 100 mm high Monochrome (300 mm with tiling)	★★ Up to 100 mm high Multicolour (300 mm with tiling)	★★★ Up to 100 mm high. Multicolour (300 mm with tiling and auto-cut labels)	★★★ Up to 250 mm high Multicolour (600 mm with tiling)

DO-IT-YOURSELF SIGNSMAKING



Carry the HandiMark™ wherever you go to create instant labels for limitless applications. It fits in the palm of your hand to produce custom labels in a multitude of indoor and outdoor situations. HandiMark™ is light-weight and convenient. It packs a lot of power into one compact system and runs on a rechargeable battery or AC Power supply. With HandiMark™ you can customise labels up to 50 mm high.

BRADY  
SUGGESTS :



HandiMark™

+



MarkWare™ (page 22)

# POWERFUL LABELLING IN THE PALM OF YOUR HAND!



Identify pipes wherever they are



**System supplied** complete with the Brady MarkWare™ software and driver compatible with Windows® 95, 98, 2000, XP and NT4\*. MarkWare™ provides access to logos, databases, bar codes, graphics, etc... opening a world of possibilities

\*Windows® 95, 98, NT4 and Windows® 2000 is a trademark of Microsoft Inc® – USA.

A **HandiMark™** kit is composed of a HandiMark™ Portable label maker, MarkWare™ industrial labelling software, PC cable kit, carry case, cleaning kit, battery with battery charger, one indoor/outdoor grade vinyl tape, ribbon cartridge, user guide as well as the complete built-in symbols & pictogram library card.

↑ ↓  
**HEIGHT  
UP TO 50mm**




Panel & Switch I.D.



Make your workplace safer



Type size from 2 to 42 mm. Secure your valves



Information labels



Asset identification labels



## SYSTEMS

### HandiMark™ Stand-Alone

Reference	Description
240258	HandiMark™ Stand-Alone - Cable Kit (UK Version)
042002	HandiMark™ Stand-Alone

### HandiMark™ + MarkWare™

Reference	Description
250380	HandiMark™ + MarkWare™
800996	HandiMark™ + MarkWare™ (continental Europe)

### HandiMark™ + MarkWare™ + BLS 2000™ (Laminator\*)

Reference	Description
250392	HandiMark™ + MarkWare™ + BLS 2000™*
800998	HandiMark™ + MarkWare™ + BLS 2000™* (continental Europe)

## SOFTWARE

(SEE PAGE 22)

Reference	Description
800975	MarkWare™
710365	MarkWare™ ECE East Central Europe



\*See page 19 for more information on the BLS 2000™ Laminating System



## ACCESSORIES

Reference	Description
042116	HandiMark™ Euro PC Cable Kit
042006	HandiMark™ AC Adapter 110 V
042007	HandiMark™ Battery Charger 110 V
042008	HandiMark™ Spare Battery Pack 110 V
042005	HandiMark™ Dust Cover
042010	HandiMark™ Carry Case
049199	HandiMark™ Soft Carry Case with shoulder strap
042009	HandiMark™ Cleaning Kit
042108	HandiMark™ Euro Spare Battery Pack
042109	HandiMark™ Euro Battery Charger 230 V
042110	HandiMark™ Euro AC Power Supply 230 V



## RIBBONS

### Single Colour Ribbon 50 mm – Length 23 m

Reference	Description
042011	50 mm Black
042012	50 mm White
042013	50 mm Red
042014	50 mm Blue
042015	50 mm Green
042016	50 mm Magenta
042123	50 mm Yellow



## TAPES




### HIGH PERFORMANCE INDUSTRIAL ADHESIVE VINYL TAPE B-580

Adheres to most clean, dry surfaces and also conforms well to irregular, curved or rough surfaces.

- Stands up to grease, oil and most industrial chemicals
- 5-year average outdoor durability in temperatures from -40°C to +82°C\*
- Minimum application temperature: -18°C
- Length 15 m

Reference	Description
042018	13 mm White
042022	13 mm Yellow
042026	13 mm Green
042030	13 mm Red
042034	13 mm Blue
042038	13 mm Orange
042042	13 mm Black
042046	13 mm Grey
042050	13 mm Brown
042054	13 mm Gold
042058	13 mm Purple
042076	13 mm Clear
042019	25 mm White
042023	25 mm Yellow
042027	25 mm Green
042031	25 mm Red
042035	25 mm Blue
042133	25 mm Light Blue
042039	25 mm Orange
042043	25 mm Black
042047	25 mm Grey
042051	25 mm Brown
042055	25 mm Gold
042059	25 mm Purple
042077	25 mm Clear
500000	25 mm Pink
042021	50 mm White
042025	50 mm Yellow
042029	50 mm Green
042033	50 mm Red
042037	50 mm Blue
042134	50 mm Light Blue
042041	50 mm Orange
042045	50 mm Black
042049	50 mm Grey
042053	50 mm Brown
042057	50 mm Gold
042061	50 mm Purple
042079	50 mm Clear
500001	50 mm Pink



### WHICH SUPPLIES FOR WHAT APPLICATION: PAGE 24-25

\* Depends on climatic conditions, colours and usage

### REPOSITIONABLE VINYL TAPE B-581



Special adhesive allows easy removal and re-application

- 5-year average outdoor durability in temperatures from -40°C to +80°C\*
- Minimum application temperature: +10°C
- Length 15 m

Reference	Description
042100	13 mm White
042103	13 mm Yellow
042101	25 mm White
042104	25 mm Yellow
042102	50 mm White
042105	50 mm Yellow

### REFLECTIVE VINYL TAPE B-584



The reflective quality of the material makes it ideal for reading labels in low light conditions (flashlight).

- 5-year average outdoor durability in temperatures from -40°C to +80°C
- Minimum application temperature: White: +10°C  
Yellow and Orange: -18°C
- Length 10 m

Reference	Description
042062	25 mm White
042064	25 mm Yellow
042066	25 mm Orange
042063	50 mm White
042065	50 mm Yellow
042067	50 mm Orange

### ECONOMY POLYPROPYLENE B-529



- Ideal low-cost choice
- Usage in temperatures from -40°C to +80°C
- Minimum application temperature: +10°C
- Length 15 m

Reference	Description
042068	13 mm White
042069	25 mm White
042071	50 mm White

### TAMPER-EVIDENT VINYL B-530



Destructs into tiny fragments when tampered with, making removal very tedious and difficult

- 3-year average outdoor durability in temperatures from -40°C to +80°C\*
- Minimum application temperature: +10°C
- Length 15 m

Reference	Description
042137	13 mm White
042138	25 mm White
042139	50 mm White

### OVERLAMINATE B-966



- 2-year average outdoor durability in temperatures from -40°C to +150°C
- Minimum application temperature: +10°C
- Length 50 m

Reference	Description
266080	50 mm Clear
266081	85 mm Clear
266082	130 mm Clear

# MiniMARK™

INDUSTRIAL LABEL PRINTER



DO-IT-YOURSELF SIGNMAKING



## THERE'S NO CATCH TO THESE SAVINGS...

### EASE OF USE AND MINIMAL REQUIRED SPACE

Time-saving, user-friendly: qualities that help simplify your life. From your PC you can effectively create your own messages, symbols, pictograms, bar codes, pipe markers, signage, mailing labels...

### MINIMAL INVESTMENT, MAXIMUM EFFECTIVENESS

Purchasing labels externally often proves to be a long, expensive process. Furthermore, the lack of safety signage can be at the root of serious accidents. Don't be dependent on others any longer. For a minimal investment you can both economise and be more effective.

# MINIMARK™ + MARKWARE™: A DUO THAT MAKES THE DIFFERENCE!

## MINI COMPLICATION... DEMAND SIMPLICITY

MarkWare™, the companion software indispensable for use with the MiniMark™, is a powerful and effective tool in industrial signage.


MarkWare™ incorporates the basic functions of Windows® applications for an even more intuitive use: copy/paste, print preview, justify, superscript, bold, italics, underline, borders and frames, object-based alignment, group objects, bring to front or send to back, zoom...

## MINI REQUIRED SPACE, MAXI EFFECTIVENESS

At last a compact model which doesn't compromise print quality, be it on adhesive banners or die-cut labels. The printer also incorporates an integrated automatic cut function.

## MINI PRICE, BE RUTHLESS TOWARDS YOUR COSTS!

Our range of tapes have been specifically developed to give high quality results at an economic price.



## VARIETY OF PRINT MEDIA

Printing on adhesive banners or die-cut labels allows for multiple uses (indicator signs, safety labels, production management, stock and fixed assets management...). Put an end to wasted time! Your organisation comes out ahead in both clarity and productivity.



Avoid accidents with proper identification!



Label your warehouse stock efficiently



Identify pipe-lines on-site




For greater impact, personalise your messages



Identification on corridors and racks



Bin location labels





## SYSTEMS

Reference	Description
710142	MiniMark™ + MarkWare™ (UK)
710141	MiniMark™ + MarkWare™ (Continental Europe)
710365	MarkWare™ ECE East Central Europe
800975	MarkWare™

## ACCESSORIES

Reference	Description
710118	Carry Case MiniMark™ machine
710257	Carry Case MiniMark™ supplies
076804	USB Cable
236345	Parallel Cable (length: 3m)
064692	Cleaning Pen
710258	MiniMark™ Demo Board
710261	DIY materials colour chart
801011	Demo Kit (Carry case for supplies, demo board, 10 tapes, 5 ribbons)

## RIBBONS

Single Colour Ribbons – 110 mm Wide – Length 90 m	
Reference	Description
710192	Black Ribbon 110 mm – 1/pack
710022	Black Ribbon 110 mm – 2/pack
710193	White Ribbon 110 mm – 1/pack
710023	White Ribbon 110 mm – 2/pack
710194	Red Ribbon 110 mm – 1/pack
710024	Red Ribbon 110 mm – 2/pack
710195	Blue Ribbon 110 mm – 1/pack
710025	Blue Ribbon 110 mm – 2/pack
710196	Green Ribbon 110 mm – 1/pack
710026	Green Ribbon 110 mm – 2/pack

### High Performance Resin Ribbon for printing on B-580 Vinyl 110 mm Wide – Length 90 m\*

Reference	Description
710342	Black Ribbon 110 mm
710343	White Ribbon 110 mm*
710345	Red Ribbon 110 mm
710344	Blue Ribbon 110 mm
710346	Green Ribbon 110 mm

\*White Ribbon : Length 70 m

### High Performance Ribbon with Rigid Flanges for ease of use 110 mm Wide – Length 90 m


Reference	Description
739678	Black Ribbon 110 mm
739679	White Ribbon 110 mm
739680	Red Ribbon 110 mm
739681	Blue Ribbon 110 mm
739682	Green Ribbon 110 mm



## INDOOR ADHESIVE VINYL TAPE B-7591 (LOGISTICS IDENTIFICATION)

Length 35 m

Reference	Description
710063	25 mm White
710065	50 mm White
710067	75 mm White



## STANDARD INDUSTRIAL ADHESIVE VINYL TAPE B-7589

Width 29 mm – Length 15 m	
Reference	Description
710156	29 mm Clear
710157	29 mm White
710158	29 mm Yellow
710159	29 mm Red
710160	29 mm Green
710161	29 mm Blue
710162	29 mm Orange
710163	29 mm Black
710164	29 mm Grey
710165	29 mm Gold
710166	29 mm Brown
710167	29 mm Purple

Width 29 mm – Length 35 m	
Reference	Description
710027	29 mm Clear
710028	29 mm White
710029	29 mm Yellow
710030	29 mm Red
710031	29 mm Green
710032	29 mm Blue
710033	29 mm Orange
710034	29 mm Black
710035	29 mm Grey
710036	29 mm Gold
710037	29 mm Brown
710038	29 mm Purple

Width 57 mm – Length 15 m	
Reference	Description
710168	57 mm Clear
710169	57 mm White
710170	57 mm Yellow
710171	57 mm Red
710172	57 mm Green
710173	57 mm Blue
710174	57 mm Orange
710175	57 mm Black
710176	57 mm Grey
710177	57 mm Gold
710178	57 mm Brown
710179	57 mm Purple

Width 57 mm – Length 35 m	
Reference	Description
710039	57 mm Clear
710040	57 mm White
710041	57 mm Yellow
710042	57 mm Red
710043	57 mm Green
710044	57 mm Blue
710045	57 mm Orange
710046	57 mm Black
710047	57 mm Grey
710048	57 mm Gold
710049	57 mm Brown
710050	57 mm Purple

Width 100 mm – Length 15 m	
Reference	Description
710180	100 mm Clear
710181	100 mm White
710182	100 mm Yellow
710183	100 mm Red
710184	100 mm Green
710185	100 mm Blue
710186	100 mm Orange
710187	100 mm Black
710188	100 mm Grey
710189	100 mm Gold
710190	100 mm Brown
710191	100 mm Purple

Width 100 mm – Length 35 m	
Reference	Description
710051	100 mm Clear
710052	100 mm White
710053	100 mm Yellow
710054	100 mm Red
710055	100 mm Green
710056	100 mm Blue
710057	100 mm Orange
710058	100 mm Black
710059	100 mm Grey
710060	100 mm Gold
710061	100 mm Brown
710062	100 mm Purple

## HIGH PERFORMANCE INDUSTRIAL ADHESIVE VINYL TAPE B-580




Width 29 mm – Length 20 m	
Reference	Description
710300	29 mm Clear
710301	29 mm White
710302	29 mm Yellow
710303	29 mm Red
710304	29 mm Green
710305	29 mm Blue
710306	29 mm Orange
710307	29 mm Black
710308	29 mm Grey
710309	29 mm Gold
710310	29 mm Brown
710311	29 mm Purple

Width 57 mm – Length 20 m	
Reference	Description
710312	57 mm Clear
710313	57 mm White
710314	57 mm Yellow
710315	57 mm Red
710316	57 mm Green
710317	57 mm Blue
710318	57 mm Orange
710319	57 mm Black
710320	57 mm Grey
710321	57 mm Gold
710322	57 mm Brown
710323	57 mm Purple

Width 100 mm – Length 20 m	
Reference	Description
710324	100 mm Clear
710325	100 mm White
710326	100 mm Yellow
710327	100 mm Red
710328	100 mm Green
710329	100 mm Blue
710330	100 mm Orange
710331	100 mm Black
710332	100 mm Grey
710333	100 mm Gold
710334	100 mm Brown
710335	100 mm Purple



## DIE-CUT HSID LABELS



### White Paper B-7606 (with 2 preprinted orange squares)

Reference	Size (mm)	Layout	Labels per roll
710075	55 x 75	L1	450
710076	55 x 75	L2	450
710077	75 x 105	L1	325
710078	75 x 105	L2	325
710079	105 x 150	L1	230
710080	105 x 150	L2	230

### White Polyester B-423 (with 2 preprinted orange squares)

Reference	Size (mm)	Layout	Labels per roll
710069	55 x 75	L1	450
710070	55 x 75	L2	450
710071	75 x 105	L1	325
710072	75 x 105	L2	325
710073	105 x 150	L1	230
710074	105 x 150	L2	230



## RATING PLATES/ NAME PLATES

### Metallised Polyester B-7563

Reference	Description	Size (mm)	Labels per roll
710081	MNK-BPT-5-7563	25.4 x 12.7	2865
710082	MNK-BPT-6-7563	38.1 x 19.05	3150
710083	MNK-BPT-7-7563	69.85 x 31.75	1000
710084	MNK-BPT-17-7563	50.8 x 25.4	1240
710085	MNK-BPT-19-7563	76.2 x 50	650

### White Polyester B-8423

Reference	Description	Size (mm)	Labels per roll
710086	MNK-BPT-5-8423	25.4 x 12.7	2865
710087	MNK-BPT-6-8423	38.1 x 19.05	3150
710088	MNK-BPT-7-8423	69.85 x 31.75	1000
710089	MNK-BPT-12-8423	12.7 x 11.1	7455
710090	MNK-BPT-17-8423	50.8 x 25.4	1240



## WAREHOUSE LABELS (5 ROLLS/PACK)

### Direct Thermal Paper B-7604

Reference	Description	Size (mm)	Labels per roll
710091	MNK-BPT-522-075	57.15 x 19.05	1575
710093	MNK-BPT-522-125	57.15 x 31.75	1000
710096	MNK-BPT-522-305	57.15 x 76.2	450
710098	MNK-BPT-540-155	101.6 x 38.1	750
710100	MNK-BPT-540-250	101.6 x 63.5	525
710101	MNK-BPT-540-305	101.6 x 76.2	440
710103	MNK-BPT-540-405	101.6 x 101.6	335
710105	MNK-BPT-540-500	101.6 x 127	270

### Thermal Transfer Paper B-7606

Reference	Description	Size (mm)	Labels per roll
710092	MNK-BPT-722-075	57.15 x 19.05	1575
710094	MNK-BPT-222-125	57.15 x 31.75	1000
710095	MNK-BPT-222-205	57.15 x 50.80	440
710097	MNK-BPT-222-305	57.15 x 76.2	450
710099	MNK-BPT-740-155	101.6 x 38.1	750
710102	MNK-BPT-240-305	101.6 x 76.2	440
710104	MNK-BPT-240-405	101.6 x 101.6	335
710106	MNK-BPT-740-505	101.6 x 127	270
710107	MNK-BPT-240-605	101.6 x 152.4	225


710221 Black thermal transfer wax ribbon for B-7606  
110 mm wide – 90m long (2/pack)



## TAMPER-EVIDENT LABELS

### Metallised Polyester B-438

Reference	Description	Size (mm)	Labels per roll
710108	MNK-THT-17-438	50.8 x 25.4	1240
710109	MNK-THT-18-438	76.2 x 25.4	1225
710110	MNK-THT-19-438	76.2 x 50.8	650
710111	MNK-THT-21-438	76.2 mm x 35 m long (continuous tape)	



## WIRE & CABLE MARKING

### Self-laminating B-427

Reference	Description	Size (mm)	Labels per roll
710112	MNK-BPT-305-427	12.7 x 31.75	2800
710113	MNK-BPT-211-427	25.4 x 25.4	3275
710114	MNK-BPT-311-427	25.4 x 31.75	2780
710115	MNK-BPT-511-427	25.4 x 63.5	1485
710116	MNK-BPT-517-427	38.1 x 63.5	1000

WHICH SUPPLIES FOR WHAT APPLICATION: PAGE 24-25



## CREATING ON DEMAND SIGNS & LABELS IN-HOUSE HAS NEVER BEEN EASIER WITH THE GLOBALMARK<sup>®</sup> MONO

Touch screen technology, a large graphical display and the innovative Windows CE\* system have been combined to achieve unequalled ease of use. One of the key advantages of GlobalMark<sup>®</sup> is that it can be used either connected to your PC or stand-alone, giving equally high quality output but with a greater level of portability and higher operation speed. Unique legends, pipe markers, safety signs, equipment tags, labels, fire and rescue directional and information layouts are all built-in. With the file management utility you can easily import logos and other graphics and print these directly from the GlobalMark<sup>®</sup>. GlobalMark<sup>®</sup> Monocolor prints on Standard Vinyl (B-978), but can also be used with all of Brady's high performance materials designed to meet the exacting and often harsh environments found in a modern workplace.

\*Windows<sup>®</sup> CE is a trademark of Microsoft Inc. - USA

# SYSTEMS

## GlobalMark® Monocolor Stand-Alone



Reference	Description
250310	GlobalMark® Monocolor English (UK) + MarkWare™
250311	GlobalMark® Monocolor German + MarkWare™
250312	GlobalMark® Monocolor French (AZERTY keyboard) + MarkWare™
250313	GlobalMark® Monocolor Dutch (QWERTY keyboard) + MarkWare™
250314	GlobalMark® Monocolor Dutch (B) (AZERTY keyboard) + MarkWare™
250315	GlobalMark® Monocolor Spanish + MarkWare™
250316	GlobalMark® Monocolor Italian + MarkWare™
250317	GlobalMark® Monocolor Portuguese + MarkWare™
250318	GlobalMark® Monocolor Swedish + MarkWare™
250319	GlobalMark® Monocolor Finnish + MarkWare™
250320	GlobalMark® Monocolor Norwegian + MarkWare™
250321	GlobalMark® Monocolor Danish + MarkWare™
250322	GlobalMark® Monocolor English - Export 110 V + MarkWare™
250323	GlobalMark® Monocolor English - Export 220 V + MarkWare™

Clearly identify potential hazards



# RIBBONS

## Single Colour Ribbon 105 mm - Length 60 m

Reference	Description
800521	105 mm Black
800522	105 mm White
800523	105 mm Red
800524	105 mm Blue
800525	105 mm Green




Improve organisational efficiency



# TAPES

## STANDARD VINYL (B-978) - Length 30 m

Reference	Description
800508	29 mm White
800511	29 mm Yellow
800514	29 mm Red
800517	29 mm Green
800520	29 mm Blue
800507	57 mm White
800510	57 mm Yellow
800513	57 mm Red
800516	57 mm Green
800519	57 mm Blue
800506	100 mm White
800509	100 mm Yellow
800512	100 mm Red
800515	100 mm Green
800518	100 mm Blue



Ideal for pipe marking



3-year average outdoor durability



**MORE TAPES ON PAGE 7**

# ACCESSORIES

Reference	Description
999840	GlobalMark® Demo CD-Rom
999835	Carry Case for GlobalMark® machine
999834	Carry Case for GlobalMark® supplies
076808	Mouse
076809	Stylus Pens (3-pack)
076810	64 MB Memory Card
076804	USB Cable
076805	Serial Cable
064692	Cleaning Pen
266116	Cleaning Kit
240073	Folding Trolley

Carry case for supplies & machine, can be purchased separately



Identify hazardous locations



Brady's Sign & Labelmaking software **MarkWare™**, provides access to logos, databases, bar codes, graphics, etc. Opening a world of possibilities!

**SEE PAGE 22 FOR MORE INFORMATION**



Avoid accidents, improve safety



# GLOBALMARK<sup>®</sup> 2

INDUSTRIAL LABEL MAKER

**MULTI COLOR**

**COLOR&CUT**



DO-IT-YOURSELF SIGNSMAKING

## LIMITLESS APPLICATIONS!

Integrating speed, ease of use and diversity, GlobalMark<sup>®</sup> provides solutions in multiple colours and cut-to-shape features – all with one desk-top device.

No matter what the demands are in your work environment whether it is process, manufacturing, construction, transport, storage, or public buildings, the GlobalMark<sup>®</sup> offers an endless range of solutions including safety signage, information, directions, warnings, equipment marking, maintenance labels and process marking.

Well identified storage, clearly explained procedures, easily identifiable marking, GlobalMark<sup>®</sup> is a valuable tool designed to help you create a safer, more efficient working environment.

With GlobalMark<sup>®</sup> all of your sign and marking needs are at your fingertips in colour, in-house and in minutes!

BRADY  
SUGGESTS



GlobalMark<sup>®</sup>  
Color & Cut

+



MarkWare™  
(page 22)



Tiling

HEIGHT UP  
TO 100 mm

UP TO 300 MM  
WITH TILING



# SEE WHAT YOU NEED, TOUCH THE SCREEN, CREATE THE MESSAGE



## GLOBAL MARK<sup>2</sup> MULTI-COLOR<sup>®</sup> INDUSTRIAL LABEL MAKER

Creating on-demand multicolour signs and labels in-house has never been easier. Touch screen technology and the intuitive Windows CE\* operating system have been combined to achieve unequalled ease of use. Design your output on the colour monitor, make changes on the go and press print – it's as easy as that!

Designed with flexibility in mind, the GlobalMark<sup>®</sup> offers immediate sign and label solutions for all the needs of today's safety conscious industries. No matter what the demands are in your work environment, whether its in process, manufacturing, construction, transport, storage or public buildings, the GlobalMark<sup>®</sup> will meet your needs.

\*(Windows<sup>®</sup> CE is a trademark of Microsoft Inc. -USA)

Give your signs more impact, print in multicolour



Print single or multiple up pipe markers in colour, thanks to the supply saver function



Make your team members feel safer thanks to full colour printed tags and labels



Cut-Out letters: ideal for directional and informative signs



Print and cut out your signs



Identify your hazardous substances



## GLOBAL MARK<sup>2</sup> COLOR&CUT<sup>®</sup> INDUSTRIAL LABEL MAKER

GlobalMark<sup>®</sup> goes even further!

With its own integrated **print and cut feature**, you can even "die-cut" your chosen sign or label for greater impact and easier positioning.



DO-IT-YOURSELF SIGNSMAKING



### GlobalMark<sup>®</sup> FlashSign: a new sign and symbol tool to enhance your GlobalMark<sup>®</sup>

This small tool contains 100s of the most requested Safety Signs and Symbols available through sign suppliers. Simply select the sign you want on the touch screen and it prints directly from your GlobalMark<sup>®</sup> without the need to use a computer. **It's as simple as that!**

Reference	Cards available in Europe
710262	FlashSign GlobalMark Card - UK
801009	Quick Label CF card Mono – France
801010	Quick Label CF card Multicolour – France
710363	Easy Sign CF-Kaart
802916	Easy Sign CF card – Belgium
710527	Easy Sign Globalmark – Germany




Choose the FlashSign icon



Select your sign number using the poster



Print your sign



FlashSign is a CF-card containing 300 signs ready for printing. Simply choose the sign you want and the GlobalMark<sup>2</sup> Multicolor prints it for you! For more information, visit our website: [www.bradyeurope.com/quicklabel](http://www.bradyeurope.com/quicklabel)

## SYSTEMS

GlobalMark <sup>2</sup> Multicolor + MarkWare <sup>TM</sup>	
Reference	Description
250338	GlobalMark <sup>2</sup> Multicolor English (UK) + MarkWare <sup>TM</sup>
250339	GlobalMark <sup>2</sup> Multicolor German + MarkWare <sup>TM</sup>
250340	GlobalMark <sup>2</sup> Multicolor French (AZERTY keyboard) + MarkWare <sup>TM</sup>
250341	GlobalMark <sup>2</sup> Multicolor Dutch (QWERTY keyboard) + MarkWare <sup>TM</sup>
250342	GlobalMark <sup>2</sup> Multicolor Dutch (B) (AZERTY keyboard) + MarkWare <sup>TM</sup>
250343	GlobalMark <sup>2</sup> Multicolor Spanish + MarkWare <sup>TM</sup>
250344	GlobalMark <sup>2</sup> Multicolor Italian + MarkWare <sup>TM</sup>
250345	GlobalMark <sup>2</sup> Multicolor Portuguese + MarkWare <sup>TM</sup>
250346	GlobalMark <sup>2</sup> Multicolor Swedish + MarkWare <sup>TM</sup>
250347	GlobalMark <sup>2</sup> Multicolor Finnish + MarkWare <sup>TM</sup>
250348	GlobalMark <sup>2</sup> Multicolor Norwegian + MarkWare <sup>TM</sup>
250349	GlobalMark <sup>2</sup> Multicolor Danish + MarkWare <sup>TM</sup>
250350	GlobalMark <sup>2</sup> Multicolor English - Export 110 V + MarkWare <sup>TM</sup>
250351	GlobalMark <sup>2</sup> Multicolor English - Export 220 V + MarkWare <sup>TM</sup>

GlobalMark <sup>2</sup> Color & Cut + MarkWare <sup>TM</sup>	
Reference	Description
250352	GlobalMark <sup>2</sup> Color & Cut English (UK) + MarkWare <sup>TM</sup>
250353	GlobalMark <sup>2</sup> Color & Cut German + MarkWare <sup>TM</sup>
250354	GlobalMark <sup>2</sup> Color & Cut French (AZERTY keyboard) + MarkWare <sup>TM</sup>
250355	GlobalMark <sup>2</sup> Color & Cut Dutch (QWERTY keyboard) + MarkWare <sup>TM</sup>
250356	GlobalMark <sup>2</sup> Color & Cut Dutch (B) (AZERTY keyboard) + MarkWare <sup>TM</sup>
250357	GlobalMark <sup>2</sup> Color & Cut Spanish + MarkWare <sup>TM</sup>
250358	GlobalMark <sup>2</sup> Color & Cut Italian + MarkWare <sup>TM</sup>
250359	GlobalMark <sup>2</sup> Color & Cut Portuguese + MarkWare <sup>TM</sup>
250360	GlobalMark <sup>2</sup> Color & Cut Swedish + MarkWare <sup>TM</sup>
250361	GlobalMark <sup>2</sup> Color & Cut Finnish + MarkWare <sup>TM</sup>
250362	GlobalMark <sup>2</sup> Color & Cut Norwegian + MarkWare <sup>TM</sup>
250363	GlobalMark <sup>2</sup> Color & Cut Danish + MarkWare <sup>TM</sup>
250364	GlobalMark <sup>2</sup> Color & Cut English - Export 110 V + MarkWare <sup>TM</sup>
250365	GlobalMark <sup>2</sup> Color & Cut English - Export 220 V + MarkWare <sup>TM</sup>

## SOFTWARE (SEE PAGE 22)

Reference	Description
800975	MarkWare <sup>TM</sup>
710365	MarkWare <sup>TM</sup> ECE (East Central Europe)



Carry case for supplies and machine, can be purchased separately

## ACCESSORIES

Reference	Description
999840	GlobalMark <sup>2</sup> Demo CD-Rom
999835	Carry Case GlobalMark <sup>2</sup> machine
999834	Carry Case GlobalMark <sup>2</sup> supplies
076808	Mouse
076809	Stylus Pen (3-Pack)
076810	64 MB Memory Card
710262	FlashSign Globalmark Card
076811	Replacement Cutting Blade
020596	Grommets (100-pack)
020591	Hole Punch
036611	Weeding Tool
036612	Squeegee
076804	USB Cable
076805	Serial Cable
064692	Cleaning Pen
266116	Cleaning Kit
013506	BLS 2000 <sup>TM</sup> Laminating System
240073	Folding Trolley



## RIBBONS

### Single Colour Ribbon 105 mm - Length 60 m

Reference	Description
076739	105 mm Black
076741	105 mm White
076743	105 mm Red
076745	105 mm Blue
076747	105 mm Green
076749	105 mm Magenta
076751	105 mm Yellow
076752	105 mm Orange
076759	105 mm Process-Cyan
076760	105 mm Process-Yellow
076761	105 mm Process-Magenta



### Two Colour Panel Ribbon 105 mm, 200 mm Long Panels - Length 60 m

Reference	Description
076763	105 mm Black-Red
076775	105 mm Black-Blue
076767	105 mm Black-Yellow
076771	105 mm Black-Orange

### Two Colour Panel Ribbon 105 mm, 400mm Long Panels - Length 60 m

Reference	Description
076762	105 mm Black-Red
076774	105 mm Black-Blue
076766	105 mm Black-Yellow
076770	105 mm Black-Orange
076782	105 mm Red-Blue

### Four Colour Panel Ribbon 105 mm, 200mm Long Panels - Length 60 m

Reference	Description
076787	105 mm Black-Red-Blue-Green
076791	105 mm Black-Red-Blue-Yellow

### Four Colour Panel Ribbon 105 mm, 400mm Long Panels - Length 60 m

Reference	Description
076786	105 mm Black-Red-Blue-Green
076790	105 mm Black-Red-Blue-Yellow

### CMYK Ribbon 105 mm wide - Length 60 m

Reference	Description
076795	105 mm Cyan-Magenta-Yellow-Black / 200 mm Long Panels
076794	105 mm Cyan-Magenta-Yellow-Black / 400 mm Long Panels

## PREMASK APPLICATION TAPE

Reference	Description
243242	127 mm x 50 m

## TAPES



### INDOOR/OUTDOOR VINYL TAPE B-588

- Length 30 m

Width 13 mm	
Reference	Description
076546	13 mm White
076551	13 mm Yellow
076555	13 mm Red
076559	13 mm Green
076563	13 mm Blue
076567	13 mm Black
076571	13 mm Brown
076575	13 mm Gold
076579	13 mm Grey
076593	13 mm Purple
076597	13 mm Orange
999461	13 mm Clear

Width 29 mm	
Reference	Description
076545	29 mm White
076550	29 mm Yellow
076554	29 mm Red
076558	29 mm Green
076562	29 mm Blue
076566	29 mm Black
076570	29 mm Brown
076574	29 mm Gold
076578	29 mm Grey
076592	29 mm Purple
076596	29 mm Orange
999462	29 mm Clear

Width 57 mm	
Reference	Description
076544	57 mm White
076549	57 mm Yellow
076553	57 mm Red
076557	57 mm Green
076561	57 mm Blue
076565	57 mm Black
076569	57 mm Brown
076573	57 mm Gold
076577	57 mm Grey
076591	57 mm Purple
076595	57 mm Orange
999463	57 mm Clear

Width 100 mm	
Reference	Description
076542	100 mm White
076547	100 mm Yellow
076552	100 mm Red
076556	100 mm Green
076560	100 mm Blue
076564	100 mm Black
076568	100 mm Brown
076572	100 mm Gold
076576	100 mm Grey
076590	100 mm Purple
076594	100 mm Orange
999464	100 mm Clear




### REPOSITIONABLE VINYL TAPE B-581

- Length 30 m

Reference	Description
076700	13 mm White
076704	13 mm Yellow
076699	29 mm White
076703	29 mm Yellow

Reference	Description
076698	57 mm White
076702	57 mm Yellow
076697	100 mm White
076701	100 mm Yellow



### COLD TEMPERATURE POLYESTER TAPE B-549

- Length 30 m

Ref.	Description
076693	29 mm White
076696	29 mm Yellow

Ref.	Description
076692	57 mm White
076695	57 mm Yellow

Ref.	Description
076691	100 mm White
076694	100 mm Yellow



### PHOTOLUMINESCENT VINYL TAPE B-324

- Length 15 m

Reference	Description
076713	29 mm Photoluminescent
076712	57 mm Photoluminescent
076711	100 mm Photoluminescent




### REFLECTIVE VINYL TAPE B-584

- Length 15 m

Ref.	Description
076707	29 mm Silver
999486	29 mm Yellow
800979	29 mm Orange

Ref.	Description
076706	57 mm Silver
999487	57 mm Yellow
800978	57 mm Orange

Ref.	Description
076705	100 mm Silver
999488	100 mm Yellow
800977	100 mm Orange



### MAGNETIC TAPE B-509

- Length 7.50 m

Reference	Description
076687	57 mm White
076689	57 mm Yellow

Reference	Description
076686	100 mm White
076688	100 mm Yellow

## HIGH PERFORMANCE POLYESTER TAPE B-569

- Length 30 m
- Resistant to temperatures up to +100 °C



Width 13 mm	
Reference	Description
076613	13 mm Clear
076618	13 mm White
076622	13 mm Yellow
076626	13 mm Red
076630	13 mm Blue
076634	13 mm Purple
076638	13 mm Orange
076642	13 mm Green
076646	13 mm Brown
076650	13 mm Black
076654	13 mm Grey
999469	13 mm Ochre
999465	13 mm Sky Blue
076609	13 mm Light Blue
076601	13 mm Pink
076605	13 mm Tan

Width 29 mm	
Reference	Description
076612	29 mm Clear
076617	29 mm White
076621	29 mm Yellow
076625	29 mm Red
076629	29 mm Blue
076633	29 mm Purple
076637	29 mm Orange
076641	29 mm Green
076645	29 mm Brown
076649	29 mm Black
076653	29 mm Grey
999470	29 mm Ochre
999466	29 mm Sky Blue
076608	29 mm Light Blue
076600	29 mm Pink
076604	29 mm Tan

Width 57 mm	
Reference	Description
076611	57 mm Clear
076616	57 mm White
076620	57 mm Yellow
076624	57 mm Red
076628	57 mm Blue
076632	57 mm Purple
076636	57 mm Orange
076640	57 mm Green
076644	57 mm Brown
076648	57 mm Black
076652	57 mm Grey
999471	57 mm Ochre
999467	57 mm Sky Blue
076607	57 mm Light Blue
076599	57 mm Pink
076603	57 mm Tan

White	Grey
Yellow	Purple
Red	Orange
Green	Pink
Blue	Tan
Black	Light Blue
Brown	Sky Blue*
Gold	Clear
Ochre*	

\*Best suited to comply with French Pipe Marking Legislation

Width 100 mm	
Reference	Description
076610	100 mm Clear
076614	100 mm White
076619	100 mm Yellow
076623	100 mm Red
076627	100 mm Blue
076631	100 mm Purple
076635	100 mm Orange
076639	100 mm Green
076643	100 mm Brown
076647	100 mm Black
076651	100 mm Grey
999472	100 mm Ochre
999468	100 mm Sky Blue
076606	100 mm Light Blue
076598	100 mm Pink
076602	100 mm Tan



### NON-ADHESIVE TAG STOCK B-551

- Length 15 m


Reference	Description
076716	60 mm White
076715	80 mm White
076714	105 mm White



### METALLISED POLYESTER TAPE B-565

- Length 30 m

Reference	Description
076722	29 mm Silver
076721	57 mm Silver
076720	100 mm Silver



### BRUSHED GOLD POLYESTER TAPE B-939

- Length 15 m


Reference	Description
076685	100 mm Brushed Gold



### STATIC CLING VINYL TAPE B-935

- Length 15 m

Reference	Description
076690	100 mm Clear



## GIVE YOUR SIGNS A WHOLE NEW DIMENSION

With a height of 250 mm, give your signs a whole new dimension. Thanks to PowerMark™, a customised multicolour creation and printing system, it's easy to create your safety identification signs on adhesive panels.

**BRADY SUGGESTS :**



PowerMark™

+



MarkWare™  
(Page 22)

+



Surf On Signs™  
(Page 23)

+



BLS 2000™

# IT LOOKS EVEN BIGGER WHEN YOU DISPLAY IT IN COLOUR

To optimise your visual impact, 4-colour printing can now be produced in one go. This will give your signs a significantly more striking visual impact. In addition, PowerMark™ makes it possible to adapt to safety standards with pictograms and colours complying with the current safety sign regulations.

**CLEARLY VISIBLE SIGNS MAKE ALL THE DIFFERENCE**

## BLS 2000™: THE FINISHING TOUCH

BLS 2000™ is a dedicated laminating system, offering rigidity and protection for signs affected by external factors such as acid spills, solvents, etc. The end result makes the finished product look even more professional, allowing the panel to be mounted to, or suspended from, the structure of your choice.



**HEIGHT UP TO 250 MM**



Tough vinyl for harsh environments



Make it clear, see it from a distance



Make your escape routes visible in the dark



Print your Safety Procedures Wall Charts quickly and at a low cost



Identify fire fighting equipment and its location



Rigid laminator adds strength

DO-IT-YOURSELF SIGNSMAKING



## SYSTEMS

### PowerMark™ + MarkWare™

Reference	Description
240011	PowerMark™ English (UK) + MarkWare™
240012	PowerMark™ German + MarkWare™
240013	PowerMark™ French (AZERTY keyboard) + MarkWare™
240014	PowerMark™ Dutch (QWERTY keyboard) + MarkWare™
240015	PowerMark™ Spanish + MarkWare™
240016	PowerMark™ Swedish + MarkWare™
240017	PowerMark™ Finnish + MarkWare™
240018	PowerMark™ Norwegian + MarkWare™
240019	PowerMark™ Danish + MarkWare™
240020	PowerMark™ Italian + MarkWare™
240021	PowerMark™ Portuguese + MarkWare™
240044	PowerMark™ Dutch (B) (AZERTY keyboard) + MarkWare™
240046	PowerMark™ English 110 V + MarkWare™
240233	PowerMark™ English 220 V + MarkWare™

### PowerMark™ + MarkWare™ + BLS 2000™

Reference	Description
240033	PowerMark™ English (UK) + MarkWare™ + BLS 2000™
240034	PowerMark™ German + MarkWare™ + BLS 2000™
240035	PowerMark™ French + MarkWare™ + BLS 2000™
240036	PowerMark™ Dutch + MarkWare™ + BLS 2000™
240037	PowerMark™ Spanish + MarkWare™ + BLS 2000™
240038	PowerMark™ Swedish + MarkWare™ + BLS 2000™
240039	PowerMark™ Finnish + MarkWare™ + BLS 2000™
240040	PowerMark™ Norwegian + MarkWare™ + BLS 2000™
240041	PowerMark™ Danish + MarkWare™ + BLS 2000™
240042	PowerMark™ Italian + MarkWare™ + BLS 2000™
240043	PowerMark™ Portuguese + MarkWare™ + BLS 2000™
240045	PowerMark™ Dutch (B) + MarkWare™ + BLS 2000™
240047	PowerMark™ English 110 V + MarkWare™ + BLS 2000™
240234	PowerMark™ English 220 V + MarkWare™ + BLS 2000™

### PowerMark™ + MarkWare™ + SOS

Reference	Description
225495	PowerMark™ English (UK) + MarkWare™ + SOS English (UK)
240222	PowerMark™ German + MarkWare™ + SOS German
225496	PowerMark™ French + MarkWare™ + SOS French
240220	PowerMark™ Dutch + MarkWare™ + SOS Benelux
240221	PowerMark™ Dutch (B) + MarkWare™ + SOS Benelux
240235	PowerMark™ English 110 V + MarkWare™ + SOS English (UK)
240237	PowerMark™ English 220 V + MarkWare™ + SOS English (UK)

### PowerMark™ + MarkWare™ + BLS 2000™ + SOS

Reference	Description
225497	PM English (UK) + MarkWare™ + SOS English (UK) + BLS 2000™
240232	PM German + MarkWare™ + SOS German + BLS 2000™
225498	PM French + MarkWare™ + SOS French + BLS 2000™
240230	PM Dutch + MarkWare™ + SOS Benelux + BLS 2000™
240231	PM Dutch (B) + MarkWare™ + SOS Benelux + BLS 2000™
240236	PM English 110 V + MarkWare™ + SOS English (UK) + BLS 2000™
240238	PM English 220 V + MarkWare™ + SOS English (UK) + BLS 2000™

## SOFTWARE (PAGE 22-23)

Reference	Description
800975	MarkWare™
710365	MarkWare™ ECE (East Central Europe)

Reference	Description
240101	Surf On Signs™ (S.O.S) English
240102	Surf On Signs™ (S.O.S) Benelux
240103	Surf On Signs™ (S.O.S) German
240100	Surf On Signs™ (S.O.S) French



## ACCESSORIES

Reference	Description
013506	BLS 2000™ Laminating System
240073	Folding Trolley
240074	PowerMark™ Demo CD-Rom
240072	Carry Case PowerMark™ System
999833	Carry Case PowerMark™ Supplies
013507	Spare Ribbon Cartridge
013643	Memory Card
255565	Parallel Cable
064692	Cleaning Pen
266116	Cleaning Kit
013644	PowerMark™ Replacement Wiper Pad



## RIBBONS

### Single Colour Ribbon 156 mm wide – Length 60m

Reference	Description
013511	156 mm Black
013513	156 mm White
013595	156 mm Red
013596	156 mm Blue
013597	156 mm Green
013598	156 mm Magenta
013599	156 mm Yellow
013600	156 mm Orange




### Single Colour Ribbon 220 mm wide – Length 60 m

Reference	Description
013510	220 mm Black
013512	220 mm White
013514	220 mm Red
013515	220 mm Blue
013516	220 mm Green
013517	220 mm Magenta
013518	220 mm Yellow
013519	220 mm Orange

### Two Colour Panel Ribbon 156 mm wide – Length 60 m

Reference	Description
013521	Black-Red / 375 mm Long Panels
013523	Black-Red / 200 mm Long Panels
013525	Black-Blue / 375 mm Long Panels
013527	Black-Yellow / 200 mm Long Panels
013529	Black-Orange / 200 mm Long Panels



### Two Colour Panel Ribbon 220 mm wide – Length 60 m

Reference	Description
013520	Black-Red / 375mm Long Panels
013522	Black-Red / 200mm Long Panels
013524	Black-Blue / 375mm Long Panels
013526	Black-Yellow / 375mm Long Panels
013528	Black-Orange / 375mm Long Panels

### Four Colour Panel Ribbon 156 mm wide – Length 60 m

Reference	Description
013531	Black-Red-Blue-Yellow / 375 mm Long Panels
013533	Black-Red-Blue-Yellow / 200 mm Long Panels
013535	Black-Red-Blue-Green / 375 mm Long Panels
013537	Black-Red-Blue-Green / 200 mm Long Panels



### Four Colour Panel Ribbon 220 mm wide – Length 60 m

Reference	Description
013530	Black-Red-Blue-Yellow / 375 mm Long Panels
013532	Black-Red-Blue-Yellow / 200 mm Long Panels
013534	Black-Red-Blue-Green / 375 mm Long Panels
013536	Black-Red-Blue-Green / 200 mm Long Panels

# TAPES



## HIGH PERFORMANCE INDUSTRIAL ADHESIVE VINYL TAPE B-580

- Adheres to most clean, dry surfaces and also conforms well to irregular, curved or rough surfaces.
- Stands up to grease, oil and most industrial chemicals
  - 5-year average outdoor durability in temperatures from -40°C to +82°C\*
  - Minimum application temperature: -18°C
  - Length 15 m

Width 100 mm	
Reference	Description
013538	100 mm White
013539	100 mm Yellow
013540	100 mm Red
013541	100 mm Blue
013542	100 mm Green
013543	100 mm Orange
013544	100 mm Black
013545	100 mm Gold
013546	100 mm Grey
013547	100 mm Brown
013548	100 mm Purple
999498	100 mm Clear

Width 150 mm	
Reference	Description
013549	150 mm White
013550	150 mm Yellow
013601	150 mm Red
013602	150 mm Blue
013603	150 mm Green
013604	150 mm Orange
013605	150 mm Black
013606	150 mm Gold
013607	150 mm Grey
013608	150 mm Brown
013609	150 mm Purple
999497	150 mm Clear

Width 200 mm	
Reference	Description
013551	200 mm White
013552	200 mm Yellow
013553	200 mm Red
013554	200 mm Blue
013555	200 mm Green
013556	200 mm Orange
013557	200 mm Black
013558	200 mm Gold
013559	200 mm Grey
013560	200 mm Brown
013561	200 mm Purple
999496	200 mm Clear

White	Grey
Yellow	Purple
Red	Orange
Green	Pink
Blue	Tan
Black	Light Blue
Brown	Sky Blue*
Gold	Clear
Ochre*	

\*Best suited to comply with French Pipe Marking Legislation

Width 250 mm	
Reference	Description
013562	250 mm White
013563	250 mm Yellow
013610	250 mm Red
013611	250 mm Blue
013612	250 mm Green
013613	250 mm Orange
013614	250 mm Black
013615	250 mm Gold
013616	250 mm Grey
013617	250 mm Brown
013618	250 mm Purple
999495	250 mm Clear

## BLS 2000™

Reference	Description
013506	BLS 2000™ Laminating System

### Clear Acrylic Semi-Rigid Panels with adhesive 0.8 mm thick – pack of 10

Reference	Description
013400	Clear Acrylic Semi-Rigid Panel 100 mm x 152 mm
013401	Clear Acrylic Semi-Rigid Panel 203 mm x 203 mm
013402	Clear Acrylic Semi-Rigid Panel 254 mm x 254 mm
013403	Clear Acrylic Semi-Rigid Panel 254 mm x 177 mm
013404	Clear Acrylic Semi-Rigid Panel 254 mm x 355 mm
013405	Clear Acrylic Semi-Rigid Panel 254 mm x 760 mm

### WHICH SUPPLIES FOR WHAT APPLICATION: SEE PAGE 24-25

\*Depends on climatic conditions, colours and usage.



## HIGH PERFORMANCE POLYESTER TAPE B-569

B-569 adheres to smooth surfaces with the same durability as B-580. With its low halide content this material is ideal for use on stainless steel and nickel piping

- 3-year average outdoor durability
- In temperatures from -40°C to +100°C
- Minimum application temperature: -18°C
- Length: 15 m

Width 100 mm	
Reference	Description
013564	100 mm Clear
013565	100 mm White
013566	100 mm Yellow
013567	100 mm Orange
800984	100 mm Ochre
800988	100 mm Pink
800992	100 mm Tan
800980	100 mm Sky Blue
999489	100 mm Light Blue

Width 150 mm	
Reference	Description
013568	150 mm Clear
013569	150 mm White
013570	150 mm Yellow
013571	150 mm Orange
800985	150 mm Ochre
800989	150 mm Pink
800993	150 mm Tan
800981	150 mm Sky Blue
999492	150 mm Light Blue

Width 175 mm	
Reference	Description
013572	175 mm Clear
013573	175 mm White
013574	175 mm Yellow
013575	175 mm Orange
800986	175 mm Ochre
800990	175 mm Pink
800994	175 mm Tan
800982	175 mm Sky Blue
999493	175 mm Light Blue

Width 250 mm	
Reference	Description
013576	250 mm Clear
013577	250 mm White
013578	250 mm Yellow
013579	250 mm Orange
800987	250 mm Ochre
800991	250 mm Pink
800995	250 mm Tan
800983	250 mm Sky Blue
999494	250 mm Light Blue



## REFLECTIVE VINYL TAPE B-584

The reflective quality of the material makes it ideal for reading labels in low light conditions (with flashlights).

- 5-year average outdoor durability\*
- In temperatures from -40°C to +80°C
- Minimum application temperature: +10°C
- Length: 10 m

Width 100 mm	
Ref.	Description
013580	100 mm Silver
013645	100 mm Orange
800666	100 mm Yellow

Width 175 mm	
Ref.	Description
013590	175 mm Silver
013647	175 mm Orange
800668	175 mm Yellow

Width 250 mm	
Ref.	Description
013585	250 mm Silver
013646	250 mm Orange
800667	250 mm Yellow




## PHOTOLUMINESCENT VINYL TAPE B-324

Used for exit signs and fire extinguisher signs, this material remains visible in case of a power failure and when light sources are obscured by smoke.

- Indoor use only
- In temperatures from -40°C to +80°C
- Minimum application temperature: +10°C
- Length: 9 m

Reference	Description
013582	100 mm Photoluminescent
013587	175 mm Photoluminescent
013592	250 mm Photoluminescent



## BRUSHED GOLD POLYESTER TAPE B-575

- 2-year average outdoor durability in temperatures from -40°C to +150°C\*
- Minimum application temperature: +10°C
- Length: 9 m

Reference	Description
013584	100 mm Brushed Gold
013589	175 mm Brushed Gold
013594	250 mm Brushed Gold



## MARKWARE™ INDUSTRIAL SIGNSMAKING SOFTWARE

Markware™, the companion software for use with BRADY marking systems, is a powerful and effective tool for industrial signage. It includes over 1,000 symbols, pictograms and templates, thereby lending you support through all the stages of your sign creation. From your PC you can create messages, symbols, pictograms, informational and instructive signage effectively. Make your workplace safe!

### Markware™ handles:

- Monochrome printing up to 5 m in length on adhesive banner rolls
- Multicolour printing up to 1 m length on adhesive banner rolls
- Letter and symbol cut-outs (GlobalMark® Color & Cut)
- Printing + cutting on the same label (GlobalMark® Color & Cut)
- Printing on die-cut labels (MiniMark™)
- Printing on a variety of media ranging in width from 13 mm to 250 mm, depending on the BRADY-system used

### Choosing Markware™ means choosing simplicity and effectiveness

Main Markware™ characteristics	Markware™ Features	Customer Advantages
<ul style="list-style-type: none"> <li>• <b>Negative printing / Puzzle printing / Object rotation / Data import</b> (Excel®, Access®, DBase®, Text®, FoxPro®, Lotus®, Paradox®) / <b>Import of drawings</b>, pictograms and diagrams in BMP, DIB, TIF, JPG, WMF, PNG, PCX, PCT, RAS and EPS formats.</li> </ul>	Windows-compatible printer driver included (Windows 98 SE, 2000, XP, NT4).	→ No downloads necessary.
	Windows printer driver adds the Brady printer to your printer list.	→ Authorises printing directly from other software such as drawing software and others used by customers (the margins must be adjusted considering that MarkWare™ is designed to work with BRADY printers using banner rolls).
<ul style="list-style-type: none"> <li>• <b>Markware™</b> also employs all the basic functions of windows applications for more intuitive use (copy/paste, print preview, justify, superscript, bold, italics, underline, borders, etc.)</li> </ul>	No dongle needed	→ More ease of use.
	Re-installation possible	→ In case of problems, multiple installations on one PC are possible at no extra cost. There is no loss of license in cases of disk failure, OS modification, updating computer equipment, etc.
<ul style="list-style-type: none"> <li>• <b>Fonts:</b> All True Type fonts installed on a PC.</li> </ul>	MarkWare™ employs all the basic functions of Windows applications (copy/paste, print preview, etc.)	→ Facilitates quick initiation and mastery of the software.
	Complies with safety standards.	→ Complies to current standards in safety signage.
<ul style="list-style-type: none"> <li>• <b>15 Barcodes:</b> Codabar, code 128 Auto, code 128 A, code 128 B, code 128 C, code 39, EAN/JAN-13, EAN/JAN-8, Extended Code 39, HIBC, Interleaved 2/5, UPCA, UPCE 11 Digit, UPCD-0 6 digit and UPCE-1 6 digit.</li> </ul>	MarkWare™ works in network environments through local installation (MarkWare™ is not an application for installment on a network server).	→ Local application does not create interference in the proper function of your network. <i>Please note: where a network is in place, the installation of MarkWare™ should be done using the local administrator profile of the PC where the software is to be installed (please consult your IT support service).</i>
	Very user-friendly application	→ Advanced functions allow quick label creation ("align objects", "group objects", foreground/background, zoom, rotation...)
<ul style="list-style-type: none"> <li>• <b>11 Languages:</b> English, French, German, Dutch, Spanish, Italian, Danish, Swedish, Norwegian, Finnish and Portuguese</li> </ul>	Template designer	→ Quick and easy creation of personalised label templates.





## YOUR SAFETY SIGNS IN JUST 2 CLICKS

Surf On Signs™ is the ideal tool to get even more out of the **PowerMark™**. Surf On Signs™ is an electronic catalogue in a CD-Rom format that contains 100s of the best selling English language safety signs and symbols available through current sign suppliers.

The S.O.S. CD is also available in French, Dutch and German language versions. Based on the MarkWare™ Software, the Surf On Signs™ CD runs together with it allowing signs to be produced at the touch of a button. You just click on the safety sign you want and it prints directly on your PowerMark™. It's as simple as that!

Extremely easy and friendly to use, Surf On Signs™ brings you an immediate and compliant safety signage solution whilst saving you time and money!



DO-IT-YOURSELF SIGNSMAKING

# BRADY'S TAPES: QUALITY YOU CAN TRUST



**HIGH PERFORMANCE INDUSTRIAL ADHESIVE VINYL TAPE B-580**  
Adheres to most clean, dry surfaces and also conforms well to irregular, curved or rough surfaces.

- Stands up to grease, oil and most industrial chemicals
- 3-5 year average outdoor durability in temperatures from -40°C to +82°C
- Minimum application temperature: -18°C



**INDOOR/OUTDOOR VINYL TAPE B-588**  
Adheres to most clean, dry surfaces and also conforms well to irregular, curved or rough surfaces.

- GlobalMark® tape
- Stands up to grease, oil and most industrial chemicals
- 3 to 5 years average outdoor durability in temperatures from -40°C to +80°C
- Minimum application temperature: +10°C



**STANDARD INDUSTRIAL ADHESIVE VINYL TAPE B-7589**

- MiniMark™ tape
- Permanent acrylic adhesive
- Usage in temperatures from -20°C to +75°C
- 3- to 5-year average outdoor durability in temperatures from -20°C to +75°C\*



**STANDARD VINYL TAPE B-978**

- Adheres to most clean, dry surfaces
- GlobalMark® (Monocolor) tape
- 3-year average outdoor durability in temperatures from -20°C to +75°C\*
- Minimum application temperature: +5°C



**HIGH-PERFORMANCE POLYESTER B-569**  
B-569 adheres to smooth surfaces with the same durability as B-580. With its low halide content this material is ideal for use on stainless steel and nickel piping.

- 3-year average outdoor durability in temperatures from -40°C to 100°C\*
- Minimum application temperature: -18°C



**REPOSITIONABLE VINYL TAPE B-581**  
Special adhesive allows easy removal and re-application

- 5-year average outdoor durability in temperatures from -40°C to +80°C\*
- Minimum application temperature: +10°C




**PHOTOLUMINESCENT VINYL TAPE B-324**  
Used for exit signs and fire extinguisher signs, this material remains visible in case of a power failure and when lighting sources are obscured by smoke.

- Indoor use only
- Usage in temperatures from -40°C to +80°C
- Minimum application temperature: +10°C



**TAMPER-EVIDENT TAPE B-530**  
Destroys into tiny fragments when tampered with, making removal very tedious and difficult.

- 3-year average outdoor durability in temperatures from -40°C to +80°C\*
- Minimum application temperature: +10°C



**LOW TEMPERATURE POLYESTER TAPE B-549**

- Stands up to chemicals, water, oil and some solvents
- Usage in temperatures from -40°C to +80°C
- Minimum application temperature: -23°C



**ECONOMY POLYPROPYLENE B-529**

- Ideal low-cost choice
- Usage in temperatures from -40°C to +80°C
- Minimum application temperature: +10°C




**REFLECTIVE VINYL TAPE B-584**  
The reflective quality of the material makes it ideal for reading labels in low light conditions (with flashlights).

- 5-year average outdoor durability in temperatures from -40°C to +80°C\*
- Minimum application temperature: +10°C



**STATIC CLING VINYL TAPE B-515**

- Ideal for frequent repositioning
- Usage in temperatures from -40°C to +80°C
- Minimum application temperature: +10°C
- Indoor use only




**BRUSHED GOLD POLYESTER B-575**

- 2-year average outdoor durability in temperatures from -40°C to +150°C\*
- Minimum application temperature: +10°C



**POLYESTER OVERLAMINATE B-966**

- 2-year average outdoor durability in temperatures from -40°C to +150°C\*
- Minimum application temperature: +10°C



**MAGNETIC TAPE B-509**

- Ideal for constantly repositioned identification; warehouse applications



**NON ADHESIVE POLYESTER TAG STOCK B-551**

- Heavy duty tag stock for Accident Prevention Tags



**METALLISED POLYESTER TAPE B-565**

- Nameplate-like quality for identification labels, rating or serial plates



**WHITE POLYESTER B-423**

- With pre-printed orange squares: suitable for Hazardous Substances Identification

\*Depends on climatic conditions, colours and usage

# Which supplies for w



## Safety Panels

- Pictograms
- Pictograms + text
- Wallcharts



## Evacuation Maps

## Safety Procedures & Machine Instructions

- Valve & switch identification
- Emergency procedures
- Lockout / Tagout
- Schematics



## Pipe marking

- Individual pipe markers
- Roll form pipe markers
- Arrows



## Hazardous Substances ID

White Polyester (B-423)



## Photoluminescent Signage

- Emergency escape routes
- Assembly & Emergency point signs



## Maintenance

- Cleaning instructions
- Repair instructions



## Panel Identification

- Panel and switch identification



## Asset Management

- Office furniture
- Tools & machines
- Company cars



## Logistic

- Warehouse & Stock
- Bar codes



## Transport

- Chemical substances
- Directional signs
- Informative signs



## Office Use

- Files
- Door signs



## Cut-Out Letters & Signs



## Tagout

- Safety Tags




## Events (badges, logo...)

- Exhibitions
- Seminars
- Advertising / communication agencies



## Services / Recreation

- Industrial contractors
- Holiday centres, leisure centres
- Theme parks



# What application?







	<b>B-580</b> High Performance Industrial Adhesive Vinyl	<b>B-588</b> Indoor/Outdoor Vinyl	<b>B-7589</b> Standard Industrial Adhesive Vinyl	<b>B-978</b> Standard Vinyl	<b>B-569</b> High Performance Polyester	<b>B-581</b> Repositionable Vinyl	<b>B-324</b> Photoluminescent Vinyl	<b>B-530</b> Tamper-evident Vinyl	<b>B-549</b> Low Temperature Polyester	<b>B-529</b> Economy Polypropylene	<b>B-584</b> Reflective Vinyl	<b>B-515</b> Static Cling Vinyl	<b>B-575</b> Brushed Gold Polyester	<b>B-509</b> Magnetic Tape	<b>B-551</b> Non Adhesive Polyester Tag Stock	<b>B-565</b> Metallised Polyester	<b>B-423</b> White Glossy Polyester	<b>B-966</b> Polyester Overlaminat
	★	★	★	★	★		★		★		★							★
	★	★			★		★		★									★
	★	★	★	★	★		★		★	★	★					★		★
	★	★	★	★	★													★
																	★	★
							★											★
	★	★	★	★		★									★	★		★
	★	★	★	★												★		★
	★	★		★				★		★								★
	★	★		★		★				★	★		★					★
	★	★		★	★						★							★
	★	★	★	★						★								★
					★								★			★		★
	★	★		★											★			★
	★	★		★		★				★		★	★			★		★
	★	★				★				★		★	★			★		★
	★	★				★				★		★	★			★		★

# Which material for which printer

Material	Material Description				
<b>Continuous Tape</b>					
B-324	Photoluminescent Vinyl			★	★
B-509	Magnetic Tape			★	
B-515	Static Cling Vinyl			★	
B-529	Economy Polypropylene	★			
B-530	Tamper-evident Vinyl	★			
B-549	Cold Temperature Polyester			★	
B-551	Non-Adhesive Polyester Tag Stock			★	
B-565	Metallised Polyester			★	
B-569	High Performance Polyester	★		★	★
B-575	Brushed Gold Polyester			★	★
B-580	High Performance Industrial Adhesive Vinyl	★	★ (Print with ribbon R-6000/R-4400)		★
B-581	Repositionable Vinyl	★		★	
B-584	Reflective Vinyl			★	★
B-588	Indoor/Outdoor Vinyl			★	
B-966	Polyester Overlaminates	★	★	★	★
B-978	Standard Vinyl			★	
B-7589	Standard Industrial Adhesive Vinyl		★ (Print with ribbon R-6000/R-4400)		
B-7591	Indoor Adhesive Vinyl		★ (Print with ribbon R-6000/R-4400)		
<b>Die Cut Labels on Rolls</b>					
B-423	White Polyester for HSID labels (with pre-printed orange squares)		★ (Print with ribbon R-6000/R-4400)		
B-427	Self-Laminating Vinyl		★ (Print with ribbon R-7950)		
B-438	Tamper-evident Polyester		★ (Print with ribbon R-7950)		
B-7604	Direct Thermal Paper		★		
B-7606	White paper for HSID labels (with pre-printed orange squares)		★ (Print with ribbon R-7950)		
B-7606	White paper for Warehouse labels (blank)		★ (Print with ribbon R-7950)		
B-7563	Metallised Polyester		★ (Print with ribbon R-6000/R-4400)		
B-8423	White Glossy Polyester		★ (Print with ribbon R-6000/R-4400)		
<b>Ribbons</b>					
R-6000 / 4400 Series	High Performance Resin Ribbon	★	★ (B-580)	★	★
R-7950 Series*	Wax-Resin Ribbon		★ (B-7606/B-438/B-427)		
R-7968 / 7969 Series	Standard Thermal Transfer Ribbon		★ (B-7589)		

\*R-7950 Series for MiniMark™ B-7606, B-438 and B-427

# Technical data


	 <b>HANDIMark</b> Portable Label Maker	 <b>MINIMARK</b> INDUSTRIAL LABEL PRINTER	 <b>GLOBALMARK<sup>2</sup></b> MONOCOLOR	 <b>GLOBALMARK<sup>2</sup></b> MULTICOLOR	 <b>GLOBALMARK<sup>2</sup></b> COLOR&CUT	 <b>POWERMark</b> sign and label maker
Resolution	203 dpi	203 dpi	300 dpi	300 dpi	300 dpi	300 dpi
Memory	YES	NO	YES	YES	YES	YES
Stand-Alone	YES	NO	YES	YES	YES	YES
Portable	YES	NO	NO	NO	NO	NO
Input	Keypad	PC	Touch Screen Keyboard & mouse	Touch Screen Keyboard & mouse	Touch Screen Keyboard & mouse	Keyboard
PC Connection	COM	LPT, USB	COM, USB	COM, USB	COM, USB	USB
Minimum System requirements for use with PC and MarkWare™	486 DX/33 MHz or higher Win 95, 98, 2000, NT, 32 MB RAM, CD-Rom, 100 MB free disk space, Min. screen resolution 640 x 480 min. 256 colours	486 DX/33 MHz or higher, Win 95 SE, 2000, NT, XP 96 MB RAM, CD-Rom, 100 MB free disk space, Min. screen resolution 800 x 600 min. 256 colours	486 DX/33 MHz or higher, Win 95,98, 2000, NT, 32 MB RAM, CD-Rom, 100 MB free disk space, Min. screen resolution 640 x 480 min. 256 colours	486 DX/33 MHz or higher, Win 95,98, 2000, NT, 32 MB RAM, CD-Rom, 100 MB free disk space, Min. screen resolution 640 x 480 min. 256 colours	486 DX/33 MHz or higher, Win 95,98, 2000, NT, 32 MB RAM, CD-Rom, 100 MB free hard disk space, Min. screen resolution 640 x 480 min. 256 colours	486 DX/33 MHz or higher, Win 95,98, 2000, NT, 32 MB RAM, CD-Rom, 100 MB free disk space, Min. screen resolution 640 x 480 min. 256 colours
Printer driver for	Windows 95/98/2000, NT4, XP	Windows 98/2000, NT, XP	Windows 95/98/2000, NT4, XP	Windows 95/98/2000, NT4, XP	Windows 95/98/2000, NT4, XP	Windows 95/98/2000, NT4, XP
Special Materials	YES	YES	YES	YES	YES	YES
Tape Widths	13, 25, 50	29, 57, 100 and die cut labels	13, 29, 57, 100	13, 29, 57, 100	13, 29, 57, 100	100, 150, 175, 200, 250
Max. print height	48 mm	95 mm	94 mm	94 mm	94 mm	220 mm
Max. length	80 cm	1 m	250 cm	250 cm	250 cm	500 cm
Max. length multicolour	-	-	-	96 cm	96 cm	60 cm
Built-in Symbols	> 113	0	>700	> 700	> 700	> 600
Multicolour print	NO	NO	NO	YES	YES	YES
Colours	Single colour	Single colour	Single colour	Process colours & spot colours	Process colours & spot colours	Spot colours
Built-in fonts	1	None. Uses all available fonts on PC	3	3	3	5
Barcodes	YES	YES (using software)	YES	YES	YES	YES
Weight	1.1 kg	2.2 kg	12.2 kg	13.6 kg	14.1 kg	22 kg
Dimensions in mm (H x W x D)	305 x 114 x 95	178 x 203 x 267	254 x 406 x 279	254 x 406 x 279	254 x 406 x 279	314 x 497 x 486
Power Supply	230V (110V) adaptor	230V (110V)	230V (110V)	230V (110V)	230V (110V)	230V (110V)
Languages	12	No operating system	4 installed (11 available)	4 installed (11 available)	4 installed (11 available)	11

# The choice of performance

## HANDIMark™ Portable Label Maker



### MEDIA WIDTH



### PRINTING

Monochrome


### SOFTWARE



MarkWare™

PORTABLE

## MINIMARK™ INDUSTRIAL LABEL PRINTER




Monochrome



MarkWare™

MONOCHROME  
COMPACT  
PERIPHERAL  
PRINTER

## GLOBALMARK<sup>MONOCOLOR</sup> 2 INDUSTRIAL LABEL MAKER




Monochrome



MarkWare™

TOUCH SCREEN  
STAND-ALONE  
MONOCHROME

## GLOBALMARK<sup>MULTICOLOUR</sup> 2 INDUSTRIAL LABEL MAKER




Monochrome  
Multicolour



MarkWare™

TOUCH SCREEN  
STAND-ALONE  
MULTICOLOUR

## GLOBALMARK<sup>COLOR-CUT</sup> 2 INDUSTRIAL LABEL MAKER




Monochrome  
Multicolour  
Full Colour & Cut



MarkWare™

TOUCH SCREEN  
STAND-ALONE  
COLOUR & CUT

## POWERMark™ sign and label maker



Monochrome  
Multicolour



Surf On Signs™  
&  
MarkWare™

MULTICOLOUR  
BIG SIZE

DO-IT-YOURSELF SIGNMAKING

Surfing [www.bradyeurope.com](http://www.bradyeurope.com) is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc. anytime, anywhere.

For looking up technical data sheets, downloading upgrades to your Brady printers and software or fast registration of your Brady products, there's just one address:  
[www.bradyeurope.com](http://www.bradyeurope.com)



[www.bradyeurope.com](http://www.bradyeurope.com)



WHEN PERFORMANCE MATTERS MOST™



**BRADY Belgium**

Lindestraat 20  
9240 Zele  
Tel. +32 (0) 52 45 78 11  
Fax +32 (0) 52 45 78 12

**BRADY Denmark**

Islandsgade 12  
5100 Odense C  
Tel. +45 66 14 44 00  
Fax +45 66 14 44 50

**BRADY France**

Parc EURO CIT  
45, avenue de l'Europe  
59436 Roncq Cedex  
Tel. +33 (0) 3 20 01 08 70  
Fax +33 (0) 3 20 01 08 76

**BRADY Germany**

Büchenhöfe 2  
63329 Egelsbach  
Tel. +49 (0) 6103 7598 660  
Fax +49 (0) 6103 7598 670

**BRADY Hungary**

Puskás Tivadar u. 4.  
H-2040 Budaörs  
Tel. +36 23 500 275  
Fax +36 23 500 276

**BRADY Italy**

Via Pitagora 18  
20128 Milano  
Tel. +39 02 26 00 00 22  
Fax +39 02 25 75 351

**BRADY Middle East FZE**

PO BOX 18015  
Jebel Ali, Dubai, UAE  
Tel. +971 4 881 2524  
Fax +971 4 881 3183

**BRADY Norway**

Brevikva Industrivei 7  
6018 Ålesund  
Tel. +47 70 19 10 30  
Fax +47 70 19 05 67

**Brady Slovakia**

Na Pántoch 18  
831 06 Bratislava  
Tel. +421 2 33 004 800  
Fax +421 2 33 004 801

**BRADY Spain**

Carretera de Barcelona, 88  
Esc B Entresuelo 9C  
08302 Mataro  
Tel. +34 900 902 993  
Fax +34 900 902 994

**Brady Sweden**

Vallgatan 5  
170 67 Solna  
Tel. +46 (0) 8 590 057 30  
Fax +46 (0) 8 590 818 68

**BRADY Turkey**

Selvili Sok. No:3/4  
4. Levent Istanbul 34330  
Tel. +90 212 264 02 20 / 264 02 21  
Fax +90 212 270 83 19

**BRADY United Kingdom**

Wildmere Industrial Estate  
Banbury, Oxon – OX16 3JU  
Tel. +44 (0) 1295 228 288  
Fax +44 (0) 1295 228 100

**BRADY WORLDWIDE**

Africa .....	971-4881-2524
Australia.....	612-8717-2200
Brazil.....	55-11-3686-4720
Canada .....	1-800-263-6179
China (Beijing) .....	86-10-6788-7799
China (Shanghai) .....	86-21-6886-3666
China (Wuxi).....	86-510-528-2222
Hong Kong .....	852-2359-3149
Japan .....	81-45-461-3605
Korea .....	82-31-451-6600
Latin America .....	1-414-540-5560
Malaysia .....	60-4-646-2700
Mexico.....	525-399-6963
New Zealand.....	61-2-8717-2200
Philippines.....	63-2-658-2077
Singapore .....	65-6775-7261
Taiwan .....	886-3-327-7788
Thailand .....	66-2-793-9200
U.S.A. ....	1-800-537-8791

Your distributor

