



**GENERAL PRODUCT SPECIFICATION**

<b>Item No.</b>	HSW-CS
-----------------	--------

<b>Date</b>	16-6-2017	<b>Replaces</b>	New	<b>No. Pages</b>	1
-------------	-----------	-----------------	-----	------------------	---

**Product Description:**

<b>Style</b>	SPILL WORKFLOOR - CONNECTOR SHORT
<b>Components</b>	1 Spill pallet - accessory - HSW-CS
<b>Color</b>	Black

<b>Intended Application</b>	Spill Containment workfloor – accessory - connector short
-----------------------------	---

<b>Containment Capacity</b>	N/A liters
<b>Dynamic Load Capacity</b>	N/A kg

**Packaging Description:**

Package configuration	N/A	Pkg. Weight	0.2 kg
Items per Package	1 unit	Pkg. Dimensions	L 70 cm x W 4cm x H 4 cm
Container type	Poly-wrap		

**Physical Properties:**

<u>Parameter</u>	<u>SPC Test Method</u>	<u>Units</u>	<u>Nominal</u>	<u>(+/-)Tolerance</u>
Color	Visual	-----		Per standard

**The above properties are “nominal” values used for PROCESS CONTROL when the product is produced and/or inspected. Performance “nominals” may vary depending upon the specific application, and/or the environment being applied, stored, or shipped.**

<b>Attributes</b>	Product will be free of foreign material contamination, rips, holes, and tears.
<b>Labeling</b>	Each package to be clearly labeled with Company Name, Address and Item Number.
<b>Certification</b>	Make no changes in basic process or composition without notifying customer. Claims for non-conformance of goods must be made within 60-days of delivery.



**GENERAL PRODUCT SPECIFICATION:**

Use of connector short (HSW-CS), long (HSW-CL) and cross connector (HSW-CC)

