



GENERAL PRODUCT SPECIFICATION

| | |
|-----------------|---------------|
| Item No. | SPTY-20-YL-BK |
|-----------------|---------------|

| | | | | | |
|-------------|-----------|-----------------|-----|------------------|---|
| Date | 9-11-2020 | Replaces | New | No. Pages | 3 |
|-------------|-----------|-----------------|-----|------------------|---|

Product Description:

| | |
|-------------------|--|
| Style | 20 l spill tray-Black base/Yellow platform |
| Components | 1 Spill tray base and 1 platform |
| Color | Black + Yellow |

| | |
|-----------------------------|------------------------|
| Intended Application | Spill Containment tray |
|-----------------------------|------------------------|

| | |
|------------------------------|-----------|
| Containment Capacity | 20 liters |
| Dynamic Load Capacity | 50 kg |

Packaging Description:

| | | | |
|-----------------------|-----------|-----------------|------------------------------|
| Package configuration | N/A | Pkg. Weight | 3 kg |
| Items per Package | 1 unit | Pkg. Dimensions | 600 mm x 400 mm x 155 mm (H) |
| Container type | Poly-wrap | | |

Physical Properties:

| <u>Parameter</u> | <u>SPC Test Method</u> | <u>Units</u> | <u>Nominal</u> | <u>(+/-)Tolerance</u> |
|------------------|------------------------|--------------|----------------|-----------------------|
| Color | Visual | ----- | | Per standard |

The above properties are “nominal” values used for PROCESS CONTROL when the product is produced and/or inspected. Performance “nominals” may vary depending upon the specific application, and/or the environment being applied, stored, or shipped.

| | |
|----------------------------|--|
| Attributes Labeling | Product will be free of foreign material contamination, rips, holes, and tears. Each package to be clearly labeled with Company Name, Address and Item Number. |
| Certification | Make no changes in basic process or composition without notifying customer. Claims for non-conformance of goods must be made within 60-days of delivery. |

Polyethylene Chemical Compatibility Guide

| | | | | |
|------------------------------|---------------------------|-----------------------------|------------------------------|-----------------------------|
| Acetaldehyde 40% | Butanol | Fluosilicic Acid | Methyl Amine 32% | Salenic Acid |
| Acetamide | Butyl Acetate | Formaldehyde 40% | Methyl Sulphate | Silicic Acid |
| Acetic Acid 10% | Butyl Alcohol | Formamide | Methyl Sulphuric Acid | Silver Nitrate |
| Acetone | Butylene Glycol | Formic Acid | Monochloroacetic Acid Ethyl | Sodium Acetate sat.sol |
| Acrylonitrile | Butyric Acid | Fruit Pulp sol | Monnchloroacetic Acid Methyl | Sodium Acrylates |
| Adipic Acid | Calcium Carbonate sat.sol | Furfurat | Morpholin | Sodium Benzoate |
| Aliphatic Hydrocarbons | Calcium Chloride | Gallic Acid sat.sol | Mowilith D | Sodium Bocarbonate |
| Allyl Acohol 96% | Calcium Hydroxide | Gluconic Acid | Muriatic Acid | Sodium Bisulphate sat.sol |
| Alum (aqu.sol) | Calcium Hypochlorite sol | Glycerine | Nickel Chloride sat.sol | Sodium Bisulphite |
| Aluminium Chloride sat.sol | Calcium Nitrate 50% | Glycol | Nicotine Dilute | Sodium Bromide |
| Aluminium Fluoride | Calcium Sulphate sat.sol | Glycol Ethers | Nicotinic Acid | Sodium Carbonate |
| Aluminium Hudrogen sol 10% | Carbonic Acid (Aq. CO2) | Glycolic Acid | Nitric Acid 25% | Sodium Chlorate |
| Aluminium Hydroxide | Carbon Monoxide | Heptane | n-octane | Sodium Chloride |
| Aluminium Sulphate sat.sol | Caustic (Aqueous) | Hexane | Octyl Cresol | Sodium Chromate |
| Ammonia (100% Dry Gas) | Chloral Hydrate | Hydrosulphite 10% | Oxalic Acid | Sodium Ferricyanide |
| Ammonia (Anhydrous) | Caustic Potash Sol. 50% | Hexanel Tert | Oleic Acid | Sodium Disulphite |
| Ammonia (aqu.sol) | Caustic Soda Sol. 10% | Hydrazine Hydrate | Orthophosphoric Acid 50% | Sodium Dithionite 10% |
| Ammonium Acetate | Chloroethanol | Hydroxylamine Sulphate | Paraffin Emulsions | Sodium Ferrocyanide sat.sol |
| Ammonium Biflouride | Chloric Acid 10% | Hydrazine 35% | Paraffin Oil | Sodium Fluoride sat.sol |
| Ammonium Carbonate 50% | Chloroacetic Acid | Hydrazine Hydrochloride | Perchloric Acid 20% | Sodium Hydroxide Conc. |
| Ammonium Chloride | Chlorobenzene | Hydroiodic Acid | Phosphoric Acid 50% | Sodium Hypochlorite |
| Ammonium Hydrogen Flouride | Chrome Alum sat.sol | Hydrobromic Acid 50% | Phosphorous Yellow | sodium Iodide |
| Ammonium Hydroxide | Chromic Acid sat.sol | Hydrocyanic Acid sat.sol | Phosphorous Pentoxide | Sodium Nitrate |
| Ammonium Metaphophate | Citric Acid 25% | Hydrochloric acid 36% | Phtalic Acid | Sodium Oxalate |
| Ammonium Nitrate sat.sol | Clorox Bleach | Hydrofluoric Acid 40% | Phtalic Anhydride | Sodium Persulphate |
| Ammonium Persulphate sat.sol | Copper Cyanide | Hydrofluorisilicic Acid | Plcric Acid 1% | Sodium Phosphate |
| Ammonium Phosphate | Copper Nitrate | Hydrogen Bromide 10% | Potash | Sodium Silicate |
| Ammonium Sulphide sat.sol | Copper Sulphate | Hydrogen Peroxide 90% | Potassium/Aluminium | Sodium Sulphate |
| Ammonium Thiocyanate sat.sol | Cresol 90% | Hydrogen Phosphide 100% | Potassium Bichromate | Sodium Suplhide |
| Amyl Acetate | Cresylic Acid | Hydrogen Sulphide | Potassium Borate 10% | Sodium Sulphonates |
| Amyl Alcohol | Crotonic Aldehyde | Hypochlorous Acid | Potassium Bromide | Sodium Thiosulphate |
| Antimony Salts | Cuprous Chloride sat.sol | Iodine (alc.sol) Conc | Potassium Chlorate | Starch Solution sat.sol |
| Antimony Trichloride 90% | Cyclohexane | Iron (II)Chloride sat.sol | Potassium Chloride | Stearic Acid |
| Aqueous Alkalies (NaOH) | Cyclohexanol | Iron (II) Sulphate sat.sol | Potassium Chromate | Succinic Acid |
| Arsenic Acid | Dextrin sat.sol | Iron(III) Chloride sat.sol | Potassium Cyanide | sulphur |
| Asorbic Acid 10% | Dextrose sat.sol | Iron (III) Nitrate sat.sol | Potassium Dichromate 40% | Sulphuric Acid 50% |
| Barium Carbonate sat.sol | Diethyl Carbonate | Iron (III) Sulphate sat.sol | Potassium Fluoride | tannic Acid sol |
| Barium Chloride | Disodium Phosphate | Isopropanol | Potassium Hydroxide | Tanning Extracts |



| | | | | |
|--------------------------|-------------------------|------------------------|-------------------------------|-----------------------------|
| Barium Cyanide | Diethylene Glycol | Isopropyl Acetate | Potassium Iodide | Tartaric Acid sat.sol |
| Barium Hydroxide sat.sol | Diglycolic Acid 30% | Isopropyl Alcohol | Potassium Nitrate sat.sol | Tetraethyl Lead |
| Barium Nitrate | Dioxane | Lactic Acid (All Conc) | Potassium Perborate sat.sol | Tributylphosphate |
| Barium Sulphate sat.sol | Electrolyte | Lead Acetate sat.sol | Potassium Perchlorate | Tricresyl Phosphate |
| Barium Sulphide | Ethanol | Magnesium Carbonate | Potassium Permanganate | Triethanolamine |
| Battery Fluid, Acid | Ethyl Alcohol | Magnesium Hydroxide | Potassium Persulphate sat.sol | Trisodium Phosphate sat.sol |
| Benzaldehyde | Ethylene Chlorohydrin | Magnesium Nitrate | Potassium Phosphates | Urea |
| Benzene Ethylene Diamine | Magnesium Oxide | Potassium Sulphate | Wetting Agents | |
| Benzoic Acid | Ethylene Glycol | Magnesium Sulphate | Propanol | White Acid 75% |
| Benzyl Alcohol | Ferric Chloride sat.sol | Maleic Acid | Propargyl Alcohol 7% | Yeast sol |
| Benzyl Chloroformate | Ferric Nitrate sat.sol | Mallo Acid 1% | Propionic Acid 50% | Zinc bromide sat.sol |
| Boric Acid Conc | Ferric Sulphate sat.sol | Methanol | Propylene Dichloride | Zinc Sulphate |
| Boric Acid Dilute | Ferric Salts | Mercury | Propyl Alcohol | Zinc Chloride sat.sol |
| Butadiene | Ferrous Sulphate | Methyl Acetate | Propylene Glycol | |
| Butanediol | Fluoboric Acid | Methyl Alcohol | Propylene Oxide | |

Brady products are compatible for use with the substances and concentration levels shown above. This guide was compiled from various sources as an information aid only. Brady has not conducted any tests to validate the information and assume no responsibility or liability for the use or misuse of this information. The user is responsible for chemical compatibility.