



[BradyID.com/lockouttagout](http://BradyID.com/lockouttagout)


## Safety Padlocks.

The ultimate lockout lock.



*Actual size of Brady's Compact Safety Padlock*

# PADLOCK OVERVIEW



## Padlocks

A written plan and comprehensive training program are foundational to a successful lockout tagout program. However, having the right tools for the job is extremely important, no matter what your industry is.

Although padlocks may seem like a commonplace device, the durability and reliability of your padlocks is critical to your facility's safety. Brady provides a full line of padlocks that will withstand harsh environmental conditions, rough handling and the test of time.



	Compact Safety Padlocks	Safety Padlock with Steel Shackle	Safety Padlock with Nylon Shackle	Long-Body Safety Padlock	Key Retaining Laminated Steel Padlocks	Laminated Steel Padlocks	Compact Aluminium Padlocks	Full Aluminium Padlocks
<b>Compact &amp; Lightweight</b>	✓	✓	✓	-	✓	-	✓	-
<b>Non-Conductive Body &amp; Keyway</b>	✓	✓	✓	✓	-	-	-	-
<b>Most Corrosion Resistant</b>	✓	✓	✓	✓	✓	✓	✓	✓
<b>Most Spark Resistant</b>	✓	✓	✓	✓	-	-	-	-
<b>Most Tamperproof</b>	-	✓	✓	✓	✓	✓	✓	✓
<b>Most Rugged</b>	-	✓	✓	✓	-	✓	-	✓
<b>Body Height &amp; Material</b>	1-2/5" Fiberglass Reinforced Nylon	1-3/4" Fiberglass Reinforced Nylon	1-3/4" Fiberglass Reinforced Nylon	3" Fiberglass Reinforced Nylon	1-1/5" Steel	1-1/3" Steel	1-1/4" Aluminium	1-3/5" Aluminium
<b>Shackle Size &amp; Material</b>	3/16" dia. 1" high Aluminium	1/4" dia. 1-1/2" high Steel	1/4" dia. 1-1/2" high Nylon	1/4" dia. 1-1/2" high Steel	17/64" dia. 3/4", 2" or 3" high Steel	17/64" dia. 3/4" or 2" high Steel	1/4" dia. 1" high Aluminium	1/4" dia. 1", 1-1/2" or 3" high Aluminium
<b>Colors</b>	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL, WT	BK, BL, BR, GR, RD, PL, YL, WT	BK, BL, BR, GR, OR, PL, RD, YL	BK, BL, BR, GR, OR, PL, RD, SL, YL	BK, BL, BR, GR, OR, PL, RD, SL, YL
<b>Identification Capabilities</b>	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)	Engraving (front, back, left and right sides)
<b>Key Possibilities *denotes custom</b>	Keyed Different Keyed Alike	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*	Keyed Different Keyed Alike	Keyed Different Keyed Alike Master Keyed* Grand Master Keyed*
<b>Main Application</b>	Electrical applications, small and confined spaces	Industrial safety (process industry - custom applications)	Industrial safety (process industry - custom applications) Electrical applications	Industrial safety (process industry - custom applications)	Industrial safety, Severe physical environment	Severe physical environment, Industrial safety	Small space applications where light-weight and easy to carry locks are needed	Outdoor, Industrial Safety, Food & Beverage applications (FDA approved lubricant in cylinder)
<b>Main Features</b>	Non-conductive body, Compact & Light Weight, Key retaining system, Cylinder can support same keying system as regular safety padlock	Non-conductive body, Key retaining system, High security (6-pins)	Completely non-conductive lock, Key retaining system, High security (6-pin)	Non-conductive body, Key retaining system, High security (6-pins)	Physical resistance, Key retaining system, Superior corrosion resistance	Physical resistance, Superior corrosion resistance	Compact & Lightweight, Superior corrosion resistance	Superior corrosion resistance, Laser engraving
<b>Includes</b>	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 Key & Labels (EN, FR, SP)	1 key Labels Sold Separately	2 keys Labels Sold Separately	2 keys Labels Sold Separately	2 keys Labels Sold Separately

### Keyed Different




### Keyed Alike



### Master Keyed



### Grand Master Keyed



# SAFETY PADLOCKS



## OSHA Lockout Tagout Regulations

1910.147(c)(5) OSHA Lockout Device Requirements state that lockout devices must:

- Be provided by the employer
- Be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout!
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and must be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters.
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else.



## Brady Safety Padlocks

- Comply with all OSHA requirements and are a safer alternative to metal locks for lockout applications
- Nonconductive body with a unique key cylinder that prevents electricity from traveling from the shackle to the key, protecting workers when key is inserted
- Superior temperature, chemical and corrosion resistance
- “Danger” and “Property of” labels provided in English, Spanish, and French and printed on 100% recycled paper
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Key-retaining feature prevents key from being removed until shackle is securely closed
- Locks come keyed differently or in keyed-alike sets. Custom keying and charting available
- Lock bodies can be custom laser engraved upon request
- One key is supplied with each padlock for safer key management



### Compact Safety Padlocks

- Extremely compact and lightweight - the smallest safety lock on the market
- Easily fits in small spaces - ideal for electrical contractors/maintenance/electricians
- 5-pin cylinder can support same keying system as our current Safety Padlock
- Fiberglass reinforced nylon body for extra impact resistance
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body: 1-2/5”H x 1-1/5”W x 5/8”D  
Shackle clearance: 1”  
Shackle diameter 1/5”
- Each padlock includes 1 key and one each English, Spanish and French labels



### Safety Padlocks

- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body: 1-3/4”H x 1-1/2”W x 4/5”D  
Shackle clearance: 1-1/2”;  
Shackle diameter: 1/4”
- Each padlock includes 1 key and one each English, Spanish and French labels

### Compact Safety Padlocks 1” Steel Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143150	118926	118953	118954
Green	143152	118927	118955	118956
Orange	143154	118928	118957	118958
Blue	143156	118929	118959	118960
Yellow	143158	118930	118961	118962
Brown	143160	118931	118963	118964
White	143162	118932	118965	118966
Purple	143164	118933	118967	118968
Black	143166	118934	118969	118970

### Safety Padlocks 1-1/2” Steel Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99552	51339	105886	105890
Green	99564	51345	105889	105893
Orange	99576	51347	123268	123270
Blue	99556	51344	105887	105891
Yellow	99570	51346	105888	105892
Brown	103033	101956	118947	118948
White	143123	118925	118949	118950
Purple	104919	104916	118951	118952
Black	99580	51353	123269	123271

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

Actual size of  
Brady's  
Compact  
Safety  
Padlock



# SAFETY PADLOCKS



## Safety Padlocks with Non-Conductive Nylon Shackle

- Lightweight, nonconductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body with non-conductive nylon shackle
- Lock body: 1-3/4"H x 1-1/2"W x 4/5"D  
Shackle clearance: 1-1/2";  
Shackle diameter: 1/4"
- Each padlock includes 1 key and one each English, Spanish and French labels

## Long Body Safety Padlocks

- 3" long body has ample space for your most important identification information
- Lightweight, nonconductive and non-sparking body
- Special 6-pin cylinder resists tampering
- Fiberglass reinforced nylon body and triple-coated hardened steel shackle
- Service temperature: 0°–250° F (-20°–120° C)
- Lock body: 3"H x 1-1/2"W x 4/5"D  
Shackle clearance: 1-1/2";  
Shackle diameter: 1/4"
- Each padlock includes 1 key and one each English/Spanish and English/French labels

## Compact Safety Padlock Kits

- A great solution for any worker needing just "one lock and one tag"
- Ideal for electrical lockout points, tight spaces, storefront use or vending solutions
- Components:
  - 1 - Compact Safety Padlock
  - 1 - Heavy-duty B-837 Polyester Lockout Tag with durable over-laminate that can be re-usable
  - 1 - Nylon Cable Tie

### Safety Padlocks 1-1/2" Nylon Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123324	123351	123333	123342
Green	123326	123353	123335	123344
Orange	123328	123355	123337	123346
Blue	123325	123352	123334	123343
Yellow	123327	123354	123336	123345
Brown	123330	123357	123339	123348
White	123332	123359	123341	123350
Purple	123331	123358	123340	123349
Black	123329	123356	123338	123347

### Long Body Safety Padlocks 1-1/2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123405	123396	123414	123423
Green	123407	123398	123416	123425
Orange	123409	123400	123418	123427
Blue	123406	123397	123415	123424
Yellow	123408	123399	123417	123426
Brown	123411	123402	123420	123429
White	123413	123404	123422	123431
Purple	123412	123403	123421	123430
Black	123410	123401	123419	123428

### Compact Safety Padlock Kits

Catalog #	Lock Color	Qty
123143	Red	1
123144	Green	1
123145	Orange	1
123146	Blue	1
123147	Yellow	1
123148	Brown	1
123149	White	1
123150	Purple	1
123151	Black	1

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

# STEEL PADLOCKS



## Key Retaining Laminated Steel Padlocks

- Key retaining safety feature prevents key from being removed until closed
- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering, cutting, prying, and rusting
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification (custom stamping available)
- Made from recycled material
- Each padlock includes 1 key. Custom keying and charting also available. Lock labels sold separately.
- Lock Body: 1-1/5"H x 1-5/16"W x 1"D  
Shackle clearance: 3/4", 2" or 3"  
Shackle diameter: 17/64"



### Key Retaining Steel Padlocks 3/4" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	143126	118935
Green	143128	118936
Blue	143130	118937
Yellow	143132	118938
White	143134	118939
Black	143136	118940
Brown	123272	123280
Purple	123273	123281

### Key Retaining Steel Padlocks 2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	143144	118944	118977	118978
Green	143142	118943	118975	118976
Blue	143140	118942	118973	118974
Yellow	143148	118946	118981	118982
White	143146	118945	118979	118980
Black	143138	118941	118971	118972
Brown	123274	123282	123276	123278
Purple	123275	123283	123277	123279

### Key Retaining Steel Padlocks 3" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123244	123236	123252	123260
Green	123245	123237	123253	123261
Blue	123246	123238	123254	123262
Yellow	123247	123239	123255	123263
White	123248	123240	123256	123264
Black	123249	123241	123257	123265
Brown	123250	123242	123258	123266
Purple	123251	123243	123259	123267

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



## Laminated Steel Padlocks

- Reinforced laminated steel withstands severe physical abuse while hardened steel shackle resists tampering
- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper resistance than conventional 4-pin locks
- Colored bumpers supplied for identification
- Custom keying and charting or engraving also available
- Each padlock includes 2 keys. Custom keying and charting also available. Lock labels sold separately.
- Lock body: 1-1/3"H x 19/16"W x 7/8"D  
Shackle clearance: 3/4" or 2"  
Shackle diameter: 17/64"



### Steel Padlocks - 3/4" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99500	51279
Blue	99504	51280
Green	99508	51281
Yellow	99512	51282
Orange	99516	51283
Black	99520	51284
Brown	101957	102696
Purple	104920	104917

### Steel Padlocks - 2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99524	51290	105894	105898
Blue	99528	51291	105895	105899
Green	99533	51292	105897	105901
Yellow	99539	51297	105896	105900
Orange	99543	51298	-	-
Black	99548	51299	-	-
Brown	101958	102698	-	-
Purple	104921	104918	-	-

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

# ALUMINUM PADLOCKS



## Aluminum Padlocks

- Lightest-weight aluminum lock in the market and made from recycled material
- Aluminum shackle has superior spark and corrosion resistance
- Reserved paracentric keyway provides optimal security (prevents someone from getting a copy made at a local key shop)
- Anodized aluminum finish gives better fade resistance when used outdoors
- FDA approved lubricant in cylinder
- Compact Lock body: 1-1/4"H x 1-1/4"W  
Compact Lock Body features a 5-pin cylinder
- Shackle clearance: 1", 1-1/2" or 3"  
Shackle diameter: 1/4"
- Regular Lock body: 1-3/5"H x 1-1/2"W x 3/4"D  
Regular Lock Body features 6-pin cylinder which offers more unique key changes and better tamper resistance
- Each padlock includes 2 keys.  
Custom keying and charting also available.  
Lock labels sold separately.



### Compact Aluminum Padlocks 1" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	133270	133261	133279	133288
Blue	133271	133262	133280	133289
Green	133272	133263	133281	133290
Yellow	133273	133264	133282	133291
Orange	133274	133265	133283	133292
Black	133275	133266	133284	133293
Brown	133276	133267	133285	133294
Purple	133277	133268	133286	133295
Silver	133278	133269	133287	133296

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

### Aluminum Padlocks 1" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack
Red	99608	51360
Blue	99609	51361
Green	99610	51362
Yellow	99611	51363
Orange	99612	51368
Black	99613	51369
Brown	104574	104575
Purple	104572	104573
Silver	123320	123322

### Aluminum Padlocks 1-1/2" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	99615	51370	105902	105882
Blue	99616	51371	105903	105883
Green	99617	51376	105881	105885
Yellow	99618	51377	105904	105884
Orange	99619	51378	123432	123437
Black	99620	50274	123433	123438
Brown	104578	104579	123434	123439
Purple	104576	104577	123435	123440
Silver	123321	123323	123436	123441

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.



### Aluminum Padlocks - 3" Shackle

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 3/Pack	Keyed Alike 6/Pack
Red	123293	123284	123302	123311
Blue	123294	123285	123303	123312
Green	123295	123286	123304	123313
Yellow	123296	123287	123305	123314
Orange	123297	123288	123306	123315
Black	123298	123289	123307	123316
Brown	123299	123290	123308	123317
Purple	123300	123291	123309	123318
Silver	123301	123292	123310	123319

When keyed alike, all locks in a set can be opened with the same key. This option is beneficial when multiple locks are assigned to a single employee.

## Have a special requirement?

Brady offers a number of customization options to suit your specific needs. To find out more, call Brady now at 1-888-272-3946.



Y4020911 MS4020911

#### USA

Customer Service: 1-888-272-3946  
Inside Sales: 1-888-311-0775  
BradyID.com

#### Canada

Customer Service: 1-800-263-6179  
BradyCanada.ca

#### Mexico

1-800-262-7777  
Inside Sales: 1-800-262-7777 ext 177  
BradyLatinAmerica.com