



New Polyimide Labels (B-724, B-728 and B-729) Designed to Withstand Harsh Wash Conditions!

PRODUCT DESCRIPTION

Brady's NEW Harsh Condition Polyimide labels for the PCB manufacturing industry!

Brady is excited to announce the launch of four new harsh condition Polyimide labels. As board designs become smaller and more complex and component placement tighter, the PCB assembly industry is adopting wash process protocols that are harsher than has been seen in the past. Inline wash systems such as the Electrovert AquaStorm from Speedline Technologies use higher pressures at a closer distance to the label than typical wash systems. This type of system also washes the labels for longer using chemicals that can be higher in PH value than current wash systems along with high performance drying systems that require the labels to withstand excessive heat temperatures. Brady has designed new UltraTempTM Series High Heat label materials to survive these extreme conditions!

| | 2mil amber polyimide film, matte finish, tin free, permanent | | | | |
|--------------|---|--|--|--|--|
| B-724 | acrylic adhesive | | | | |
| B-728 | 1mil polyimide film, matte finish, permanent acrylic adhesive | | | | |
| B-729 | 2mil polyimide film, matte finish, permanent acrylic adhesive | | | | |

These durable label materials are part of a total identification solution when used with Brady thermal transfer benchtop printers, including the BradyprinterTM PR Plus Printer and Brady IPTM Printer, with the recommended thermal transfer ribbons.

<u>Value Proposition</u>: These new Polyimide materials give Brady UltraTempTM customers a durable solution to withstand harsh wash conditions for their labeling solutions.

PRODUCT FEATURES & BENEFITS

Features:

- Ultra-Durable Polyimide label for the PCB manufacturing industry
- High temperature performance (500F (260C))
- Stays adhered to PCB boards during extreme washes
- Tested with common cleaning chemicals from Zestron and Kyzen
- RoHS and Reach compliant! UL969 Recognized!
- Available in custom sizes
- Excellent resistance to harsh fluxing and wave solder environments





TARGET MARKETS/ USERS & APPLICATIONS

These new products are used for printed circuit board and electronic component preprocess labeling. Target customers are companies using harsh in-line wash systems such as Speedline's AquaStorm units along with extreme chemicals from companies such as Zestron and Kyzen.

PROMOTIONAL TOOLS / PROGRAMS

- B-724, B-728 and B-729 Technical Data Sheets on www.bradyid.com
- Material Sample Packs:
 - o UltraTemp Sample Pack Y2483740
 - o Individual sample packs also available for B-724, B-728 and B-729

PACKAGING / PART # / BRADY MATERIAL # / PRICING / DISCOUNT

| Catalog Number | Product Number | Label Size (W x H) | US List Price | UOM | Qty |
|----------------|-------------------|-------------------------|---------------|------|--------|
| THT-14-724-10 | 132459 | 0.650 in W x 0.200 in H | \$405.5 | Roll | 10,000 |
| THT-4-724-10 | 132460 | 1.500 in W x 0.250 in H | \$1026.74 | Roll | 10,000 |
| THT-1-724-10 | 132461 | 0.750 in W x 0.250 in H | \$566.03 | Roll | 10,000 |
| THT-5-724-10 | 132462 | 1.000 in W x 0.500 in H | \$1284.46 | Roll | 10,000 |
| THT-46-724-10 | 132463 | 0.750 in W x 0.250 in H | \$566.03 | Roll | 10,000 |
| THT-51-724-10 | 132464 | 1.000 in W x 0.250 in H | \$597.51 | Roll | 10,000 |
| THT-11-724-10 | 132465 | 0.250 in W x 0.250 in H | \$452.73 | Roll | 10,000 |
| THT-16-724-2.5 | 132466 | 3.000 in W x 0.250 in H | \$566.03 | Roll | 2,500 |
| THT-45-724-10 | 132467 | 1.500 in W x 0.250 in H | \$1026.74 | Roll | 10,000 |
| THT-12-724-10 | 132468 | 0.500 in W x 0.437 in H | \$743.39 | Roll | 10,000 |
| THT-2-724-10 | 132469 | 0.900 in W x 0.250 in H | \$597.51 | Roll | 10,000 |
| THT-3-724-10 | 132470 | 1.000 in W x 0.375 in H | \$963.66 | Roll | 10,000 |
| THT-28-724-10 | 132471 | 1.500 in W x 0.125 in H | \$1026.74 | Roll | 10,000 |





| THT-99-728-10 | 132495 | 0.500" W x 0.500" H | \$802.88 | Roll | 10,000 |
|----------------|--------|---------------------|------------|------|--------|
| THT-1-728-10 | 132496 | 0.750" W x 0.250" H | \$566.03 | Roll | 10,000 |
| THT-43-728-10 | 132497 | 1.250" W x 0.250" H | \$960.64 | Roll | 10,000 |
| THT-46-728-10 | 132498 | 0.750" W x 0.250" H | \$566.03 | Roll | 10,000 |
| THT-59-728-10 | 132499 | 1.000" W x 0.500" H | \$1,809.08 | Roll | 10,000 |
| THT-14-728-10 | 132500 | 0.650" W x 0.200" H | \$405.50 | Roll | 10,000 |
| THT-103-728-10 | 132501 | 1.000" W x 0.250" H | \$597.63 | Roll | 10,000 |
| THT-104-729-20 | 132502 | 0.315" W x 0.177" H | \$666.23 | Roll | 20,000 |
| THT-48-729-10 | 132503 | 2.000" W x 0.250" H | \$1,174.69 | Roll | 10,000 |
| THT-45-729-10 | 132504 | 1.500" W x 0.250" H | \$880.97 | Roll | 10,000 |
| THT-16-729-2.5 | 132505 | 3.000" W x 0.250" H | \$452.84 | Roll | 2,500 |
| THT-1-729-10 | 132506 | 0.750" W x 0.250" H | \$452.98 | Roll | 10,000 |
| THT-103-729-10 | 132507 | 1.000" W x 0.250" H | \$477.97 | Roll | 10,000 |

