



Safety Identification

Safety Signs

About BRADY



Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.

Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions. By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job.

And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For almost a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.



SAFETY SIGNS

Safety Signs Regulations	4	Prohibition Signs	22	Safety Signs on Rolls – Laminated Polyester	45
Safety Poster	4	Multi-Message Signs	26	Safety Signs on Rolls – Vinyl	46
Material Overview	5	Construction Site Safety Signs	28	Mini-pictograms	47
British Standard Fire Exit & Emergency Escape Signs	6	Harsh Environment Signs	29	Transport Signs	48
Emergency Exit Signs	7	Photoluminescent Signs	30	Maritime Transport Signs	51
Exit & Assembly Signs	8	Wallcharts & Pocket Guides	32	Hazardous Substances Identification	52
General Safe Condition & First Aid Signs	9	Statutory & Information Notices	33	NFPA Placard	53
Fire Equipment Signs	10	Safety Awareness Posters	34	IMO Safety Signs – BradyGlo™	54
Extinguisher Code Signs	11	Reflective Traffic & Works Safety Signs	35	Safety Equipment Storage Solutions	61
Fire Action Mandatory Signs	12	Vandal Resistant Traffic & Property Signs	38	Mounting Systems	62
Mandatory Safety Signs	13	Floor Safety Signs	40	Brady Customize-it: Custom Safety Signs	63
Hazard Warning Signs	17	A3, A4 & A5 Signs	41	Extra Large Safety Signs	66
Explosive Atmosphere Signs	21	Safety Signs A5/A4/A3/A2/A1	43		

Safety Sign Regulations



Safety signs in the workplace are an indispensable way of protecting employees from accidents. Their purpose is to convey information in a comprehensive way about objects and situations that can be dangerous. In case of a fire, for instance, well placed signs can speed up the evacuation of a building and help those giving first aid.

Common dangerous situations are:

- Exposure to harmful substances, gases or vapours.
- Machines being repaired or being in maintenance.
- Marked-out danger zones.
- Danger of falling objects.
- Trip hazards and slippery floors.
- Fast evacuation of contaminated places, etc...

The following methods can be used to reduce the risks of these dangerous situations:

- Safety signs that use symbols or text together with a recognised safety colour.
- Labels that identify products, leads, pipes etc.
- Safety lock systems for valves, installations etc.
- Posts, chains and tapes that can be positioned to indicate dangerous zones.

The psychology of colours

Colours play an important role when it comes to safety signs: they convey a message - and each safety colour has a specific meaning.

The colour of the sign specifies its nature: **red** signs are prohibitive; **blue** signs are mandatory; **yellow** signs are warnings; and **green** is used for safe condition and first aid signs.

Similar rules apply to the different shapes: prohibitive and obligatory signs are circular; warning signs are triangular; and oblong signs offer help and directions. All Brady signs meet these requirements concerning colour and shape.

Shape



Colour

	Prohibition	Fire fighting Equipment
	Caution Danger	
	Safe condition First Aid	
	Obligation	Indication Information

Safety Poster

Keeping your employees informed is of vital importance! Use the Brady Safety Poster - it gives a concise overview of current safety signs and their meaning.

Material: PVC 0.2 mm thickness

Size: 630 x 420 mm

Order ref.	Description
258880	PIC 130E

New Standard for Safety Signs – Revised BS 5499-1

The revised BS 5499-1 is to improve the technical representation of safety signs and introduces the following key principle: It recommends the use of upper and lower case lettering – visually impaired people read and understand sentences or single word messages with an initial case letter more clearly e.g.: Warning, Fire Exit etc. All Brady safety signs now comply with this new technical standard!


The Health & Safety (Safety Signs & Signals) Regulations 1996, put into practice the European Safety Signs Directive (92/58/EEC). Designed to standardise safety signs reducing the risk of misunderstandings arising from geographical differences across the European community.

How does it affect you?

All employers must use a safety sign where a risk would otherwise go uncontrolled. All safety signs should contain a pictorial symbol.

Safety signs now encompass other safety identification by means of pipe and valve marking, audible signals and illuminated signs.

The regulations encourage the increased use of symbols and this includes all fire safety signs. Use of Brady Safety Signs will mean all of your signs comply with all current British and European Legislation.



Self-adhesive Vinyl

Light-weight, flexible material is ideal for use in offices, light industrial factories, warehouses, standard indoor and dry outdoor environments when applied to a clean, dry, smooth surface.

- Excellent resistance to water, oil, grease
- Permanent, acrylic based, pressure sensitive adhesive
- **Safety colours:** red, black, yellow, green and blue
- **Thickness:** 0.105 mm



Self-adhesive Laminated Polyester

- Signs are printed on polyester using thermal transfer technology
- Protected by clear polyester laminate
- Permanent, acrylic based, pressure sensitive adhesive
- Excellent adhesion to low surface energy surfaces, such as polypropylene and ABS, as well as most powder coatings
- Resistance:
 - most chemical products and solvents
 - extreme temperatures: -40°C up to 140°C
 - very good weatherability and UV resistance
 - good scratch resistance due to the polyester laminate
- **Safety colours:** red, black, yellow, green and blue
- **Thickness:** 0.124 mm



Rigid plastic

- PVC signs are surface printed
- Can be used for a wide variety of applications both indoors and outdoors
- PVC bends easy when it has been heated, allowing us to shape it into projecting signs, which keep there new shape ones they have cooled down
- **Thickness:** 1.5 mm



Aluminium transport sign in holder

Aluminium

- Polyester sign stuck onto a rigid aluminium plate
- Has the same qualities as the standard polyester
- **Thickness:** 1.5 mm



Polypropylene

- Rigid sign screenprinted on slightly textured polypropylene or laminated polyester stuck onto the rigid polypropylene
- Can be used for a wide variety of applications both indoors and outdoors
- Well suited for especially harsh environments
- Resistance:
 - most chemical products and solvents
 - very good weatherability and UV resistance
- Considered to be an environmentally friendly material
- **Thickness:** 1.5 mm



BRADY[®] PHOTOLUM PRODUCTS Photoluminescent material

- PVC signs in standard photoluminescent material
- The standard version has a luminous intensity that is 80% higher than the DIN (Deutsche Industry Norm) requires.
- **Thickness:** 1 mm


British Standard Fire Exit & Emergency Escape Signs





- Brady offers a comprehensive range of safe condition signs which help you comply with current legislation.
- Choose from 2 quality materials:
 - Self-adhesive vinyl is a flexible material ideal for use on any smooth, indoor surface.
 - Rigid plastic measures 1.5 mm thick for extra durability (fixings required)
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.


 Designed to clearly identify escape routes / emergency exits. Conforms to Health & Safety (Safety Signs & Signals) Regulations 1996.


Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------


Fire exit / running man right / arrow up			
	150 x 450	701173	701172
	250 x 850	702311	702310


Fire exit / running man right / arrow right			
	150 x 450	701098	701097
	250 x 850	701100	701099


Arrow down left / running man left / fire exit			
	150 x 450	701175	701174

Fire exit / running man right / arrow up			
	125 x 525	701179	701178
	250 x 850	702315	702314


Fire exit / running man right / arrow right			
	125 x 525	701199	701198
	250 x 850	701201	701200


Fire exit / running man right / arrow down right			
	125 x 525	701241	701240


Man running left / fire exit			
	125 x 525	701215	701214
	250 x 850	701217	701216


Running man / Fire exit / Keep clear			
	150 x 600	701116	701115
	150 x 450	701114	701113


Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------


Fire exit / running man right / arrow down			
	150 x 450	701090	701089
	250 x 850	701092	701091


Arrow left / running man left / fire exit			
	150 x 450	701094	701093
	250 x 850	701096	701095


Fire exit / running man right / arrow right down			
	150 x 450	701177	701176

Fire exit / running man right / arrow down			
	125 x 525	701243	701242
	250 x 850	701245	701244

Arrow left / running man left / fire exit			
	125 x 525	701207	701206
	250 x 850	701209	701208

Arrow left / running man left / fire exit / running man right / arrow right			
	125 x 525	701181	701180
	250 x 850	701183	701182

Fire exit / running man right			
	125 x 525	701211	701210
	250 x 850	701213	701212

Exclamation / Fire exit / Keep clear			
	300 x 600	701112	701111

SAFETY SIGNS

BRADY
Customize-it

See page 63 for information on how to order a customized sign



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Emergency Exit Signs

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Running man left / fire exit



150 x 300	701227	701226
-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Fire exit/ running man right



150 x 300	701223	701222
250 x 350	701221	701220

Running man left / exit



200 x 600	701120	701119
-----------	--------	--------

Exit / running man right



200 x 600	701122	701121
-----------	--------	--------

Running man right / arrow down



150 x 300	701104	701103
-----------	--------	--------

Running man right / arrow up



150 x 300	701185	701184
-----------	--------	--------

Running man right / arrow right



150 x 300	701108	701107
-----------	--------	--------

Arrow left / running man left



150 x 300	701106	701105
-----------	--------	--------

Arrow



125 x 125	701195	701194
250 x 250	701197	701196



A supplementary directional arrow sign may only be used with an escape route sign or other safe condition sign.

Running man right symbol



125 x 125	701237	701236
-----------	--------	--------

Running man left symbol



125 x 125	701239	701238
-----------	--------	--------




Exit & Assembly Signs

BRADY
Customize-it


See page 63 for information on how to order a customized sign

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------


Push - vertical

	150 x 40	701132	-
---	----------	--------	---


Turn left to open

	125 x 125	702294	702293
---	-----------	--------	--------


In case of emergency break glass bolt to open

	50 x 100	702229	702230
---	----------	--------	--------


Push bar to open

	50 x 250 150 x 600	701127 701128	701126 701129
---	-----------------------	------------------	------------------


Assembly point - number

	300 x 250	701189 Add (1-9) after the Order Reference.	701188
---	-----------	--	--------


Fire assembly point

	250 x 350	701225	701224
---	-----------	--------	--------

Emergency assembly point


	250 x 350	701139	701138
---	-----------	--------	--------

Safe area


	300 x 250	701145	701144
---	-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------


Pull - vertical

	150 x 40	701133	-
---	----------	--------	---


Turn right to open

	125 x 125	702296	702295
---	-----------	--------	--------


In case of fire break glass

	100 x 200	701135	701134
--	-----------	--------	--------


Assembly point - letter

	300 x 250	701189 Add (A-I) after the Order Reference.	701188
---	-----------	--	--------


Your fire assembly point is...

	250 x 350	701141	701140
---	-----------	--------	--------

Emergency assembly point

	250 x 250	702292	702291
---	-----------	--------	--------

Disabled symbol / Safe area

	250 x 350	701187	701186
---	-----------	--------	--------

General Safe Condition & First Aid Signs

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Eye wash



250 x 200 701152 701151

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Emergency shower



250 x 200 701150 701149

Drinking water



75 x 50 701165* -

Cigarette symbol / smoking area



250 x 350 701137 701136

First aid room



250 x 200 701160 701159

First aid box



250 x 200 701158 701157

First aid station



250 x 200 701164 701163

First aid



250 x 200 701156 701155

First aiders are




250 x 200 701162 701161

Cross symbol (square)



250 x 200 701154 701153

The nearest first aid box is situated / person in charge



250 x 300 701167 701166

Your first aider is / located at




250 x 300 701169 701168

First aid for this department is available from



250 x 300 701171 701170

Emergency stop push button



300 x 250 701080 701079

*10 signs per pack

Fire Equipment Signs

BRADY
Customize-it

See page 63 for information on
how to order a customized sign

SAFETY SIGNS

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Fire extinguisher



250 x 250 701058 701057

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

CO₂



200 x 250 701056 701055

Fire hydrant



200 x 250 701054 701053

Water extinguisher



200 x 250 701076 701075

Fire alarm



250 x 250 701067 701068

Dry riser



200 x 250 701078 701077

Fire point



250 x 250 701049 701050

Fire alarm call point



300 x 250 701073 701074

Fire extinguisher



300 x 250 701059 701060

Fire hose reel



300 x 250 701051 701052

Not for use on electrical fires



100 x 200 701064 701063

For use on electrical fires



100 x 200 701066 701065

Fire extinguisher



100 x 200 701061 701062

Fire alarm



100 x 200 701070 701069

Fire point



100 x 200 701072 701071

Emergency stop push button



75 x 50 701146*
250 x 200 701148 701147

*10 signs per pack



Help ensure the correct choices are made when fighting a fire






- Position these signs near to all your fire extinguisher stations to help staff understand which is the correct extinguisher to use.
- Comply with the Health and Safety (Safety Signs & Signals) Regulations 1996, BSEN3 Regulations & BS5499 Safety Sign Standards.

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Know your fire extinguisher colour code			
	300 x 450	702053	702052
	250 x 300	702051	702050

! KNOW YOUR FIRE EXTINGUISHER COLOUR CODE !


WATER	DRY POWDER	FOAM	CO₂	VAPOURISING LIQUIDS
--------------	-------------------	-------------	-----------------------	----------------------------


Unsafe all voltages. Safe - Wood, Paper Textiles	Safe all voltages. Safe - Flammable Liquids	Unsafe all voltages. Safe - Flammable Liquids	Safe all voltages. Safe - Flammable Liquids	Safe all voltages. Safe - Flammable Liquids
--	---	---	---	---

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------


Dry powder – Safe –all voltages and flammable liquids			
	100 x 300	702057	702056



Water – Safe – wood, paper and textiles			
	100 x 300	702055	702054



Foam – Safe – flammable liquids			
	100 x 300	702059	702058



CO ₂ – Safe – all voltages and flammable liquids			
	100 x 300	702061	702060



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Fire Action Mandatory Signs – You must do

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Automatic fire door Keep clear

	100 x 100	701045	701046

Keep locked shut

	100 x 100	701009	701008

Keep this door closed

	100 x 100	701048	701047

This door to be kept shut when not in use

	200 x 200	701044	701043

Keep clear Fire escape

	250 x 200	701029	701028
	300 x 250	701027	701026

Keep this area clear of all obstructions

	300 x 250	701021	701020

This stairway and exit to be kept clear

	200 x 600	701035	701034

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Fire door keep shut

	100 x 100	701005	701004
	200 x 200	701007	701006

This door must be kept closed

	100 x 100	701013	701012
	200 x 200	701010	701011

Fire escape Keep clear

	100 x 100	701017	701016
	200 x 200	701015	701014

Keep shut Fire door

	150 x 125	701023	701022

Keep clear

	250 x 200	701031	701030

Exit from emergency escape route Keep clear

	300 x 250	701033	701032

BRADY Customize-it See page 63 for information on how to order a customized sign



Mandatory Safety Signs

You must follow these instructions

- The Health and Safety (Safety Signs and Signals) Regulations 1996 details that Mandatory Signs must have a blue circular background which contains a white pictogram.
- These signs display a message or action that must be carried out within a designated area.
- Choose from 2 quality materials. Self-adhesive vinyl is a flexible material ideal for use on any smooth, indoor surface. Rigid plastic measures 1.5mm thick for extra durability (fixings required).
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Wash hands



150 x 125	701499	701500
-----------	--------	--------


Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Now wash your hands please



150 x 125	701475	701474
300 x 250	701477	701476

Health and safety at work act 1974



250 x 350	701469	701468
-----------	--------	--------

Waste material



75 x 50	701478*	-
---------	---------	---

Wear seat belts



150 x 125	701519	701520
-----------	--------	--------

Multi-message – No unauthorised access



600 x 450	701490	701489
-----------	--------	--------

Multi-message – Fire action



250 x 200	701003	701002
300 x 250	701001	701000

Multi-message – First aid



250 x 200	701482	701481
300 x 250	701480	701479

Multi-message – Fire action



250 x 200	701039	701040
300 x 250	701038	701037
600 x 450	701042	701041

Fire door keep shut – vertical



450 x 40	701036	-
----------	--------	---



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

*10 signs per pack

Mandatory Safety Signs – You must do

BRADY
Customize-it

See page 63 for information on how to order a customized sign

SAFETY SIGNS

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Use guard	75 x 50	701507*	–
-----------	---------	---------	---




Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Lift correctly	300 x 250	701523	701524
----------------	-----------	--------	--------



Stack correctly	300 x 250	701526	701525
-----------------	-----------	--------	--------



Pedestrians must use this route	300 x 250	701522	701521
---------------------------------	-----------	--------	--------




Keep locked	75 x 50	701509*	–
-------------	---------	---------	---



Drive slowly	300 x 250	701529	701530
--------------	-----------	--------	--------



Sound horn	300 x 250	701495	701496
------------	-----------	--------	--------



Wear safety harness	150 x 125	701493	701494
	300 x 250	701491	701492



Would all visitors please report to reception	250 x 350	701536	701535
---	-----------	--------	--------




All visitors and drivers must report to reception	250 x 350	701486	701485
---	-----------	--------	--------



Permit to work must be obtained	250 x 350	701537	701538
---------------------------------	-----------	--------	--------



This area must be kept clear of all obstructions	300 x 250	701484	701483
--	-----------	--------	--------



Multi-message – Escalator safety	250 x 350	701543	701544
----------------------------------	-----------	--------	--------



Wear dust mask	150 x 125	701505	701506
----------------	-----------	--------	--------




*10 signs per pack


Mandatory Safety Signs – You must do

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Safety helmets must be worn in this area

	150 x 125	701445	701444
	300 x 250	701447	701446


Head protection must be worn

	300 x 250	701497	701498
---	-----------	--------	--------


Ear protection zone / Ear protectors must be worn in this area

	250 x 300	701439	701438
	450 x 600	701441	701440


Ear protectors must be worn in this area

	150 x 125	701435	701434
	300 x 250	701437	701436


Hearing protection must be worn

	150 x 125	701539	701540
	300 x 250	701541	701542

High noise levels Use ear protectors

	150 x 125	701426	701427
	300 x 250	701429	701428


Ear protection must be worn in this area

	150 x 125	701459	701458
	300 x 250	701461	701460
	600 x 450	701463	701462




Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Wear hard hats

	300 x 250	701443	701442
---	-----------	--------	--------


Safety helmets must be worn at all times on this site

	300 x 250	701449	701448
---	-----------	--------	--------


Ear protectors symbol

	125 x 125	701531	701532
---	-----------	--------	--------

Wear ear protectors

	150 x 125	701423	701422
	300 x 250	701425	701424

Wear ear protectors when operating this machine

	150 x 125	701430	701431
	300 x 250	701432	701433




All Brady Signs are available in your local language. Contact Brady Customer Service for more information


Mandatory Safety Signs – You must do

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Eye protection must be worn

	150 x 125	701513	701515
	300 x 250	701514	701516


Wear face shield

	150 x 125	701501	701502
	300 x 250	701503	701504


Wear gloves

	150 x 125	701470	701471
---	-----------	--------	--------


Protective footwear must be worn in this area

	300 x 250	701473	701472
---	-----------	--------	--------


All visitors must wear personal protective equipment on this site

	250 x 350	701453	701452
---	-----------	--------	--------

Wear protective clothing


	300 x 250	701518	701517
---	-----------	--------	--------

High visibility clothing must be worn in this area


	300 x 250	701528	701527
---	-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Goggles symbol

	50 x 50	701510*	–
	125 x 125	701511	701512


Wear goggles

	150 x 125	701455	701454
	300 x 250	701457	701456


Multi-message – Wear eye protection

	250 x 350	701488	701487
--	-----------	--------	--------


Hand protection must be worn

	150 x 125	701418	701419
	300 x 250	701421	701420


Foot protection must be worn

	300 x 250	701467	701466
---	-----------	--------	--------

Approved personal protective equipment must be worn at all times

	300 x 250	701451	701450
---	-----------	--------	--------

Lab coats must be worn in this area

	150 x 125	701464	701465
---	-----------	--------	--------

*10 signs per pack



Hazard Warning Signs

Identify and warn visitors and staff of potential hazards

- The Health and Safety (Safety Signs and Signals) Regulations 1996 state that Hazard Signs must be displayed to warn people to be careful or to take precautions where hazards exist.
- Choose from 2 quality materials. Self-adhesive vinyl is a flexible material ideal for use on any smooth, indoor surface. Rigid plastic measures 1.5-mm thick for extra durability (fixings required).
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Caution Corrosive substance



150 x 125	701740	701741
300 x 250	701742	701743

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Danger Acid



150 x 125	701710	701711
-----------	--------	--------

Caustic



200 x 600	701789	701790
-----------	--------	--------

Acid



200 x 600	701791	701792
-----------	--------	--------

Harmful Chemicals



150 x 125	701797	701798
300 x 250	701800	701799

Caution Asbestos



200 x 200	701744	701745
150 x 125	701746	701747

Caution Chemical store



250 x 200	701785	701786
-----------	--------	--------

Danger Highly flammable gases



300 x 250	701705	701704
-----------	--------	--------

Danger Highly flammable liquid



300 x 250	701707	701706
-----------	--------	--------


Danger Highly flammable store




300 x 250	701709	701708
-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Danger Highly flammable LPG

	300 x 250	701724	701723
---	-----------	--------	--------


Caution Highly flammable material

	150 x 125	701777	701778
	300 x 250	701779	701780


Danger Trip hazard

	150 x 125	701719	701720
	300 x 250	701722	701721


Danger Falling objects

	300 x 250	701675	701674
---	-----------	--------	--------


Caution Mind the step

	175 x 125	701682	701683
	300 x 250	701685	701684

Caution Wet floor


	300 x 250	701695	701694
---	-----------	--------	--------

Danger Fork lift trucks


	300 x 250	701697	701696
---	-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


Danger Highly flammable

	150 x 125	701725	701726
---	-----------	--------	--------


Caution Fragile roof

	300 x 250	701690	701691
	600 x 450	701693	701692


Caution Overhead hazard

	300 x 250	701770	701769
--	-----------	--------	--------


Danger Beware of step

	175 x 125	701698	701699
---	-----------	--------	--------


Danger Drop

	175 x 125	701679	701678
	300 x 250	701681	701680

Danger Slippery surface

	175 x 125	701687	701686
	300 x 250	701689	701688

Caution Fork lift trucks

	150 x 125	701781	701782
	300 x 250	701783	701784

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Caution symbol




50 x 50	701673*	-
---------	---------	---

Danger



250 x 200	701752	701751
300 x 250	701750	701749

High temperature




150 x 125	701801	701802
-----------	--------	--------

Electrical hazard symbol – all yellow



50 x 50	701737*	-
125 x 125	701738	701739

Main switch



175 x 125	701700	701701
-----------	--------	--------

Caution High voltage



75 x 50	701758*	-
175 x 125	701759	701760
350 x 250	701761	701762

Caution Overhead cables



300 x 250	701787	701788
-----------	--------	--------

Caution 240 Volts



60 x 30	701768*	-
150 x 80	701767	-

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Caution Reversing vehicles




300 x 250	701728	701727
-----------	--------	--------

Danger Very hot water



75 x 50	701803*	-
175 x 125	701804	701805

Electrical hazard symbol – white background



25 x 25	701713*	-
50 x 50	701712*	-
125 x 125	701714	701715

Caution Risk of electric shock



75 x 50	701753*	-
175 x 125	701754	701756
350 x 250	701755	701757

Caution Live busbars



150 x 125	701773	701774
300 x 250	701775	701776

Danger Mains voltage



50 x 50	701716*	-
---------	---------	---

Danger of death



300 x 250	701795	701796
-----------	--------	--------

Caution 415 Volts



60 x 30	701763*	-
150 x 80	701766	-
175 x 175	701765	701764

*10 signs per pack

Hazard Warning Signs

BRADY
Customize-it

See page 63 for information on
how to order a customized sign

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Caution Non-ionising radiation

	75 x 50	701810*	–
	175 x 125	701811	701812

Caution Biological hazard

	150 x 125	701793	701794
--	-----------	--------	--------

Danger Moving machinery

	350 x 250	701730	701729
--	-----------	--------	--------

Danger Hot

	150 x 125	701734	701733
	300 x 250	701736	701735

Caution This machine runs hot

	50 x 125	701748	–
--	----------	--------	---

Caution Mind your head

	250 x 200	701771	701772
--	-----------	--------	--------

CCTV in operation

	250 x 200	–	802875
--	-----------	---	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Danger Laser hazard

	175 x 125	701717	701718
--	-----------	--------	--------

Radiation hazard symbol

	125 x 125	701702	701703
--	-----------	--------	--------

Hazardous area

	300 x 250	701677	701676
--	-----------	--------	--------

Danger Arc welding

	350 x 250	701732	701731
--	-----------	--------	--------

Danger Automatic machinery liable to start without warning

	175 x 125	701806	701807
	300 x 250	701808	701809

This car park is under 24 hour surveillance

	250 x 200	–	802876
--	-----------	---	--------

*10 signs per pack



Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR 2002)



Danger
Explosive atmosphere

There is some confusion over which symbol should be displayed in order to conform to DSEAR 2002. The symbol displayed in the DSEAR regulations is the EX symbol as shown on the left.

However, this symbol does not comply with current British Standards, and there is a possibility that DSEAR will be amended to align with British Standards. In order to promote best practice, and ensure full compliance with ISO 7010 and BS 5499 Part 5 2002, we advise you to use the symbol shown on the right.



Danger
Explosive atmosphere

Comply with the Dangerous Substances and Explosive Atmospheres Regulations 2002 (DSEAR 2002), which came fully into force on 30th June 2003.

- DSEAR 2002 concerns protection against risks from fire, explosion and similar events arising from dangerous substances used or present in the workplace and applies to all employers and the self-employed.
- Explosive substances can be found in varying quantities in most workplaces – substances such as paints, fuel, varnishes and solvents as well as the dust created from sand, grain or milling operations.
- If you use, create or store any explosive substances, you must mark all hazardous and storage areas with an explosive atmosphere safety symbol at each entry point.
- Multi-Message Signs are ideal for entrances to areas where you need to display an explosive atmosphere warning and another safety message.

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Danger Explosive atmosphere



150 x 125	802928	802779
300 x 250	802778	802780

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Danger Explosive atmosphere



150 x 125	802494	802495
300 x 250	802865	802866

Multi-Message – Danger Explosive atmosphere & No unauthorised access

300 x 450	802867	802868
-----------	--------	--------



Multi-Message – Explosive atmosphere & No smoking No naked lights

300 x 450	802869	802870
-----------	--------	--------



Multi-Message – Danger Explosive atmosphere & Before undertaking any work...

300 x 450	802871	802872
-----------	--------	--------



Multi-Message – Danger Explosive atmosphere & Keep locked shut when not in use

300 x 450	802873	802874
-----------	--------	--------





Prohibition Signs

Instruct staff and visitors when behaviour or action are prohibited

- The Health and Safety (Safety Signs and Signals) Regulations 1996 details that Prohibition Signs must be displayed to prohibit dangerous behaviour, access to certain areas and types of behaviour.
- Prohibition Signs must have a black pictogram encircled by a red band and then dissected by a red diagonal bar – the red must form 35% of the sign.
- Choose from 2 quality materials. Self-adhesive vinyl is a flexible material ideal for use on any smooth, indoor surface. Rigid plastic measures 1.5mm thick for extra durability (fixings required).
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.



In 2007 the Health Act 2006 will implement a workplace-smoking ban in England, Wales and Northern Ireland

The act lays down duties, requiring:

- Smoke free premises to display a no smoking sign;
- Any person in control of the management of smoke-free premises "to cause a person smoking there to stop smoking"; and
- All persons not to smoke on smoke free premises.



England
1st July 2007



Wales
2nd April 2007



Northern Ireland
30th April 2007



Scotland
26th March 2006

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

No smoking



75 x 50	701640*	–
175 x 125	701641	701642
360 x 250	701644	701643

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Smoking strictly prohibited



300 x 250	701619	701620
-----------	--------	--------

Please do not smoke



300 x 250	701645	701646
-----------	--------	--------

No smoking beyond this point



250 x 200	701621	701622
-----------	--------	--------

No smoking Company policy



300 x 250	701556	701555
-----------	--------	--------

No smoking please



150 x 125	701623	701624
-----------	--------	--------

No smoking in this building



300 x 250	701560	701559
-----------	--------	--------

No smoking in the toilets



250 x 200	701557	701558
-----------	--------	--------

No smoking Hazardous area



300 x 250	701562	701561
-----------	--------	--------

You are entering a no smoking area



600 x 450	701564	701563
-----------	--------	--------

*10 signs per pack



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Prohibition Signs

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

This is a no smoking zone

	300 x 250	701567	701566
This is a no smoking zone			

Please do not smoke

	50 x 150	-	701580
Please do not smoke	(Desk Sign – Rigid Plastic only)		

No smoking area

	50 x 250	701582	701581
No smoking area			

No smoking

	250 x 350	701571	701570
No smoking	450 x 600	701573	701572

Multi-message – No smoking No drinking or eating

	300 x 300	701569	701568
No smoking			
No drinking or eating			

No smoking, eating or drinking within this area

	250 x 200	701578	701579
No smoking, eating or drinking within this area			

No entry

	300 x 250	701588	701587
No entry			

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

No smoking in this vehicle

	75 x 50	701565*	-
No smoking in this vehicle			

No smoking symbol

	50 x 50	701625*	-
	125 x 125	701627	701626
	250 x 250	701629	701628

Thank you for not smoking

	50 x 250	701615	701616
Thank you for not smoking			

Smoking prohibited in this area

	450 x 600	701575	701574
Smoking prohibited in this area			

Smoking and naked flames prohibited

	300 x 250	701659	701660
Smoking and naked flames prohibited			

Multi-message – No smoking No naked light

	250 x 350	701577	701576
No smoking			
No naked light			

No thoroughfare

	300 x 250	701590	701589
No thoroughfare			

*10 signs per pack

SAFETY SIGNS


Prohibition Signs

BRADY
Customize-it

See page 63 for information on
how to order a customized sign


Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

No admittance Authorized personnel only


	250 x 200	701594	701593
	300 x 250	701592	701591

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------


No admittance

	300 x 250	701664	701663
---	-----------	--------	--------


Unauthorised persons prohibited beyond this point

	175 x 175	701636	701637
	300 x 250	701639	701638


No access

	300 x 250	701647	701648
---	-----------	--------	--------


No admittance without a permit to work

	175 x 125	701649	701650
	300 x 250	701651	701652


No access unless trained and authorised

	250 x 200	701584	701583
--	-----------	--------	--------


No pedestrians

	300 x 250	701586	701585
---	-----------	--------	--------


No access for unauthorised persons

	250 x 200	701656	701655
	300 x 250	701653	701654


No entry

	300 x 250	701658	701657
---	-----------	--------	--------


No exit

	250 x 200	701630	701631
---	-----------	--------	--------

No unauthorised vehicles beyond this point

	450 x 600	701604	701603
---	-----------	--------	--------

No parking

	250 x 350	701665	701666
--	-----------	--------	--------



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Prohibition Signs

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Fork lift trucks prohibited	300 x 250	701668	701667
-----------------------------	-----------	--------	--------



Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Unauthorised persons not to use this machine	250 x 200	701599	701600
--	-----------	--------	--------



No unauthorised person to operate this machine	250 x 200	701634	701635
--	-----------	--------	--------



Do not use Out of order	250 x 200	701602	701601
-------------------------	-----------	--------	--------



In the event of fire do not use lifts	250 x 200	701606	701605
---------------------------------------	-----------	--------	--------



It is strictly forbidden to climb on the racking	50 x 150	701608	701607
--	----------	--------	--------



Do not start Men working on machine	250 x 200	701618	701617
-------------------------------------	-----------	--------	--------



Do not switch on. Men working on machine	100 x 250	701633	701632
--	-----------	--------	--------



No fouling	300 x 250	701662	701661
------------	-----------	--------	--------



No dogs except guide dogs	150 x 125	701610	701609
---------------------------	-----------	--------	--------



Do not use mobile phones	250 x 200	701598	701597
--------------------------	-----------	--------	--------



Do not use mobile phones beyond this point	250 x 200	701612	701611
--	-----------	--------	--------



Turn off all mobile phones	250 x 200	701614	701613
----------------------------	-----------	--------	--------



Not drinking water	150 x 125	701596	701595
--------------------	-----------	--------	--------





Multi-Message Signs

Save money and wall space – instead of 2 or 3 signs you only need 1!

- Ideal for areas and situations where more than 1 safety message is required to warn employees, visitors or the public.
- Comply with the Health and Safety (Safety Signs and Signals) Regulations 1996.
- Choose from 2 quality materials. Self-adhesive vinyl is a flexible material ideal for use on any smooth, indoor surface. Rigid plastic measures 1.5mm thick for extra durability (fixings required).
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Multi-message – Warning Asbestos insulation, Do not disturb & Avoid damage

	100 x 200	701414	701415
--	-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

Multi-message – Danger multi-hazard area & No admittance... & All visitors must...

	400 x 600	701393	701392
--	-----------	--------	--------

Multi-message – Danger & Keep out

	300 x 450	701397	701396
--	-----------	--------	--------

Multi-message – Danger Fragile roof & Use crawling boards

	400 x 600	701395	701394
--	-----------	--------	--------

Multi-message – Danger High voltage & Keep away

	300 x 450	701401	701400
--	-----------	--------	--------

Multi-message – Caution Dangerous site & Keep out

	400 x 600	701399	701398
--	-----------	--------	--------

Multi-message – Danger Deep water & Keep out

	300 x 450	701407	701406
--	-----------	--------	--------

Multi-message – Danger High voltage & Keep out

	300 x 450	701405	701404
--	-----------	--------	--------



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Multi-Message Signs

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Multi-message – No smoking or naked flames & Highly flammable material

300 x 450 701377 701376



Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Multi-message – No smoking or naked flames & LPG Highly flammable

300 x 450 701379 701378



Multi-message – No smoking or naked flames & Petroleum spirit highly flammable

150 x 225 701380 701381
300 x 450 701383 701382



Multi-message – Do not operate & Caution Men working on this equipment

300 x 450 701385 701384



Multi-message – Do not cut or make any alteration & Caution Asbestos material

300 x 450 701386 701387



Multi-message – Danger Hazard area & Do not enter

300 x 450 701389 701388




Multi-message – Danger Risk of explosion & No smoking No naked lights

400 x 600 701391 701390



Multi-message – Danger High voltage & No unauthorised access

300 x 450 701403 701402



Multi-message – Danger & No unauthorised access

300 x 450 701409 701408



Multi-message – Dangerous Chemicals & No unauthorised access

300 x 450 701411 701410



Multi-message – Hazardous area & No unauthorised access

300 x 450 701413 701412





Site Safety Notice

Display multiple messages – avoid multiple sign purchases

- Ensures compliance under the latest Health and Safety regulations.
- Highly-visible – leave no doubt as to the correct procedures on your site.
- Extremely durable – 800 x 600mm rigid 3mm foam PVC.
- Weatherproof and meets Class1 fire rated standards when tested to BS476 Part 7 1987 and UL94 rating V-0.
- Pre-drilled corner holes for easy mounting – supplied with 4 nylon ties for easy installation.

Pictogram	Size mm h x w	Rigid 3 mm Foam PVC Order Ref.
Site safety notice	600 x 800	701375



Construction Signs

Extra large signs can be erected quickly and easily

- Excellent for use where safety signs need to be read quickly and where a standard-sized safety sign could be easily overlooked.
- Place near entrances, power lines or large electrical installations.
- Corners are marked for drilling – use screws or nylon ties to hang.

Pictogram	Size mm h x w	3 mm Rigid Plastic Order Ref.
-----------	---------------	-------------------------------

Safety helmets must be worn in this area	800 x 600	702253
--	-----------	--------



Pictogram	Size mm h x w	3 mm Rigid Plastic Order Ref.
-----------	---------------	-------------------------------

Unauthorised persons prohibited beyond this point	800 x 600	702246
---	-----------	--------



High visibility clothing must be worn in this area	800 x 600	702255
--	-----------	--------



Multi-message – Danger construction site & Keep out	600 x 800	702258
---	-----------	--------



Multi-message – No unauthorised access & All visitors must report to office & Safety helmets must be worn in this area & Protective footwear must be worn in this area	800 x 600	702257
--	-----------	--------



Multi-message – You are entering a designated area & All persons must wear approved protective equipment as identified	600 x 800	702259
--	-----------	--------





Harsh Environment Signs

Avoid accidents – Give clear, concise instructions

- Multiple messages help you ensure that adequate health and safety information is provided for all staff, customers and other members of the public.
- Comply with the Health and Safety (Safety Signs and Signals) Regulations 1996.
 - Noise Hazard Signs help you comply with the requirements of the Noise at Work Regulations 2005. Where noise levels exceed 85dB, ear protection is mandatory. Where noise levels are above 80dB, ear protection must be available on request.
 - Fire Hazard Signs conform to BS5378.
- Choose from 2 quality materials. Self-Adhesive Vinyl is a flexible material ideal for use on any smooth, indoor surface. Rigid Plastic measures 1.5mm thick for extra durability (fixings required).
- Can't find the sign that suits your workplace? No problem! Simply call Brady Customer Service who will be happy to help.



Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Danger Noise level of 85dB (A) or above & Ear protectors must be worn



300 x 450	701552	701551
-----------	--------	--------

Pictogram	Size mm h x w	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	------------------	-----------------------------------	-----------------------------

Danger Noise hazard & Ear protectors must be worn



300 x 450	701554	701553
-----------	--------	--------

Danger Noise level between 80dB (A) and 85dB (A) & Ear protectors available on request



300 x 450	701550	701549
-----------	--------	--------

Noise hazard & Ear protectors available on request



300 x 450	701548	701547
-----------	--------	--------

Ear protection zone & No entry without ear protectors



300 x 450	701546	701545
-----------	--------	--------

Do not climb shelving & Use ladders provided



200 x 275	702290	702289
-----------	--------	--------

Petroleum mixture, No smoking & No naked lights



450 x 600	–	701669
-----------	---	--------

Highly flammable LPG, No smoking & No naked lights



450 x 600	–	701670
-----------	---	--------

Flammable vapour, No smoking & No naked lights



450 x 600	–	701671
-----------	---	--------

Highly flammable, No smoking & No naked lights



450 x 600	–	701672
-----------	---	--------

Photoluminescent Signs

Will illuminate an escape route or important message when there is a power failure or when light sources are obscured by smoke.

- Visual communications compete with one another – in any emergency a photoluminescent safety message will stand out from other less important information.
- These signs provide 3-4 times the luminance performance when compared to P.S.P.A. Class A materials.
- They also include internationally recognised graphical symbols for escape routes, which comply with the requirements of the Health & Safety (Safety Signs & Signals) Regulations 1996 as recommended by the British Standard Document BS5499-4:2000.
- The signs ensure the correct use of a directional arrow within an escape route sign.
- They use upper and lower case lettering - visually impaired people read and understand words with an initial upper case more clearly.
- Rigid and Aluminium Fire Exit Signs can be used as single sided-hanging signs – simply drill two holes in the top border of the chosen sign.
- Fire Extinguisher Identification Signs contain graphical symbols from EN3-5: 1996, with instructions on which fires the extinguisher is safe to use and which it is not.



Fire Extinguisher Signs

Pictogram	Size mm h x w	Rigid Plastic Order Ref.
-----------	---------------	--------------------------

ABC powder	200 x 80	702046
------------	----------	--------



Pictogram	Size mm h x w	Rigid Plastic Order Ref.
-----------	---------------	--------------------------

Foam spray	200 x 80	702044
------------	----------	--------



Water	200 x 80	702042
-------	----------	--------



Carbon dioxide	200 x 80	702045
----------------	----------	--------



Fire hose reel	200 x 80	702043
----------------	----------	--------



Carbon dioxide	200 x 80	702262
----------------	----------	--------



BC powder	200 x 80	702263
-----------	----------	--------



Wet chemical	200 x 80	702264
--------------	----------	--------





All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Photoluminescent Signs

Emergency Exit Signs

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Fire exit / running man right			
	120 x 340	702003	702002
	150 x 400	702001	702000
	200 x 450	702005	702004

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Fire exit / running man right / arrow right			
	120 x 340	702015	702014
	150 x 400	702013	702012
	200 x 450	702017	702016

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Arrow left / running man left / Fire exit			
	120 x 340	702009	702008
	150 x 400	702007	702006
	200 x 450	702011	702010

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Fire exit / running man right / arrow down			
	120 x 340	702027	702026
	150 x 400	702025	702024
	200 x 450	702029	702028

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Fire exit / running man right / arrow up			
	120 x 340	702021	702020
	150 x 400	702019	702018
	200 x 450	702023	702022

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / running man right / arrow right			
	120 x 340	701991	701990
	150 x 400	701989	701988
	200 x 450	701993	701992

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / running man right / arrow up			
	120 x 340	702033	702032
	150 x 400	702031	702030
	200 x 450	702035	702034

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Arrow left down / running man left / Exit			
	120 x 340	702270	702269
	150 x 400	702268	702267
	200 x 450	702266	702265

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / running man right / arrow right down			
	120 x 340	702282	702281
	150 x 400	702280	702279
	200 x 450	702278	702277

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / running man right			
	120 x 340	701985	701984
	150 x 400	701983	701982
	200 x 450	701987	701986

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.	
Stairwell signs				
	-2	150 x 150	803861	252446
		200 x 200	803863	803864
	-1	150 x 150	803865	803866
		200 x 200	803867	803868
	0	150 x 150	803869	803870
		200 x 200	803871	803872
	1	150 x 150	803873	803874
		200 x 200	803875	803876
	2	150 x 150	803877	803879
		200 x 200	803878	803880
	3	150 x 150	803881	803882
		200 x 200	803883	803884
	4	150 x 150	803885	803886
		200 x 200	803887	803888
	5	150 x 150	803889	803890
		200 x 200	803891	803892
	6	150 x 150	803893	803894
		200 x 200	803895	803896
	7	150 x 150	803897	803898
		200 x 200	803899	803900
8	150 x 150	803901	803902	
	200 x 200	803903	803904	
9	150 x 150	804040	804041	
	200 x 200	804042	804044	

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Arrow left / running man left / Exit			
	120 x 340	701997	701996
	150 x 400	701995	701994
	200 x 450	701999	701998

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / running man right / arrow down			
	120 x 340	702039	702038
	150 x 400	702037	702036
	200 x 450	702041	702040

Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Arrow left up / running man left / Exit			
	120 x 340	702276	702275
	150 x 400	702274	702273
	200 x 450	702272	702271













Pictogram	Size mm h x w	Self Adh. Vinyl Order Ref.	Rigid Plastic Order Ref.
Exit / man running right / arrow right up			
	120 x 340	702288	702287
	150 x 400	702286	702285
	200 x 450	702284	702283

SAFETY SIGNS

EC Directives Wallcharts & Pocket Guides

Ensure your employees are aware of EC Safety Regulation requirements

- Provide instant information on all aspects of the recent EC Safety Regulations.
- Give staff a good, basic understanding of the regulations.
- Wallcharts are made from durable, rigid plastic. Pocket guides are made from semi-rigid plastic.

Chart / Guide	Size mm h x w	Semi-Rigid Plastic Order Ref.	Rigid Plastic Order Ref.	Chart / Guide	Size mm h x w	Semi-Rigid Plastic Order Ref.	Rigid Plastic Order Ref.
	600 x 400	–	701973		600 x 400	–	701979
	600 x 400	–	701976		600 x 400	–	701980
	600 x 400	–	701977		600 x 400	–	701978
	600 x 400	–	701972		600 x 400	–	701975
 	120 x 80	701974	–	 	120 x 80	701981	–

Statutory & Information Notices

Made from encapsulated paper or rigid plastic to resist water, dirt and grime.

- It is an employer's duty to inform employees of all relevant regulations.
- The Provision & Use of Work Equipment Regulations 1998 Notice combines the following: Power Presses, Abrasive Wheels, Woodworking Machines and Horizontal Milling Machines.

Chart / Guide	Size mm h x w	Encapsulated Paper Order Ref.	Rigid Plastic Order Ref.
---------------	---------------------	-------------------------------------	--------------------------------

Provision & Use of work equipment regulations 1998 notice



615 x 415	701815	-
-----------	--------	---


Chart / Guide	Size mm h x w	Encapsulated Paper Order Ref.	Rigid Plastic Order Ref.
---------------	---------------------	-------------------------------------	--------------------------------

The electricity at work regulations 1989 notice



738 x 488	701813	-
-----------	--------	---

Safety tips for use on ladders



420 x 297	802929	-
-----------	--------	---

Treatment for asphyxia including electric shock notice




607 x 380	701814	-
-----------	--------	---

Health & Safety law notice



595 x 425	702228	-
-----------	--------	---

COSHH – Wallchart



600 x 400	-	702308
-----------	---	--------

COSHH – Pack of 10 pocket guides



120 x 80	-	702309
----------	---	--------

Safety Awareness Posters

Chart / Guide	Size mm h x w	Material	Order Reference
---------------	---------------	----------	-----------------

Pipeline marking 600 x 400 1500 Micron Styrene 701827



Chart / Guide	Size mm h x w	Material	Order Reference
---------------	---------------	----------	-----------------

6 Steps to fire safety 400 x 600 Rigid Plastic 701821




Illegal drugs and you 600 x 400 1500 Micron Styrene 701823




Understanding safety signs 600 x 400 Semi-Rigid Plastic 701826



VDUs & You 330 x 785 Semi-Rigid Plastic 701822



5 Steps to risk assessment 600 x 400 Semi-Rigid Plastic 701824



Head to toe protection with PPE 485 x 330 Semi-Rigid Plastic 701825



SAFETY SIGNS



Reflective Traffic & Works Safety Signs

Increase driver awareness on your site and surrounding approach roads

- Class 2 reflective material is ideal for private industrial estates, car parks and any site which has a need to control and direct vehicles or advise employees and visitors of potential hazards.
- Traffic symbols conform to BS873 – Part 6.
- Made from 3mm anodised aluminium plates with pressure-applied reflective faces
- UV-resistant faces will not fade or crack – ideal for external use and harsh environments.
- Fix on a wall or post with clamp.
- Signs without clamps are supplied undrilled.

Material: 3 mm anodised aluminium

BRADY
Customize-it

See page 63 for information on how to order a customized sign

Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

Stop

600

701950

701971



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

Give way

600

701921

701951



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

No entry

600

701926

701952



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

5 miles per hour speed limit

600

701933

701957



750

701932

–

Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

10 miles per hour speed limit

600

701935

701958



750

701934

–

Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

15 miles per hour speed limit

600

701936

701959



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

No left turn

600

702247

702245



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

No right turn

600

701937

702248



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

Give way to oncoming traffic

600

701946

–



Pictogram	Size mm	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------	------------------------	---------------------------

Height restriction

600

–

701960



Specify the height restriction when ordering

Reflective Traffic & Works Safety Signs

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------------------	------------------------------	---------------------------------

Two way traffic ahead	600	701939	-
-----------------------	-----	--------	---



Uneven road surface	600	701949	-
	750	701948	-



Black/yellow diagonal hazard	200 x 1000	701919	-
------------------------------	------------	--------	---



Height restriction	200 x 1000	701922	-
--------------------	------------	--------	---




Specify the height restriction when ordering

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
-----------	---------------------	------------------------------	---------------------------------

Pedestrians crossing	600	701940	701961
----------------------	-----	--------	--------



Priority left lane traffic	675 x 600	701947	-
----------------------------	-----------	--------	---



Red/white diagonal hazard	200 x 1000	701920	-
---------------------------	------------	--------	---



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

In	450 x 600	802931	802932
----	-----------	--------	--------



Out	450 x 600	701929	701955
-----	-----------	--------	--------



Arrow right one way	450 x 600	701928	701954
---------------------	-----------	--------	--------



Arrow left one way	450 x 600	701927	701953
--------------------	-----------	--------	--------



No exit	450 x 600	701930	-
---------	-----------	--------	---



No entry	450 x 600	701931	701956
----------	-----------	--------	--------





No parking in front of these gates	450 x 600	-	701962
------------------------------------	-----------	---	--------





No parking in this area	450 x 600	-	701953
-------------------------	-----------	---	--------





Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Slow	450 x 600	701941	701964
			


Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
No unauthorised vehicles allowed beyond this point	450 x 600	–	701965
			


Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Disabled badge holders only	200 x 300	701918	–
			


Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Warning Unauthorised vehicles will be clamped	450 x 600	701943	701967
			


Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Warning CCTV security in operation on these premises	450 x 600	701945	701970
			


Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Warning Private Parking Wheel Clamping in Operation	450 x 600	701923	–
			

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Warning No Parking Vehicles Will Be Clamped	450 x 600	701924	–
			

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Security notice Closed circuit T.V. surveillance in operation	500 x 500	701925	–
			

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Goods inwards / arrow left	450 x 600	–	701968
			

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Notice Vehicles and contents are left here entirely at owners risk	450 x 600	701942	701966
			

Pictogram	Size mm h x w	With clamps Order Ref.	Without clamps Order Ref.
Fire assembly point	450 x 600	701944	701969
			



Traffic Sign Posts

Made from high-tensile steel.

- U-channel posts have 9.5 mm diameter holes spaced every 25 mm along the centre.
- Galvanised posts are rustproof and resist abrasion. Green backed enamel posts have a more durable, attractive finish.
- When determining the length of post required, please note that at least 305 mm must be underground for 1.2 m posts while 457 mm must be underground for 1.8 m+ posts.

Enamel posts	Height	Order Ref.
	1.2 m	702249
	1.8 m	702250
	2.1 m	702251
	2.4 m	702252
Galvanised posts	Height	Order Ref.
	1.8 m	702254
	2.4 m	702256

Vandal Resistant Traffic & Property Signs



Vandal Resistant Traffic & Property Signs

Exceptionally tough material is suited to use in areas where vandalism can be a problem

- Made from 3 mm rigid anodised aluminium, heat treated with a special compound to seal and protect the sign's integrity
- Easily cleaned if subjected to graffiti
- Rigidity and durability surpasses both plastic and polycarbonate materials
- Resists attack from heat and weathering
- Supplied with holes for easy fixing

Pictogram	Size mm h x w	Order Reference
-----------	---------------	-----------------

5 miles per hour speed limit	300	701857
	600	701858



Pictogram	Size mm h x w	Order Reference
-----------	---------------	-----------------

10 miles per hour speed limit	300	701865
	600	701866



15 miles per hour speed limit	300	701885
	600	701886



Stop	300	701901
	600	701902



Give way	600	701907
	750	701908



No entry	300	701909
	600	701910




Slow	300 x 400	701911
	450 x 600	701912



Caution Speed ramps	300 x 400	701913
	450 x 600	701914



No unauthorised vehicles allowed beyond this point	300 x 400	701915
	450 x 600	701916



No parking	300 x 400	701859
	450 x 600	701860





All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Vandal Resistant Traffic & Property Signs

Pictogram	Size mm h x w	Order Reference
This area must be kept clear for emergency vehicles		
	300 x 400	701861
	450 x 600	701862
In		
	300 x 400	701867
	450 x 600	701868
Arrow right one way		
	300 x 400	701863
	450 x 600	701864
No entry		
	300 x 400	701871
	450 x 600	701872
Private property keep out		
	300 x 400	701875
	450 x 600	701876
Reserved Parking		
	300 x 400	701879
	450 x 600	701880
Reserved Parking		
	300 x 400	701883
	450 x 600	701884
Disabled badge holders only		
	300 x 400	701889
	450 x 600	701890
Warning CCTV cameras in operation on these premises		
	300 x 400	701891
	450 x 600	701892
Warning Private Parking Wheel Clamping in operation		
	300 x 400	701895
	450 x 600	701896
No Ball Games		
	300 x 400	701899
	450 x 600	701900

Pictogram	Size mm h x w	Order Reference
Private Road Authorised Vehicles Only		
	300 x 400	701903
	450 x 600	701904
Out		
	300 x 400	802933
	450 x 600	802934
Arrow left one way		
	300 x 400	701873
	450 x 600	701874
No exit		
	300 x 400	701869
	450 x 600	701870
Private property trespassers will be prosecuted		
	300 x 400	701877
	450 x 600	701878
Private car park		
	300 x 400	701881
	450 x 600	701882
Notice Vehicles and contents are left here entirely at owners risk		
	300 x 400	701887
	450 x 600	701888
Please do not park in front of these gates		
	300 x 400	701905
	450 x 600	701906
Warning Unauthorised vehicles will be clamped		
	300 x 400	701893
	450 x 600	701894
Warning No Parking Vehicles Will Be Clamped		
	300 x 400	701897
	450 x 600	701898




Designed to warn for hazardous areas, putting valuable safety information directly at the point of need. These floor signs are manufactured from polyester, with a clear, matt anti-slip laminate to prevent falling accidents while protecting the graphics underneath. The tough Brady adhesive can be applied to most clean, dry, smooth floors.



Sign Sizes	
Round signs	Diameter 500 mm
Triangular signs	Side 500 mm
Square signs	Side 500 mm
Rectangular signs	400 x 200 mm

Emergency Escape & Fire Equipment Signs



Order Ref. 223637



800004



800005



800006

Mandatory Signs



Order Ref. 800007



800008



800009



800002



223648



800003



223665

Prohibition Signs



Order Ref. 800010



223651



800011



800018



223654



800012



800013

Traffic Signs



Order Ref. 223657



223658

Warning Signs



Order Ref. 800014



800015



223659



Order Ref. 223664



800016



800017






Conform with current UK and European Legislation including the Draft International Standard DIS 3864 Part 1, which requires a white border for Safe Condition and Fire Exit Signs.

Choose from 2 quality materials:



Self-adhesive vinyl

Lightweight, flexible material is ideal for use in offices, light industrial factories, warehouses, standard indoor and dry outdoor environments when applied to a clean, dry, smooth surface. Simply peel off the backing paper and apply.



Rigid plastic

Firm, rigid material is pre-drilled with 4 mounting holes. Requires fixings. Has some resistance to certain chemicals. Use in offices, light industrial factories, warehouses, standard indoor environments and clean rooms.

Pictogram	Size mm w x h	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Danger Electric shock risk



A4 (210 x 297)	701342	701341
----------------	--------	--------

Danger Slippery surface



A4 (210 x 297)	701346	701345
----------------	--------	--------

Caution Biological hazard



A4 (210 x 297)	701350	701349
----------------	--------	--------

Running man right / arrow right / Fire exit



A4 (210 x 297)	701304	701303
----------------	--------	--------

Running man right / arrow down / Fire exit



A4 (210 x 297)	701308	701307
----------------	--------	--------

Arrow left / running man left / Fire exit



A4 (210 x 297)	701306	701305
----------------	--------	--------

No entry



A3 (297 x 420)	701286	701285
A4 (210 x 297)	701334	701333

No access for unauthorised persons



A4 (210 x 297)	701340	701339
----------------	--------	--------

Pictogram	Size mm w x h	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------	--------------------------------	--------------------------

Danger Fork lift trucks



A3 (297 x 420)	701292	701291
A4 (210 x 297)	701344	701343

Caution Mind the step



A4 (210 x 297)	701348	701347
----------------	--------	--------

Caution Fragile roof



A3 (297 x 420)	701294	701293
A4 (210 x 297)	701352	701351

First Aid



A4 (210 x 297)	701302	701301
A5 (148 x 210)	701360	701359

Fire assembly point



A3 (297 x 420)	701278	701277
A4 (210 x 297)	701300	701299

No admittance Authorised personnel only



A3 (297 x 420)	701288	701287
A4 (210 x 297)	701336	701335
A5 (148 x 210)	701374	701373

Unauthorised persons prohibited beyond this point



A3 (297 x 420)	701290	701289
A4 (210 x 297)	701338	701337

Smoking strictly prohibited



A4 (210 x 297)	701332	701331
----------------	--------	--------

A3, A4 & A5 Signs

BRADY
Customize-it

See page 63 for information on
how to order a customized sign

Pictogram	Size mm w x h	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

No smoking



A3 (297 x 420)	701284	701283
A4 (210 x 297)	701328	701327
A5 (148 x 210)	701372	701371

Fire Wardens




A4 (210 x 297)	701330	701329
----------------	--------	--------

Fire Alarm Call Point



A5 (148 x 210)	701364	701363
----------------	--------	--------

Fire extinguisher containing powder



A4 (210 x 297)	702232	702231
A5 (148 x 210)	701354	701353

Fire extinguisher containing foam



A4 (210 x 297)	702234	702233
A5 (148 x 210)	702236	702235

Eye protection must be worn



A3 (297 x 420)	701280	701279
A4 (210 x 297)	701316	701315
A5 (148 x 210)	701368	701367

Hearing protection must be worn




A4 (210 x 297)	701320	701319
A5 (148 x 210)	701370	701369

Foot protection must be worn



A4 (210 x 297)	701324	701323
----------------	--------	--------

All visitors must report to reception



A3 (297 x 420)	701282	701281
----------------	--------	--------

Pictogram	Size mm w x h	Self Adhesive Vinyl Order Ref.	Rigid Plastic Order Ref.
-----------	---------------------	--------------------------------------	--------------------------------

No smoking company policy



A4 (210 x 297)	701326	701325
----------------	--------	--------

Fire extinguisher




A4 (210 x 297)	701310	701309
A5 (148 x 210)	701362	701361

Fire extinguisher containing water



A4 (210 x 297)	701312	701311
A5 (148 x 210)	701366	701365

Fire extinguisher containing CO₂



A4 (210 x 297)	701298	701297
A5 (148 x 210)	701356	701355

Hand protection must be worn



A4 (210 x 297)	701318	701317
----------------	--------	--------

Head protection must be worn



A4 (210 x 297)	701322	701321
----------------	--------	--------

Fire action



A4 (210 x 297)	701296	701295
A5 (148 x 210)	701358	701357

Keep clear




A4 (210 x 297)	701314	701313
----------------	--------	--------

4 types available:



1 **Self-adhesive signs in laminated polyester – PE**

These signs are printed using thermal transfer technology and protected by a clear polyester laminate. Backed with an acrylic based, pressure sensitive adhesive, giving excellent adhesion to low surface energy surfaces.




2 **Rigid signs in polypropylene – PP**

These signs are printed using thermal transfer technology and protected by a clear polyester and are backed with a rigid polypropylene material with a thickness of 1.5 mm.



3 **Double-sided signs in rigid polypropylene – DF**

Highly visible double-sided hanging safety signs make sure your safety message can be seen from all sides. These signs grab employees' attention and help communicate the importance of safety effectively. Ideal to complement the standard range. Made of polyester stuck on rigid polypropylene. Pre-drilled holes for easy installation.



4 **Rigid polypropylene signs – self-adhesive back – SA**

The ideal solution when you may not perforate the supporting surface (furniture, partition wall, etc.) or when you need to apply the sign quickly. The pictograms illustrate the text and guarantee that its message is understood by visitors, temporary staff, maintenance crews etc.

BRADY Customize-it

On the next page you can see our standard range of safety signs in the sizes A5/A4/A3/A2/A1. For more information on personalized signs, see our "customize-it" service on page 63



Sizes:
A5: 148 mm x 210 mm
A4: 210 mm x 297 mm
A3: 297 mm x 420 mm
A2: 420 mm x 594 mm
A1: 594 mm x 840 mm

Safety Signs A5/A4/A3/A2/A1 – Standard Range



How to order a sign from this standard range?

The references for these signs all follow the same 3-part format:

1. The PIC number
2. The size
3. The material (PE, PP, DF, SA)



PIC200EA5PE

The PIC number in this case is PIC200

The size in this case is A5

The material in this case is PE (Self-adhesive laminated polyester)

No smoking PIC 200 E	No naked light PIC 201 E	No access for unauthorized persons PIC 209 E	No entrance PIC 229 E	No mobile phones PIC 235 E	No pedestrian access PIC 202 E	Not drinking water PIC 204 E	No parking PIC 227 E	Wear eye protection PIC 250 E
Wear head protection PIC 251 E	Wear ear protection PIC 252 E	Wear foot protection PIC 254 E	Wear hand protection PIC 255 E	Wear safety harness PIC 273 E	Pedestrians must use this route PIC 256 E	This way only PIC 258 E	Wear protective clothing PIC 260 E	Wear face shield PIC 265 E
Wear mask PIC 267 E	Danger Highly Flammable PIC 300 E	Caution Corrosive substance PIC 303 E	Mains switch PIC 307 E	Caution PIC 308 E	Hot surface PIC 315 E	Danger Overhead crane PIC 305 E	Danger Forklift trucks PIC 306 E	Caution Non-ionising radiation PIC 311 E
Harmful chemicals PIC 321 E	Danger Slippery surface PIC 324 E	Caution Mind the step PIC 325 E	Caution Electrostatic danger PIC 327 E	Caution Moving parts PIC 334 E	First aid PIC 352 E	Eye wash PIC 354 E	Emergency stretcher PIC 355 E	Emergency shower PIC 356 E
Assembly point PIC 377 E	Fire ladder PIC 400 E	Fire hose reel PIC 401 E	Fire alarm phone PIC 402 E	Fire extinguisher PIC 403 E	Fire alarm point PIC 412 E	Fire fighting material PIC 407 E	All Brady Signs are available in your local language. Contact Brady Customer Service for more information	

Safety Signs on Rolls – Laminated Polyester



Material: laminated polyester
Number of signs per roll: 250
Available sizes:

- Triangular signs with a side of 25, 50 or 100 mm
- Round signs with a diameter of 25, 50 or 100 mm

BRADY
Customize-it

Other sizes and signs are available on request.

Warning Signs



Order Ref.	PIC 300	PIC 301	PIC 302	PIC 303	PIC 304
Size (mm) Δ 25	227325	227326	227327	800100	251955
Δ 50	227353	227354	227355	800101	223315
Δ 100	227300	227301	227302	800102	223316



Order Ref.	PIC 305	PIC 307	PIC 308	PIC 309	PIC 310
Size (mm) Δ 25	227329	251951	251950	251957	227331
Δ 50	227357	223307	223305	223319	227359
Δ 100	227304	223308	223306	223320	227306

Mandatory Signs



Order Ref.	PIC 250	PIC 251	PIC 252	PIC 253	PIC 254	PIC 255	PIC 257
Size (mm) Ø 25	251961	251962	251963	227496	227497	227498	227500
Ø 50	223327	223329	223331	227524	227525	227526	227528
Ø 100	223328	223330	223332	227468	227469	227470	227472



Order Ref.	PIC 258	PIC 259	PIC 260	PIC 265	PIC 267	PIC 271	PIC 273
Size (mm) Ø 25	227501	227502	227503	227508	227510	227514	227516
Ø 50	227529	227530	227531	227536	227538	227541	227543
Ø 100	227473	227474	227475	227480	227482	227485	227487

Prohibition Signs



Order Ref.	PIC 200	PIC 201	PIC 204	PIC 205	PIC 209
Size (mm) Ø 25	251958	251959	227410	227411	251960
Ø 50	223321	223323	227440	227441	223325
Ø 100	223322	223324	227380	227381	223326




Order Ref.	PIC 212	PIC 216	PIC 218	PIC 224	PIC 235
Size (mm) Ø 25	227417	227421	227423	227429	227437
Ø 50	227447	227451	227453	227459	227467
Ø 100	227387	227391	227393	227399	227407


Safety Signs on Rolls – Vinyl

Pictogram	Size mm h x w	Labels per Roll	Self Adhesive Vinyl Order Ref.
-----------	------------------	-----------------	--------------------------------


No smoking symbol

	50 x 50	500	701836
---	---------	-----	--------


Electrical hazard symbol

	25 x 25 50 x 50	1000 500	701829 701834
---	--------------------	-------------	------------------


Dangerous chemicals symbol

	25 x 25	1000	701846
---	---------	------	--------


Laser hazard symbol

	25 x 25	1000	701830
---	---------	------	--------

General hazard symbol


	25 x 25 50 x 50	1000 500	701833 701835
---	--------------------	-------------	------------------

Danger Asbestos


	25 x 25 50 x 50	1000 500	701837 701854
---	--------------------	-------------	------------------

Pictogram	Size mm h x w	Labels per Roll	Self Adhesive Vinyl Order Ref.
-----------	------------------	-----------------	--------------------------------


Corrosive, caustic, acid symbol

	25 x 25 50 x 50	1000 500	701849 701853
---	--------------------	-------------	------------------


Radiation risk symbol

	25 x 25 50 x 50	1000 500	701851 701845
---	--------------------	-------------	------------------


Biological hazard symbol

	50 x 50	1000	701856
---	---------	------	--------


Chemical irritants symbol

	25 x 25	1000	701847
---	---------	------	--------


Danger 230V

	50 x 25	500	701842
---	---------	-----	--------


Wear eye protection symbol

	25 x 25	1000	701838
---	---------	------	--------

Wear hearing protection symbol

	25 x 25 50 x 50	1000 500	701840 701850
---	--------------------	-------------	------------------

Warning contains asbestos

	50 x 25	500	701831
---	---------	-----	--------

Blank Corridor and Projecting Signs



Make your own projecting or corridor signs. By using the blank signs together with one of our standard symbols you can add improved visibility to the signs of your choice. Both types offer a major improvement in visibility and have pre-drilled holes for easy installation.

H x W (mm)	Blank Sign	Projecting Sign
151 x 151	287134	253544
203 x 203	287119	253545
203 x 403	223990	223992
253 x 253	287128	253546
318 x 318	222582	222583
151 x 300	287126	222586
213 x 300	225184	225185
300 x 151	287133	222587
403 x 203	223991	223993
603 x 203	222584	222585



In the event of an emergency it is vital that persons are evacuated safely and as quick as possible. This range of mini-pictograms is specifically designed to be put on your emergency plans.



Mini-pictogram booklet

- Containing 10 sheets: a collection of 150 signs, numbers and letters.
- Size of signs: 10 x 10 mm or 10 x 20 mm.
- Size of numbers and letters: 5 x 5 mm.


Material: Transparent vinyl film with permanent adhesive.

Order Ref.	Description
286903	Mini-pictogram booklet


The sheets in this booklet (mini-1 to mini-10) are also available separately, as displayed below.

Mini-pictogram sheets


- 1 sheet per pack




Mini 1:
Prohibition
286904




Mini 2:
Mandatory
286905




Mini 3:
Danger
286906



Mini 4:
First Aid/Emergency escape
286916




Mini 5:
Fire equipment
286917




Mini 6:
Fire equipment
286909




Mini 7:
Dangerous products
286910



Mini 8:
Information
286911



Mini 9:
Danger zones
286912



Mini 10:
Emergency escape routes
286913

Transport Signs

Hazard Warning Diamond Placards

- This product enables you to fill in the UN number of the dangerous substances being carried.
- Material: Self-adhesive laminated polyester
- Size: 300 x 300 mm

BRADY
Customize-it

These placards can be pre-printed with a UN number on request. Contact your BRADY distributor for more information.



Pictogram	HWDP1	HWDP2	HWDP3	HWDP4	HWDP5
Order Ref.	258885	258886	258887	258888	258889



Pictogram	HWDP8	HWDP9	HWDP10	HWDP11	HWDP12
Order Ref.	258892	258893	258894	258895	258896




Pictogram	HWDP6	HWDP7	HWDP13	HWDP14
Order Ref.	258890	258891	258897	258898

SAFETY SIGNS

Removable Vinyl Numbering Kit

- Use with placards to indicate 4-digit DOT contents designation
- Made of vinyl with removable adhesive
- Character height: 90 mm
- Characters are black
- Each kit contains 1200 numbers as follows:
 - 200 x 0
 - 200 x 1
 - 100 x numbers 2 to 9

On-the-spot content marking is a snap with this convenient Numbering Kit.



Order Ref.	Description
030659	Removable vinyl numbering kit

Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.	B-7541 Roll (250/roll) Order Ref.	B-859 Magnetic material Order Ref.	B-7525 Aluminium plate Order Ref.
-----------	----------------	---------------------------------------	-----------------------------------	------------------------------------	-----------------------------------

Explosive					
ADR 1					
	100	223549	223589		
	200	223550			
	297	223551		223587	223588



Explosive					
ADR 1.5					
	100	223555	223595		
	200	223556			
	297	223557		223593	223594



Flammable gas					
ADR 2.1a					
	100	227587	227590		
	200	227588			
	297	227589		227591	227592



Non-flammable, non toxic gas					
ADR 2.2b					
	100	257502	223574		
	200	257503			
	297	257573		258943	258944



Toxic gas					
ADR 2.3					
	100	227791	227794		
	200	227792			
	297	227793		227795	227796



Flammable liquid					
ADR 3b					
	100	223564	223604		
	200	223565			
	297	223566		223602	223603



Spontaneous ignition					
ADR 4.2					
	100	257508	223577		
	200	257509			
	297	257576		258952	258953



Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.	B-7541 Roll (250/roll) Order Ref.	B-859 Magnetic material Order Ref.	B-7525 Aluminium plate Order Ref.
-----------	----------------	---------------------------------------	-----------------------------------	------------------------------------	-----------------------------------

Explosive					
ADR 1.4					
	100	223552	223592		
	200	223553			
	297	223554		223590	223591



Explosive					
ADR 1.6					
	100	223558	223598		
	200	223559			
	297	223560		223596	223597



Flammable gas					
ADR 2.1b					
	100	227593	227596		
	200	227594			
	297	227595		227597	227598



Non-flammable, non-toxic gas					
ADR 2.2a					
	100	223561	223601		
	200	223562			
	297	223563		223599	223600



Highly flammable liquid					
ADR 3a					
	100	257504	223575		
	200	257505			
	297	257574		258946	258947



Flammable solid					
ADR 4.1					
	100	257506	223576		
	200	257507			
	297	257575		258949	258950



Flammable when wet					
ADR 4.3					
	100	257510	223578		
	200	257511			
	297	257577		258955	258956



Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.	B-7541 Roll (250/roll) Order Ref.	B-859 Magnetic material Order Ref.	B-7525 Aluminium plate Order Ref.
-----------	----------------	---------------------------------------	-----------------------------------	------------------------------------	-----------------------------------

Flammable when wet

ADR 4.3b	100	223567	223607		
	200	223568			
	297	223569		223605	223606



Organic peroxide

ADR 5.2	100	810934	810935		
	200 <td>810936 <td></td> <td></td> <td></td> </td>	810936 <td></td> <td></td> <td></td>			
	297 <td>810937 <td></td> <td>810938</td> <td>810939</td> </td>	810937 <td></td> <td>810938</td> <td>810939</td>		810938	810939



Infectious substance

ADR 6.2	100	257534	223583		
	200 <td>257535 <td></td> <td></td> <td></td> </td>	257535 <td></td> <td></td> <td></td>			
	297 <td>257536 <td></td> <td>258970</td> <td>258971</td> </td>	257536 <td></td> <td>258970</td> <td>258971</td>		258970	258971



Radioactive 7B II

ADR 7B	100	811666	811667		
	200 <td>811668 <td></td> <td></td> <td></td> </td>	811668 <td></td> <td></td> <td></td>			
	297 <td>811669 <td></td> <td>811670</td> <td>811671</td> </td>	811669 <td></td> <td>811670</td> <td>811671</td>		811670	811671



Radioactive 7D

ADR 7	100	257522	223610		
	200 <td>257523 <td></td> <td></td> <td></td> </td>	257523 <td></td> <td></td> <td></td>			
	297 <td>257583 <td></td> <td>223608</td> <td>223609</td> </td>	257583 <td></td> <td>223608</td> <td>223609</td>		223608	223609



Corrosive substance

ADR 8	100	257524	223585		
	200 <td>257525 <td></td> <td></td> <td></td> </td>	257525 <td></td> <td></td> <td></td>			
	297 <td>257584 <td></td> <td>258976</td> <td>258977</td> </td>	257584 <td></td> <td>258976</td> <td>258977</td>		258976	258977



Dangerous substance for the Environment

ADR 9	100	813599	813604		
	200 <td>813600 <td></td> <td></td> <td></td> </td>	813600 <td></td> <td></td> <td></td>			
	297 <td>813602 <td></td> <td>813603</td> <td>813601</td> </td>	813602 <td></td> <td>813603</td> <td>813601</td>		813603	813601



Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.	B-7541 Roll (250/roll) Order Ref.	B-859 Magnetic material Order Ref.	B-7525 Aluminium plate Order Ref.
-----------	----------------	---------------------------------------	-----------------------------------	------------------------------------	-----------------------------------

Oxidizing substance

ADR 5.1	100	257514	223580		
	200 <td>257515 <td></td> <td></td> <td></td> </td>	257515 <td></td> <td></td> <td></td>			
	297 <td>257579 <td></td> <td>258961</td> <td>258962</td> </td>	257579 <td></td> <td>258961</td> <td>258962</td>		258961	258962



Toxic substance

ADR 6.1	100	257518	223582		
	200 <td>257519 <td></td> <td></td> <td></td> </td>	257519 <td></td> <td></td> <td></td>			
	297 <td>257581 <td></td> <td>258967</td> <td>258968</td> </td>	257581 <td></td> <td>258967</td> <td>258968</td>		258967	258968



Radioactive 7A I

ADR 7A	100	811660	811661		
	200 <td>811662 <td></td> <td></td> <td></td> </td>	811662 <td></td> <td></td> <td></td>			
	297 <td>811663 <td></td> <td>811664</td> <td>811665</td> </td>	811663 <td></td> <td>811664</td> <td>811665</td>		811664	811665



Radioactive 7C III

ADR 7C	100	811672	811673		
	200 <td>811674 <td></td> <td></td> <td></td> </td>	811674 <td></td> <td></td> <td></td>			
	297 <td>811675 <td></td> <td>811676</td> <td>811677</td> </td>	811675 <td></td> <td>811676</td> <td>811677</td>		811676	811677



Radioactive 7DA

ADR 7DA	100	223570	223871		
	200 <td>223571 <td></td> <td></td> <td></td> </td>	223571 <td></td> <td></td> <td></td>			
	297 <td>223572 <td></td> <td>223619</td> <td>223620</td> </td>	223572 <td></td> <td>223619</td> <td>223620</td>		223619	223620



Dangerous substance

ADR 9	100	257526	223586		
	200 <td>257527 <td></td> <td></td> <td></td> </td>	257527 <td></td> <td></td> <td></td>			
	297 <td>257585 <td></td> <td>258979</td> <td>258980</td> </td>	257585 <td></td> <td>258979</td> <td>258980</td>		258979	258980



Our complete range of self-adhesive signs for maritime transportation is in accordance with the IMDG-code. By using specified colours and symbols, the nature of the risk can be identified quickly and effectively.

Material: Self-adhesive laminated polyester

Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
-----------	----------------	---------------------------------------

Class 1 : Explosive substances

Explosive	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 1	100	257537



Class 2 : Non-flammable, flammable gases

Poison gas	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 2A	100	257538



Oxygen	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 2B	100	257539



Non-flammable compressed gas	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 2C	100	257540



Flammable gas	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 2D	100	257541



Chlorine	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 2E	100	257542



Class 3: Flammable liquids

Flammable liquid	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 3A	100	257543



Combustible	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 3B	100	257544



Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
-----------	----------------	---------------------------------------

Fuel oil	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 3C	100	257545



Class 4: Flammable solid substances

Flammable solid	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 4A	100	257546



Spontaneously combustible	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 4B	100	257547



Dangerous when wet	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 4C	100	257548



Class 5: Oxidizing substances and organic peroxides

Oxidizing agent	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 5A	100	257549



Organic peroxide	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 5B	100	257550



Class 6: Toxic and harmful substances

Harmful	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 6A	100	257551



Poison	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 6B	100	257552



Pictogram	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
-----------	----------------	---------------------------------------

Irritant	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 6C	100	257553



Infectious substance	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 6D	100	257554



Class 7: Radioactive substances

Radioactive	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 7A	100	257555



Class 8: Corrosive substances

Corrosive	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 8A	100	257557



Class 9: Miscellaneous hazardous substances

Dangerous substance	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG 9A	100	257558



Marine pollutant	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG-MP	100	257559



High temperature	Size side (mm)	B-7541 Polyester Self-adh. Order Ref.
IMDG-HT	250	251641



Hazardous Substances Identification



New GHS symbols and GHS labels

GHS – *The Globally Harmonized System of Classification and Labelling of Chemicals* ensures that information on physical hazards and toxicity from chemicals is available in order to enhance the protection of human health and the environment during the handling, transport and use of these chemicals. The GHS also provides a basis for harmonization of rules and regulations on chemicals at national, regional and worldwide level, an important factor also for trade facilitation.

For the European Union, the mandatory effective dates for the implementation are set as follows:

'Pure' Chemical Substances = 01/12/2010 • Mixtures of Chemical Substances = 01/06/2015

GHS labels will replace the HSID labelling system we use currently. That means that the pictogram on an orange square will be replaced by new symbols with a diamond shape. During the transition period between the publication of the European Directive and the effective date, mentioned above, both systems are permitted (HSID and GHS).

GHS Labels


Material: Laminated polyester (self-adhesive) – Available on cards



W x H (mm)	Labels/card	PIC 1801	PIC 1802	PIC 1803	PIC 1804	PIC 1805	PIC 1806	PIC 1807	PIC 1808	PIC 1809
40 x 40	20	811680	811685	811690	811695	811700	811705	811710	811715	811720
70 x 70	6	811682	811687	811692	811697	811702	811707	811712	811717	811722
100 x 100	4	811678	811683	811688	811693	811698	811703	811708	811713	811718

HSID Labels

Material: Laminated polyester (self-adhesive) – Available on cards



W x H (mm)	Labels/card	STE 584 Order Ref.	STE 585 Order Ref.	STE 586 Order Ref.	STE 587 Order Ref.	STE 588 Order Ref.	STE 589 Order Ref.	STE 590 Order Ref.	STE 591 Order Ref.	STE 592 Order Ref.	STE 593 Order Ref.
15 x 21	35	256458	256462	256466	256470	256474	256478	256482	256486	256490	256494
26 x 37	12	256459	256463	256467	256471	256475	256479	256483	256487	256491	256495
52 x 74	1	256460	256464	256468	256472	256476	256480	256484	256488	256492	256496
105 x 148	1	256461	256465	256469	256473	256477	256481	256485	256489	256493	256497

Blank HSID label

Self-adhesive white paper labels on A4 sheets can easily be printed with substance information on an office printer. The appropriate hazard symbol label can then be stuck to the printed paper label and a clear self-adhesive polyester overlaminated label can be stuck over the top to fully protect the information printed underneath.



Blank labels


Order Ref.	Size (mm)	Material	Labels/pack	A4 sheets/pack	Labels/sheet
310131	74 x 52	Paper	512	32	16
310132	105 x 74	Paper	504	63	8
310133	148 x 105	Paper	500	125	4
310134	210 x 148	Paper	500	250	2

Polyester laminate for protection

Order Ref.	Size (mm)	Material	Quantity/pack
213300	84 x 62	Transparent Polyester	2500
213301	115 x 84	Transparent Polyester	1000
213302	158 x 115	Transparent Polyester	500
213303	220 x 158	Transparent Polyester	500


Packaging Labels

Material: Laminated polyester (self-adhesive)



W x H (mm)	PIC 10 Order Ref.	PIC 11 Order Ref.	PIC 12 Order Ref.	STE 13 Order Ref.	STE 14 Order Ref.	STE 15 Order Ref.	STE 16 Order Ref.	TIR M Order Ref.	TIR A Order Ref.
74 x 105	257528	257530	257532	-	-	-	-	-	-
110 x 90	-	-	-	-	-	-	-	276260	-
121 x 110	-	-	-	-	-	-	-	-	276262
148 x 210	257529	257531	257533	251642	251643	251644	251645	-	-

PIC 667



The NFPA* Diamond and the New Colour Bar above are the two most commonly used chemical label warning systems. These systems identify the hazards of a material by four principal categories:

- **Health Hazard** – which ranks the specific material's probable severity to personal health
- **Fire Hazard** – which ranks the specific material's susceptibility to burn
- **Reactivity** – which ranks the specific material's ease, rate and quantity of energy released.
- **Specific Hazard** – which identifies the specific material's special hazard potential or any special protection which may be required

Use the chart below when determining the specific rating to be used to identify each of the above specified hazards.


* NFPA – National Fire Protection Association Hazardous Material Signal

NFPA Placard: PIC 667

Size W x H (mm)	B-7541 Polyester	B-7525 Aluminium plate	B-589 Magnetic foil
100 x 100	223906	223910	223962
200 x 200	223907	223911	223963
300 x 300	223908	223912	223964
400 x 400	223909	223913	223965



NFPA Placard Kit

- Kit allows you to customize placards on the spot
- Placards available in self-adhesive vinyl
- Vinyl kits come complete with 10 blank NFPA placards, and 10 characters each of 0 to 4, W, , OXY, ACID, COR and ALK

Material	Quantity	Size pictogram (mm)	Character Size (mm)	Order Ref.
Vinyl	10	250	100	050053
Vinyl	10	380	150	050054
Reflective (B-997)	10	130	–	058272
Reflective (B-997)	10	190	–	058273
Reflective (B-997)	10	250	–	058274

RATING EXPLANATION GUIDE

HEALTH		FLAMMABLE		REACTIVE	
Recommended Protection		Susceptibility to Burning		Susceptibility to Energy Release	
4	Special full protection suite and breathing apparatus must be worn	4	Very Flammable	4	May detonate under normal conditions
3	Full protective suit and breathing apparatus should be worn	3	Ignites under normal temperature conditions	3	May detonate with shock or heat
2	Breathing apparatus with full face mask should be worn	2	Ignites with moderate heating	2	Violent chemical change but does not detonate
1	Breathing apparatus may be worn	1	Ignites when preheated	1	Not stable if heated use precautions
0	No precautions necessary	0	Will not ignite	0	Normally stable





BradyGlo™ IMO Safety Signs

Having an efficient evacuation procedure in case of emergencies is of major importance for the safety of your work force, visitors and members of the general public. Reports of incidents with ferries, tankers, cruisers, offshore oil rigs and airports reach us on a daily basis. Emergency situations are unpredictable and even in the most controlled areas, human errors and technical shortcomings cannot be ruled out completely.

Any public environment or building where large concentrations of public visitors can be found, requires the highest level of clearly defined safety signage. In an emergency situation verbal assistance and direction is often inadequate; people will almost instinctively look for the signs to guide them to safety.

BradyGlo™ is a product designed to give the most flexible and efficient form of guidance in extremely demanding emergency situations. **BradyGlo™** ensures clear escape directions, even in cases of complete power failure. Many emergency situations can create, or may in fact require, the complete shutdown of all electrical power.

BradyGlo™ is a product that both meets and exceeds the standards set by legislation (DIN 67510, IMO A.752 (18)). The luminous intensity of **BradyGlo™** – Standard is even 3 times better than DIN 67510 and **BradyGlo™** – Plus is up to 7 times better.


The **BradyGlo™** IMO (International Marine Organisation) range is manufactured from rigid PVC of the highest quality and has been approved by Lloyd's Register, Rina and Kema. The **BradyGlo™** signs are suitable for both indoor and outdoor usage and contain no radioactive components. **BradyGlo™** is composed of mainly white photoluminescent pigments and requires no maintenance.

	Luminous intensity after 10 min. mcd/m ²	Luminous intensity after 60 min. mcd/m ²	Decreasing time luminance as mcd/m ² in min.
1. IMO Resolution A.752 (18)	15	2	–
2. DIN 67510	20	2.8	340
3. BradyGlo™ Standard	71.1	9.9	1203
4. BradyGlo™ Plus	147.3	21.3	2519



BRADYGLO™ STANDARD
Up to 3 times better than IMO/DIN

BRADYGLO™ PLUS
Up to 7 times better than IMO/DIN



Fire Control / Protection

Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Fire control plan IMO 101	150 x 150	ISSA: 47.501.01 IM1501KS39
------------------------------	-----------	-------------------------------



Push button/switch for fire alarm IMO 102	150 x 150	ISSA: 47.501.02 IM1502KS39
--	-----------	-------------------------------



Horn fire alarm IMO 103	150 x 150	ISSA: 47.501.03 IM1503KS39
----------------------------	-----------	-------------------------------



Fire alarm IMO 104	150 x 150	ISSA: 47.501.04 IM1504KS39
-----------------------	-----------	-------------------------------



Manually operated call point IMO 105	150 x 150	ISSA: 47.501.05 IM1505KS39
---	-----------	-------------------------------



Space protected by automatic fire alarm IMO 106	150 x 150	ISSA: 47.501.06 IM1506KS39
--	-----------	-------------------------------



Space protected by CO ₂ IMO 107	150 x 150	ISSA: 47.501.07 IM1507KS39
---	-----------	-------------------------------



CO ₂ horn IMO 108	150 x 150	ISSA: 47.501.08 IM1508KS39
---------------------------------	-----------	-------------------------------



CO ₂ release station IMO 109	150 x 150	ISSA: 47.501.09 IM1509KS39
--	-----------	-------------------------------



Halon 1301 battery IMO 110	150 x 150	ISSA: 47.501.10 IM1510KS39
-------------------------------	-----------	-------------------------------



Space protected by Halon 1301 IMO 111	150 x 150	ISSA: 47.501.11 IM1511KS39
--	-----------	-------------------------------



Halon horn IMO 112	150 x 150	ISSA: 47.501.12 IM1512KS39
-----------------------	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Foam installation IMO 113	150 x 150	ISSA: 47.501.13 IM1513KS39
------------------------------	-----------	-------------------------------



Foam monitor (gun) IMO 114	150 x 150	ISSA: 47.501.14 IM1514KS39
-------------------------------	-----------	-------------------------------



Foam nozzle IMO 115	150 x 150	ISSA: 47.501.15 IM1515KS39
------------------------	-----------	-------------------------------



Foam applicator IMO 116	150 x 150	ISSA: 47.501.16 IM1516KS39
----------------------------	-----------	-------------------------------



Foam valve IMO 117	150 x 150	ISSA: 47.501.17 IM1517KS39
-----------------------	-----------	-------------------------------



Foam release station IMO 118	150 x 150	ISSA: 47.501.18 IM1518KS39
---------------------------------	-----------	-------------------------------



Emergency fire pump IMO 119	150 x 150	ISSA: 47.501.19 IM1519KS39
--------------------------------	-----------	-------------------------------



Remote controlled fire pumps IMO 120	150 x 150	ISSA: 47.501.20 IM1520KS39
---	-----------	-------------------------------



Bilge pump IMO 121	150 x 150	ISSA: 47.501.21 IM1521KS39
-----------------------	-----------	-------------------------------



Emergency bilge pump IMO 122	150 x 150	ISSA: 47.501.22 IM1522KS39
---------------------------------	-----------	-------------------------------



Water monitor (gun) IMO 123	150 x 150	ISSA: 47.501.23 IM1523KS39
--------------------------------	-----------	-------------------------------



Water for applicator IMO 124	150 x 150	ISSA: 47.501.24 IM1524KS39
---------------------------------	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Emergency telephone station IMO 125	150 x 150	ISSA: 47.501.25 IM1525KS39
--	-----------	-------------------------------



Fire axe IMO 126	150 x 150	ISSA: 47.501.26 IM1526KS39
---------------------	-----------	-------------------------------



Drenching installation IMO 127	150 x 150	ISSA: 47.501.27 IM1527KS39
-----------------------------------	-----------	-------------------------------



Section valves drenching system IMO 129	150 x 150	ISSA: 47.501.29 IM1529KS39
--	-----------	-------------------------------



Fire station IMO 130	150 x 150	ISSA: 47.501.30 IM1530KS39
-------------------------	-----------	-------------------------------



A class division IMO 131	150 x 150	ISSA: 47.501.31 IM1531KS39
-----------------------------	-----------	-------------------------------



A class self-closing fire door IMO 133	150 x 150	ISSA: 47.501.33 IM1533KS39
---	-----------	-------------------------------



A class self-closing fire door IMO 133	150 x 150	ISSA: 47.501.33 IM1533KS39
---	-----------	-------------------------------



A class self-closing fire door IMO 133	150 x 150	ISSA: 47.501.33 IM1533KS39
---	-----------	-------------------------------



All signs are certified by:



Fire Control / Protection

Pictogram **Size (mm)** **PVC B-7537 1 mm Order Ref.**

A class fire door
IMO 134 150 x 150 ISSA: 47.501.34
IM1534KS39



A class self-closing fire door
IMO 135 150 x 150 ISSA: 47.501.35
IM1535KS39



Portable foam applicator
IMO 136 150 x 150 ISSA: 47.501.36
IM1536KS39



B class division
IMO 137 150 x 150 ISSA: 47.501.37
IM1537KS39



B class fire door
IMO 138 150 x 150 ISSA: 47.501.38
IM1538KS39



B class self-closing fire door
IMO 139 150 x 150 ISSA: 47.501.39
IM1539KS39



B class fire door
IMO 140 150 x 150 ISSA: 47.501.40
IM1540KS39



B class self-closing fire door
IMO 141 150 x 150 ISSA: 47.501.41
IM1541KS39



Main vertical zone
IMO 142 150 x 150 ISSA: 47.501.42
IM1542KS39



Fire alarm panel
IMO 143 150 x 150 ISSA: 47.501.43
IM1543KS39



Sprinkler installation
IMO 144 150 x 150 ISSA: 47.501.44
IM1544KS39



Sprinkler
IMO 145 150 x 150 ISSA: 47.501.45
IM1545KS39



Pictogram **Size (mm)** **PVC B-7537 1 mm Order Ref.**

Sprinkler horn
IMO 146 150 x 150 ISSA: 47.501.46
IM1546KS39



Sprinkler section valves
IMO 147 150 x 150 ISSA: 47.501.47
IM1547KS39



CO₂ battery
IMO 148 150 x 150 ISSA: 47.501.48
IM1548KS39



Halon release station
IMO 149 150 x 150 ISSA: 47.501.49
IM1549KS39



Halon 1301 bottles placed in protected area
IMO 150 150 x 150 ISSA: 47.501.50
IM1550KS39



Powder installation
IMO 151 150 x 150 ISSA: 47.501.51
IM1551KS39



Powder monitor (gun)
IMO 152 150 x 150 ISSA: 47.501.52
IM1552KS39



Powder hose and handgun
IMO 153 150 x 150 ISSA: 47.501.53
IM1553KS39



Powder release station
IMO 154 150 x 150 ISSA: 47.501.54
IM1554KS39



Flame detector
IMO 155 150 x 150 ISSA: 47.501.55
IM1555KS39



Smoke detector
IMO 156 150 x 150 ISSA: 47.501.56
IM1556KS39



Fire main with fire valves
IMO 157 150 x 150 ISSA: 47.501.57
IM1557KS39



Pictogram **Size (mm)** **PVC B-7537 1 mm Order Ref.**

Hose box with spray / jet fire nozzle
IMO 158 150 x 150 ISSA: 47.501.58
IM1558KS39



International shore connection
IMO 159 150 x 150 ISSA: 47.501.59
IM1559KS39



Fire pump
IMO 160 150 x 150 ISSA: 47.501.60
IM1560KS39



Heat detector
IMO 161 150 x 150 ISSA: 47.501.61
IM1561KS39



Gas detector
IMO 162 150 x 150 ISSA: 47.501.62
IM1562KS39



Fire damper in vent duct
IMO 163 150 x 150 ISSA: 47.501.63
IM1563KS39



Remote controlled skylights
IMO 164 150 x 150 ISSA: 47.501.64
IM1564KS39



Remote controlled fuel / lubricated oil valves
IMO 165 150 x 150 ISSA: 47.501.65
IM1565KS39



Control station
IMO 166 150 x 150 ISSA: 47.501.66
IM1566KS39



Locker with fireman's outfit
IMO 167 150 x 150 ISSA: 47.501.67
IM1567KS39



Breathing apparatus
IMO 168 150 x 150 ISSA: 47.501.68
IM1568KS39



Locker with protective clothing
IMO 169 150 x 150 ISSA: 47.501.69
IM1569KS39



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Primary escape route IMO 170	150 x 150	ISSA: 47.501.70 IM1570KS39
---------------------------------	-----------	-------------------------------



Secondary escape route IMO 171	150 x 150	ISSA: 47.501.71 IM1571KS39
-----------------------------------	-----------	-------------------------------



Closing appliance for ext. vent. inlet or outlet IMO 172	150 x 150	ISSA: 47.501.72 IM1572KS39
---	-----------	-------------------------------



Inert gas installation IMO 173	150 x 150	ISSA: 47.501.73 IM1573KS39
-----------------------------------	-----------	-------------------------------



High expansion foam supply tank IMO 174	150 x 150	ISSA: 47.501.74 IM1574KS39
--	-----------	-------------------------------



CO ₂ / Nitrogen bulk installation IMO 175	150 x 150	ISSA: 47.501.75 IM1575KS39
---	-----------	-------------------------------



Emergency generator IMO 176	150 x 150	ISSA: 47.501.76 IM1576KS39
--------------------------------	-----------	-------------------------------



Emergency switchboard IMO 177	150 x 150	ISSA: 47.501.77 IM1577KS39
----------------------------------	-----------	-------------------------------



Remote ventilation shut off IMO 178	150 x 150	ISSA: 47.501.78 IM1578KS39
--	-----------	-------------------------------



Portable fire extinguisher P6 IMO 179	150 x 150	ISSA: 47.501.79 IM1579KS39
--	-----------	-------------------------------



Portable fire extinguisher LW9 IMO 180	150 x 150	ISSA: 47.501.79 IM1580KS39
---	-----------	-------------------------------



Portable fire extinguisher Halon 1211/4 IMO 181	150 x 150	ISSA: 47.501.79 IM1581KS39
--	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Portable fire extinguisher CO ₂ /2 IMO 182	150 x 150	ISSA: 47.501.79 IM1582KS39
--	-----------	-------------------------------



Portable fire extinguisher P2 IMO 183	150 x 150	ISSA: 47.501.79 IM1583KS39
--	-----------	-------------------------------



Portable fire extinguisher P1 IMO 184	150 x 150	ISSA: 47.501.79 IM1584KS39
--	-----------	-------------------------------



Wheeled fire extinguisher P50 IMO 185	150 x 150	ISSA: 47.501.79 IM1585KS39
--	-----------	-------------------------------



Wheeled fire extinguisher CO ₂ /30 IMO 186	150 x 150	ISSA: 47.501.79 IM1586KS39
--	-----------	-------------------------------



Fire extinguisher IMO 401	150 x 150	ISSA: 47.509.13 IM1501KS30
------------------------------	-----------	-------------------------------



Fire alarm IMO 402	150 x 150	ISSA: 47.509.11 IM1502KS30
-----------------------	-----------	-------------------------------



Fire hose reel IMO 403	150 x 150	ISSA: 47.509.15 IM1503KS30
---------------------------	-----------	-------------------------------



Emergency phone IMO 404	150 x 150	ISSA: 47.509.19 IM1504KS30
----------------------------	-----------	-------------------------------



Fire point IMO 405	150 x 150	ISSA: 47.509.17 IM1505KS30
-----------------------	-----------	-------------------------------



This way IMO 406	150 x 150	ISSA: 47.509.43 IM1506KS30
---------------------	-----------	-------------------------------



This way IMO 407	150 x 150	ISSA: 47.509.45 IM1507KS30
---------------------	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Level / Floor 0 IMO 421	150 x 150	IM1521KS30
----------------------------	-----------	------------



Level / Floor 1 IMO 422	150 x 150	IM1522KS30
----------------------------	-----------	------------



Level / Floor 2 IMO 423	150 x 150	IM1523KS30
----------------------------	-----------	------------



Level / Floor 3 IMO 424	150 x 150	IM1524KS30
----------------------------	-----------	------------



Level / Floor 4 IMO 425	150 x 150	IM1525KS30
----------------------------	-----------	------------



Level / Floor 5 IMO 426	150 x 150	IM1526KS30
----------------------------	-----------	------------



Level / Floor 6 IMO 427	150 x 150	IM1527KS30
----------------------------	-----------	------------



Level / Floor 7 IMO 428	150 x 150	IM1528KS30
----------------------------	-----------	------------



Level / Floor 8 IMO 429	150 x 150	IM1529KS30
----------------------------	-----------	------------



Level / Floor 9 IMO 430	150 x 150	IM1530KS30
----------------------------	-----------	------------



Evacuation & First Aid

Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Lifeboat IMO 301	150 x 150	ISSA: 47.502.11 IM1501KS60
---------------------	-----------	-------------------------------



Rescue boat IMO 302	150 x 150	ISSA: 47.502.12 IM1502KS60
------------------------	-----------	-------------------------------



Life raft IMO 303	150 x 150	ISSA: 47.502.13 IM1503KS60
----------------------	-----------	-------------------------------



Davit launched life raft IMO 304	150 x 150	ISSA: 47.502.14 IM1504KS60
-------------------------------------	-----------	-------------------------------



Embarkation ladder IMO 305	150 x 150	ISSA: 47.502.15 IM1505KS60
-------------------------------	-----------	-------------------------------



Evacuation slide IMO 306	150 x 150	ISSA: 47.502.16 IM1506KS60
-----------------------------	-----------	-------------------------------



Life buoy IMO 307	150 x 150	ISSA: 47.502.17 IM1507KS60
----------------------	-----------	-------------------------------



Life buoy with line IMO 308	150 x 150	ISSA: 47.502.18 IM1508KS60
--------------------------------	-----------	-------------------------------



Life buoy with light IMO 309	150 x 150	ISSA: 47.502.19 IM1509KS60
---------------------------------	-----------	-------------------------------



Life buoy with light and smoke IMO 310	150 x 150	ISSA: 47.502.20 IM1510KS60
---	-----------	-------------------------------



Life jacket IMO 311	150 x 150	ISSA: 47.502.21 IM1511KS60
------------------------	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Child's life jacket IMO 312	150 x 150	ISSA: 47.502.22 IM1512KS60
--------------------------------	-----------	-------------------------------



Immersion suit IMO 313	150 x 150	ISSA: 47.502.23 IM1513KS60
---------------------------	-----------	-------------------------------



Survival craft portable radio IMO 314	150 x 150	ISSA: 47.502.24 IM1514KS60
--	-----------	-------------------------------



Navigation guide EPIRB IMO 315	150 x 150	ISSA: 47.502.25 IM1515KS60
-----------------------------------	-----------	-------------------------------



Emergency ladder IMO 323	150 x 150	ISSA: 47.506.37 IM1523KS60
-----------------------------	-----------	-------------------------------



First aid IMO 324	150 x 150	ISSA: 47.506.38 IM1524KS60
----------------------	-----------	-------------------------------



Escape route right IMO 325	150 x 150	ISSA: 47.506.39 IM1525KS60
-------------------------------	-----------	-------------------------------



Escape route left IMO 326	150 x 150	ISSA: 47.506.40 IM1526KS60
------------------------------	-----------	-------------------------------



Eye wash IMO 327	150 x 150	ISSA: 47.506.41 IM1527KS60
---------------------	-----------	-------------------------------



Emergency stop IMO 328	150 x 150	ISSA: 47.506.42 IM1528KS60
---------------------------	-----------	-------------------------------



Emergency phone IMO 329	150 x 150	ISSA: 47.506.43 IM1529KS60
----------------------------	-----------	-------------------------------



Emergency shower IMO 330	150 x 150	ISSA: 47.506.44 IM1530KS60
-----------------------------	-----------	-------------------------------



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Meeting point IMO 320	150 x 150	ISSA: 47.502.30 IM1520KS60
--------------------------	-----------	-------------------------------



This way IMO 321	150 x 150	ISSA: 47.506.37 IM1521KS60
---------------------	-----------	-------------------------------



This way IMO 322	150 x 150	ISSA: 47.506.38 IM1522KS60
---------------------	-----------	-------------------------------



Emergency ladder IMO 323	150 x 150	ISSA: 47.506.37 IM1523KS60
-----------------------------	-----------	-------------------------------



First aid IMO 324	150 x 150	ISSA: 47.506.38 IM1524KS60
----------------------	-----------	-------------------------------



Escape route right IMO 325	150 x 150	ISSA: 47.506.39 IM1525KS60
-------------------------------	-----------	-------------------------------



Escape route left IMO 326	150 x 150	ISSA: 47.506.40 IM1526KS60
------------------------------	-----------	-------------------------------



Eye wash IMO 327	150 x 150	ISSA: 47.506.41 IM1527KS60
---------------------	-----------	-------------------------------



Emergency stop IMO 328	150 x 150	ISSA: 47.506.42 IM1528KS60
---------------------------	-----------	-------------------------------



Emergency phone IMO 329	150 x 150	ISSA: 47.506.43 IM1529KS60
----------------------------	-----------	-------------------------------



Emergency shower IMO 330	150 x 150	ISSA: 47.506.44 IM1530KS60
-----------------------------	-----------	-------------------------------



Evacuation & First Aid

Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Level / Floor 0	ISSA: 47.503.01
IMO 331	75 x 150 IM1531KS60



Level / Floor 1	ISSA: 47.503.03
IMO 332	75 x 150 IM1532KS60



Level / Floor 2	ISSA: 47.503.05
IMO 333	75 x 150 IM1533KS60



Level / Floor 3	ISSA: 47.503.07
IMO 334	75 x 150 IM1534KS60



Level / Floor 4	ISSA: 47.503.09
IMO 335	75 x 150 IM1535KS60



Level / Floor 5	ISSA: 47.503.11
IMO 336	75 x 150 IM1536KS60



Level / Floor 6	ISSA: 47.503.13
IMO 337	75 x 150 IM1537KS60



Level / Floor 7	ISSA: 47.503.15
IMO 338	75 x 150 IM1538KS60



Level / Floor 8	ISSA: 47.503.17
IMO 339	75 x 150 IM1539KS60



Level / Floor 9	ISSA: 47.503.19
IMO 340	75 x 150 IM1540KS60



Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Drinking water	ISSA: 47.502.01
IMO 341	150 x 150 IM1541KS60



Permission to...	ISSA: 47.502.02
IMO 342	150 x 150 IM1542KS60



Stairway	ISSA: 47.502.03
IMO 343	150 x 150 IM1543KS60



Thermal protective aid	ISSA: 47.502.04
IMO 344	150 x 150 IM1544KS60



Anti exposure suit	ISSA: 47.502.05
IMO 345	150 x 150 IM1545KS60



Exit	ISSA: 47.502.06
IMO 351	300 x 150 IM1551KS60



Smoking area	ISSA: 47.502.07
IMO 352	300 x 150 IM1552KS60



Eating and drinking area	ISSA: 47.502.08
IMO 353	300 x 150 IM1553KS60



Obligation

Pictogram	Size (mm)	PVC B-7537 1 mm Order Ref.
-----------	-----------	----------------------------------

Fasten seat belts	ISSA: 47.502.01
IMO 201	150 x 150 IM1501KS50



Secure hatches	ISSA: 47.502.02
IMO 202	150 x 150 IM1502KS50



Start engine	ISSA: 47.502.03
IMO 203	150 x 150 IM1503KS50



Lower lifeboat to water	ISSA: 47.502.04
IMO 204	150 x 150 IM1504KS50



Lower life raft to water	ISSA: 47.502.05
IMO 205	150 x 150 IM1505KS50



Lower rescue boat to water	ISSA: 47.502.06
IMO 206	150 x 150 IM1506KS50



Release falls	ISSA: 47.502.07
IMO 207	150 x 150 IM1507KS50



Start water spray	ISSA: 47.502.08
IMO 208	150 x 150 IM1508KS50



Start air supply	ISSA: 47.502.09
IMO 209	150 x 150 IM1509KS50



Release grips	ISSA: 47.502.10
IMO 210	150 x 150 IM1510KS50



All signs are certified by:






Low-Location-Light System

The **BradyGlo™** range also offers a Low-Location-Light system that does not require any external power source. Your escape route indicators will stay clearly visible, even in complete darkness. Because it does not operate on batteries either, the **BradyGlo™** Low-Location-Light system can be installed in places where even the smallest ignition is unacceptable. In many cases of fires inside buildings or on sites of an industrial nature, sight will be limited by smoke. The **BradyGlo™** range includes signs and direction indicators that can be applied close to the ground, enabling people to find their way out under extreme conditions.



Aluminium slide-in profiles

Order Ref.	Description	Standard package
EL1004AL	Aluminium slide-in profile – 1000mm x 40mm	1 pc
EL3004AL	Aluminium slide-in profile – 3000mm x 40mm	1 pc
EL1008AL	Aluminium slide-in profile – 1000mm x 80mm	1 pc
EL3008AL	Aluminium slide-in profile – 3000mm x 80mm	1 pc



BradyGlo™ slide-in plate

Order Ref.	Description	Standard package
ES1004KS	PVC BradyGlo™ slide-in plate – 1000mm x 35mm	1 pc
ES1008KS	PVC BradyGlo™ slide-in plate – 1000mm x 74mm	1 pc



Aluminium end cap

Order Ref.	Description	Standard package
EK1800AL	Aluminium end cap – 18mm x 35mm	1 pc
EK3600AL	Aluminium end cap – 18mm x 74mm	1 pc

PVC slide-in pictograms

Pictogram	Size (w x h) (mm)	PVC Order Ref.
Fire hose	36 x 35	IM1803KS30
IMO 403	72 x 74	IM3603KS30
Emergency telephone	36 x 35	IM1804KS30
IMO 404	72 x 74	IM3604KS30
Fire point	36 x 35	IM1805KS30
IMO 405	72 x 74	IM3605KS30

Pictogram	Size (w x h) (mm)	PVC Order Ref.
Meeting point	36 x 35	IM1820KS60
IMO 320	72 x 74	IM3620KS60
This way	36 x 35	IM1821KS60
IMO 321	72 x 74	IM3621KS60
This way	36 x 35	IM1822KS60
IMO 322	72 x 74	IM3622KS60

Pictogram	Size (w x h) (mm)	PVC Order Ref.
Stairs	36 x 35	IM1843KS60
IMO 343	72 x 74	IM3643KS60
Exit	144 x 35	IM1851KS60
IMO 351	144 x 74	IM3651KS60



All Brady Signs are available in your local language. Contact Brady Customer Service for more information

Safety Equipment Storage Solutions




Safety Stop Station

- Combines both the safety message and the required safety equipment needed at one convenient location.
- Constructed of durable red and clear acrylic.
- Use indoors or outdoors.
- Mount to a wall or use as a stand-alone sign (Post and base are available on request).

Station size: 92 cm H x 46 cm W

Contents not included



Order Ref.	050916	050914	050917	050915
Station stores:	200 pairs of earplugs	12 pairs of glasses	4 hard hats	6 pairs of glasses 100 pairs of earplugs

Storage Units for Safety Equipment

Ensures individual usage and makes a valuable contribution to your general safety signage.

- Improves the safety of your personnel: the protective equipment is available where and when you need it (work place, machine, industrial site).
- Ownership and hygiene are ensured; the equipment is safeguarded from dirt, dust and water spray.
- The plastic unit can be mounted with either adhesive or screws.
- Blue front and sign in accordance with safety sign regulations.

Packaging: 1



Model	Size
Small:	23.6 x 12 x 12 cm
Medium	23.6 x 22.5 x 12.5 cm
Large	23.6 x 31.5 x 20 cm
Multibox 4	23.6 x 22.5 x 20 cm (holds 4 pairs of glasses)
Multibox 12	23.6 x 31.5 x 20 cm (holds 12 pairs of glasses)



Order Ref.	Model	Sign (equipment)	
224044	Small	Wear gloves	
223925	Small	Wear eye protection	
223926	Medium	Wear ear protection	
223927	Medium	Wear ear and eye protection	
223928	Medium	Wear mask	
223929	Medium	Wear gloves	
223930	Large	Wear hard hat	
223931	Large	Wear hard hat and ear protection	
223932	Large	Wear respiratory equipment	
223961	Multibox 4	Wear eye protection	
224045	Multibox 12	Wear eye protection	

SAFETY SIGNS



Storage Unit for Visitor Safety Equipment

Ensure the safety of your visitors!

Brady offers you a practical storage unit combined with a sign in accordance with the safety sign regulations. Place this unit at your reception desk, at the entrance of buildings, or at the start of a danger zone where wearing specific safety equipment is obligatory: labs, workshops, etc. especially for visitors and maintenance personnel. Can be attached with adhesive or screws.

Material: transparent semi-rigid polypropylene

Size: whole unit A4 (210 x 297 mm) – holder is 150 x 150 x 210 mm – sign 200 mm diameter

3 available types:

- Safety glass storage unit
- Eye protection storage unit
- Blank box

Other pictograms are available on request.

Order Ref.	Description
223933	Eye protection
223935	Ear protection
223960	Blank box



1. Bradyfoam™ Mounting Tape

- White polypropylene tape, is coated on both sides with high-tack, high-shear synthetic rubber adhesive for indoor and outdoor use.
- Bonds well to rough, irregular surfaces.
- Minimum application temperature: 10°C.

Order Ref.	Size	Packaging
078273	19 mm x 33 m	1 Roll
227599	19 mm x 33 m (3M)	1 Roll
019811	25 mm x 33 m	1 Roll
EL3008AL	Aluminium slide-in profile – 3000mm x 80mm	1 pc

Order Ref.	Size	Packaging
097200	19 mm x 11.4 cm (4/card)	1 Card



2. Transparent Dual Lock Fasteners

- Invisible and strong fastening, yet easy to reopen.
- High tack adhesive: sticks to a variety of materials.
- Moisture and UV resistant.

Order Ref.	Size	Packaging
256456	25 mm x 5 m	1 box (2 rolls)



3. Magnetic Strips

- Magnetic mounting strips with pressure sensitive adhesive on one side.

Order Ref.	Size	Packaging
058301	25 mm x 100 m	10 strips



4. Cold Temperature Mounting Strips


- Use to mount signs indoors or outdoors.
- May be applied at temperatures as low as -57°C.
- Strips have adhesive on both sides.

Order Ref.	Size	Packaging
055717	25 mm x 16 m	1 Roll

How to order

1. Use the Part Number corresponding with the desired layout and size.
2. Select a sign type (emergency/first aid, fire equipment, mandatory, prohibition, warning)
3. Select a symbol from page 65 or from other pages in this catalogue. Upon ordering, clearly state the PIC number, or refer to the part number of the sign from which you wish to use the symbol. Custom symbols can be used, if supplied in the appropriate file format (eps or Corel Draw).
4. Add your text.


Layout 1



Emergency/
First Aid




Fire Equipment



Mandatory




Prohibition



Warning

Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
150 x 125	800019	800023
300 x 250	800020	800024
594 x 480 (A2)	800021	800025
840 x 595 (A1)	800022	800026


Layout 2



Emergency/
First Aid



Fire Equipment



Mandatory




Prohibition




Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
150 x 125	800027	800031
300 x 250	800028	800032
594 x 480 (A2)	800029	800033
840 x 595 (A1)	800030	800034


Layout 3




Emergency/First Aid



Fire Equipment



Mandatory




Prohibition



Warning

Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
250 x 350	800035	800036

Layout 4



Fire Equipment




Prohibition



Warning


Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
50 x 150	800037	800040
100 x 300	800038	800041
200 x 600	800039	800042

Layout 5




Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
300 x 450	800043	800045
400 x 600	800044	800046


Select any two of these styles to make up your custom Multi-Message Sign




Layout 6




Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
300 x 450	800047	800049
400 x 600	800048	800050




Layout 7




Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
300 x 450	800051	800053
400 x 600	800052	800054






Layout 8



Size (mm)	Self-adhesive Polyester	Rigid Polypropylene
300 x 450	800055	800057
400 x 600	800056	800058



Standard Safety Symbols



Danger
Explosion risk

Strictly
no smoking

Example

- Part Number: 800047
- Type 1: Warning
Type 2: Prohibition
- Symbol 1: PIC301
Symbol 2: PIC200
- Text 1: Danger Explosion risk
Text 2: Strictly no smoking

Size: 300 x 450 mm
Self-adhesive polyester

Extra Large Safety Signs











BRADY
Customize-it


Contact Brady Customer Service
for more information

- Extra large safety signs are excellent for use when signs need to be read quickly and where a standard sized safety sign could be overlooked.
- A highly visible overhead sign helps employees to achieve higher levels of safe work practices.
- All safety colours are possible with a maximum width of 1.20 m and length of 1.20 m.
- Ask for your personalised signs with your company logo!
- The signs are printed on laminated Polyester and can be stuck to a rigid polypropylene or PVC plate on request.

Safety Sign Examples:


ISOPROPANOL STORAGE
(C₃H₇OH)

		
No naked flames	Highly flammable	Harmful chemicals
		
Wear eye protection	Wear gloves	Wear a mask
		



Surfing www.bradyeurope.com is a simple, efficient and timesaving way to learn more about BRADY products and applications, industry developments, events, promotions, etc. anytime, anywhere.


For looking up technical data sheets, downloading upgrades to your Brady printers and software or fast registration of your Brady products, there's just one address:
www.bradyeurope.com



www.bradyeurope.com

BRADY - YOUR COMPLETE WORK SAFETY SOLUTION PROVIDER

Find out more safety products from our extensive portfolio. Visit our websites or contact your nearest Brady representative.



LOCKOUT/TAGOUT - SOLUTIONS FOR HAZARDOUS ENERGY CONTROL

From audit and identification of energy control points, through procedure creation and the selection of adequate products, up to employee training and safety awareness promotion – Brady offers full support and a broad range of products to create your advanced work safety environment.



SCAFFTAG - EQUIPMENT STATUS MANAGEMENT SYSTEMS

Provide essential records of the safe condition of all your site equipment and scaffolding.

- Simple to implement
- Easy for workers to understand
- Specially designed for rough environments
- Highly visible



PIPE MARKERS - EASILY IDENTIFY PIPE CONTENT AND FLOW DIRECTION

The correct identification of pipes ensures a better insight into a building's structure. Accidents, injuries and damage can be prevented.



SORBENTS - SMART SPILL CONTROL

Clean, fast and safe removal of oil, water and chemicals spills.

- Adsorbs 10-25 times its own weight within a few seconds
- Environmentally friendly
- Spend less time cleaning



WHEN PERFORMANCE MATTERS MOST™

BRADY Africa

361 Olympic Duel,
Northlands Business Park
Newmarket Road
Randburg
Tel: +27 11 704 3295
Fax: +27 86 501 7775

BRADY Benelux

Industriepark C/3
Lindestraat 20
9240 Zele, Belgium
Tel. +32 (0) 52 45 78 11
Fax +32 (0) 52 45 78 12

BRADY Central & Eastern Europe

Na Pántoch 18
831 06 Bratislava, Slovakia
Tel. +421 2 3300 4800
Fax +421 2 3300 4801

BRADY Denmark

Svendborgvej 39D
5260 Odense S
Tel. +45 66 14 44 00
Fax +45 66 14 44 50

BRADY France

Parc EURO CIT
45, avenue de l'Europe
59436 Roncq Cedex
Tel. +33 (0) 3 20 01 08 70
Fax +33 (0) 3 20 01 08 76

BRADY Germany

Brady-Straße 1
63329 Egelsbach
Tel. +49 (0) 6103 7598 660
Fax +49 (0) 6103 7598 670

BRADY Hungary

Puskás Tivadar u. 4.
2040 Budaörs
Tel. +36 23 500 275
Fax +36 23 500 276

BRADY Italy

Via Degli Abeti 44
20064 Gorgonzola (MI)
Tel: +39 02 26 00 00 22
Fax: +39 02 25 75 351

BRADY Middle East FZE

PO BOX 18015
Jebel Ali, Dubai, UAE
Tel. +971 4881 2524
Fax +971 4881 3183

BRADY Norway

Kjeller Vest 2
2007 Kjeller
Tel. +47 70 13 40 00
Fax +47 70 13 40 01

BRADY Romania

World Trade Center
Piata Montreal, nr 10
Intrarea F, Etajul 1, Birou 1.16,
Sector 1,
Bucharest, 011469
Tel: +40 21 202 3032
Fax: +40 21 202 3100

BRADY Russia

Avrora Business Park, Office 2305
82/2, Sadovnicheskaya Street
115035 Moscow
Tel: +7 495 225 93 62

BRADY Spain & Portugal

Av. Ventisquero de la condesa 13,
local 17 y 18
28035 Madrid, Spain
Tel. +34 900 902 993
Fax +34 900 902 994

Brady Sweden

Vallgatan 5
170 67 Solna
Tel. +46 (0) 8 590 057 30
Fax +46 (0) 8 590 818 68

BRADY Turkey

Selvili Sok. No:8
13 C Blok K:3 D:5
4.Levent Istanbul 34330
Tel. +90 212 264 02 20 / 264 02 21
Fax +90 212 270 83 19

BRADY UK & Ireland

Wildmere Industrial Estate
Banbury, Oxon – OX16 3JU, UK
Tel. +44 (0) 1295 228 288
Fax +44 (0) 1295 228 100

BRADY WORLDWIDE

Australia	612-8717-6300
Brazil	55-11-3686-4720
Canada	1-800-263-6179
China (Beijing)	86-10-6788-7799
China (Shanghai)	86-21-6886-3666
China (Wuxi)	86-510-528-2222
Hong Kong	852-2359-3149
Japan	81-45-461-3600
Korea	82-31-451-6600
Latin America	1-414-540-5560
Malaysia	60-4-646-2700
Mexico	525-399-6963
New Zealand	61-2-8717-2200
Philippines	63-2-658-2077
Singapore	65-6477-7261
Taiwan	886-3-327-7788
Thailand	66-2-793-9200
USA	1-800-537-8791

Your distributor