

17500 Label printing completely reimagined

INDUSTRIAL LABEL PRINTER

Print the way you

NEVER THOUGHT POSSIBLE

Zero waste. Zero hassle. Zero expertise required.

Introducing high-performance, high-volume, high-mix printing completely reimagined. The i7500 brings smart technology to 76mm core label printing, delivering elevated levels of output with zero waste. Powered by LabelSenseTM Technology, the i7500 is loaded with intuitive features that eliminate tedious tasks for unprecedented ease of use. So many ways to print. So versatile that any situation calls for it. So easy that anyone can do it. The printing possibilities are truly endless with the i7500.



76mm core printing revolutionised

Smart technology and zero-waste printing equipped for 76mm core rolls.



High volume, zero waste

No more wasted time on calibration or trial and error. You'll always print on the very first label.



40-second changeovers

Change materials in just 40 seconds with faster ribbon removal and intuitive loading.



More intuitive. Less intimidating.

Automated features eliminate confusion, tedious tasks and the need to grab an expert.



UNMATCHED PRINTING POSSIBILITIES

High-performance printing meets smart technology

With so many features doing the work for you, the i7500 is the modern way to create premium, professional grade labels. Save time with auto setup. Minimise waste with auto part recognition. And eliminate calibration with auto adjustments. Compatible with any method or material you choose, the i7500 is the total package.

HIGH-PERFORMANCE PRINTING



Volume performance

- Designed for high volumes
- ► High-speed processor
- Ideal for high-mix labelling



3 configurations

- Standard printing with tear-off
- Auto-cut with optional cutter accessory
- ▶ Peel function with internal rewind*



300 and 600* dpi models

- Offers excellent precision
- Prints smaller fonts clearly
- Prints labels as small as 3.18mm
- Interchangeable printhead dpi with no firmware update

NEXT-LEVEL SMARTS

Powered by LabelSense™ Technology



Smart 76mm core format

- Smart printing with i75 Series 76mm core labels
- Smart printing with i75 Series ribbons
- Manual operation with non-i75
 Series labels and ribbons



40-second changeovers

- No sensor adjustments
- No heat or speed adjustments
- Auto-center ribbons
- Faster, cleaner ribbon removal



No wasted labels

- Prints on the first label
- No label calibration required
- No trial and error, headaches or wasted labels
- One-click label setup using Brady Workstation









HIGH PRECISION

Not high maintenance

Easily manage high-volume, high-mix printing with intuitive features that get you to the finish line faster.

Removable bi-fold cover

i7500

BRADY

Reduces footprint on your workspace by 25% compared to most one-piece covers

Print queue

Print immediately or store jobs to print from the display later

Intuitive interface

Communicates installed part numbers, remaining supply, status, in-job navigation and label preview

Big 7" (17cm) colour touchscreen

Large icons are user-friendly and allow for faster navigation

4mm to 109mm label widths

Prints small labels for electronics and laboratories, as well as larger labels up to 109mm wide

Double-sided sleeve printing

External feed slot and print app enable two-pass printing with no wasted sleeves

Connectivity and ports

Three USB ports and Ethernet with optional I/O port and standard Wi-Fi/Bluetooth connection

ZPL* emulator with auto dpi conversion

Send ZPL scripts in 200, 300 or 600 dpi and the i7500 correctly sizes the label even if the installed printhead dpi is different than the script

*ZPL is a trademark owned by Zebra Technologies Corporation

Auto cutter*

Partially or fully cuts off material after a job, label, set or not at all *optional accessory

i7500 PRINTER AUTO CUTTER CONFIGURATION



SUPER EASY setup & start-up

The i7500 is designed with LabelSense™ Technology to enhance and automate features for changeovers a pit crew would be proud of.

1-button ribbon removal

Collapsible spindle for faster, safer, cleaner removal of spent ribbon with no cardboard core required

Anti-wrinkle ribbon bar

Optimises cross-web ribbon tension for even tracking and wrinkle reduction

Field-replaceable printhead with interchangeable dpi

Tool-less, user-replaceable printhead using a single-release pin and connectors

Motorised label optical sensor

Auto-detects installed material and sets sensor to correct mode and moves it to correct location

Easy-access feed path

Wide opening optimises light and line of sight to the print path sensor and guides when side-loading media



Auto-lifting head

Printhead automatically lifts after printing to eliminate pressure indentations and residual ribbon transfer lines

i7500 PRINTER STANDARD CONFIGURATION

LABEL CREATION for how you work best

Revolutionise the way you create labels with this powerful printer, specifically designed with software to make your printing experience seamlessly simple. Hassle-free labelling with no waste, lightning-fast changeovers and a non-intimidating interface anyone can master — all with Brady's world class label materials.



Easy to use

With features like auto detection and auto label setup, all you have to do is type and print.



Driverless operation

No more print drivers to install and manage. Driverless printing keeps work moving smoothly and efficiently.



One-click label setup

Hit 'print' faster with automated features that streamline the entire label creation process.



A full suite of applications

A comprehensive collection of apps and suites, each tailored to specific identification tasks throughout your facility.



Brady Workstation Labelling Software

Get everything you need to create the right label fast.




TO DWG: FLOS REV.O2 PART: Y3385 Sec. 2200051 DWG: 2015 REV.O2 PART:

Auto detection

No more scrolling through a long list of materials, your part number is automatically recognised.

Auto setup

Automatic recognition of label dimensions and labels per row means you can type and print without the need for time-consuming adjustments.



Customisable templates

Create templates with locked or editable elements for consistent label creation.



No driver installation needed

Specify heat, speed and other label properties right from the software (and not a driver).



Data importing

Easily import data from Excel and beyond right onto your labels.



Sequencing

Create labels based on numeric and alphanumeric sequences.

Possibilities powered by LabelSense



Maximise your printing potential with Brady

Welcome to a printing experience you never thought was possible, powered by Brady's exclusive LabelSense™ Technology. Our bi-directional communication system enables the printer, materials and Brady software to "talk" to each other to power many innovative, enhanced and automatic features you only get from Brady. Save time. Eliminate tasks. Reduce waste. You've never seen anything like this before.

INNOVATIVE PRINTING PERFORMANCE

Smart functionality meets mechanical cleverness

Designed to deliver easy, fast, no-waste printing and eliminate all the confusion and time-consuming tasks.



OPTIMISED BRADY MATERIALS

For a faster, easier labelling experience

LabelSense powered materials are pretested to remove all the guesswork, ensuring premium print quality on the first label, on the first try.

LABEL CREATION SOFTWARE

Everything to create the right label fast

Driverless Brady software auto detects
LabelSense powered materials for one-click
label setup — just type and print.



No more pain points. No printer compares.

Welcome to the way label making is supposed to be.

- No wasted labels
- No heat adjustment
- No speed adjustment
- No sensor location adjustment
- No sensor mode selection
- No need for trial and error printing

- No label calibration
- No loading wrong ribbon for installed label
- ► No drivers to install
- ► No complications
- No frustration
- No expert required



Printing made **SEAMLESSLY SIMPLE**

Get the highest level of performance without the headaches

PRINTERS

| Art. No. | Order Reference | Description |
|----------|-----------------|---|
| 177739 | i7500-300-EU | i7500 Industrial Label Printer 300dpi - EU |
| 177741 | i7500-300-C-EU | i7500 Industrial Label Printer 300dpi - EU with Auto cutter |
| 323175 | i7500-300-UK | i7500 Industrial Label Printer 300dpi - UK |
| 323177 | i7500-300-C-UK | i7500 Industrial Label Printer 300dpi - UK with Auto cutter |
| 323176 | i7500-300-US | i7500 Industrial Label Printer 300dpi - US |
| 323178 | i7500-300-C-US | i7500 Industrial Label Printer 300dpi - US with Auto cutter |



Ships with the free Brady Workstation Basic software that includes fundamental apps and features to create labels.

PRINTER KITS

| Art. No. | Order Reference | Description |
|----------|--------------------|---|
| 323185 | i7500-300-EU-BWS | i7500 Industrial Label Printer 300dpi - EU + Brady Workstation Suite |
| 323188 | i7500-300-C-EU-BWS | i7500 Industrial Label Printer 300dpi - EU with Auto cutter + Brady Workstation Suite |
| 323186 | i7500-300-UK-BWS | i7500 Industrial Label Printer 300dpi - UK + Brady Workstation Suite |
| 323189 | i7500-300-C-UK-BWS | i7500 Industrial Label Printer 300dpi - UK with Auto cutter + Brady Workstation Suite |
| 323187 | i7500-300-US-BWS | i7500 Industrial Label Printer 300dpi - US + Brady Workstation Suite |
| 323190 | i7500-300-C-US-BWS | i7500 Industrial Label Printer 300dpi - US with Auto cutter + Brady Workstation Suite |



Ships with a license for the Brady Workstation suite of your preference: Product & Wire Identification, Safety & Facility Identification, or Lab Identification, enabling easy creation of a wide range of labels and signs.



The i7500 Printer 300dpi comes in a cardboard box. It ships with a serrated tear bar (installed) or a heavy duty auto cutter (installed) with a cut label collection tray depending on the model type, a T-20 wrench (177738), a power cord, a USB cable, a stylus, a Brady WorkStation Software and a QuickStart Guide.





i7500 AUTO CUTTER

ACCESSORIES

| Art. No. | Order Reference | Description | |
|----------|-------------------|---|--|
| 177732 | i7500-CUTTER-TRAY | i7500 Cutter Tray | The state of the s |
| 177724 | i7500-ACG-TRAY | i7500 Heavy Duty Guillotine Auto Cutter | |
| 177722 | i7500-PH-300D | i7500 Replacement Printhead 300 dpi | |

REPLACEMENT PRINT ROLLERS

Extend the life of your printhead and optimise print quality with replacement print rollers, available in full width or narrow sizes. When using narrow rollers, always ensure the roller is wider than the label media, and the ribbon is also wider than the roller.

| Art. No. | Order Reference | Description | |
|----------|-------------------|---------------------------|----|
| 177737 | i7500-PR-Roll-25 | i7500 Print Roller 25 mm | G. |
| 177736 | i7500-PR-Roll-50 | i7500 Print Roller 50 mm | - |
| 177735 | i7500-PR-ROLL-80 | i7500 Print Roller 80 mm | 0 |
| 177734 | i7500-PR-ROLL-114 | i7500 Print Roller 114 mm | - |

SPARE MEDIA PLATES & OTHER ACCESSORIES

| Art. No. | Order Reference | Description | |
|----------|------------------|---|--------------------------------|
| 177738 | i7500-T-WRENCH | I7500 Spare T-Wrench accessory | |
| 177729 | i7500-TEARPL-STD | i7500 Tear plate for standard configuration | |
| 149565 | STYLUS-CAP | Stylus for Capacitive displays | |
| 133251 | PCK-6 | Printer Cleaning Kit, Thermal Transfer Printers | School Study of from 17 handon |

PRINT RIBBONS WITHOUT THE WRANGLING

No more trial and error while you fumble with ribbons. LabelSense™ Technology offers enhanced features like faster media loading and automatic calibration for the easiest ribbon loading experience ever.

If you've switched from the Brady i7100, PR+ or other manual printer model to the i7500 smart printer use the conversion chart to see the equivalent i75-Series ribbon part for each Manual-Series 25mm core ribbon part.







Belgium & Luxembourg

+32 (0) 52 45 78 11 benelux@bradycorp.com

Czech Republic

+420 776 302 229 czechrepublic@bradycorp.com

Denmark

+45 66 14 44 00 denmark@bradycorp.com

France

+33 (0) 3 20 76 94 48 france@bradycorp.com

Germany, Austria & Switzerland

+49 (0) 6103 7598 660 germany@bradycorp.com

Hungary

+36 23 500 275 hungary@bradycorp.com

Italy

+39 02 26 00 00 22 italy@bradycorp.com

Netherlands

+31 (0)70 323 62 98 benelux@bradycorp.com

Norway

+47 70 13 40 00 norway@bradycorp.com

Poland

+48 22 104 6262 poland@bradycorp.com

Qatar, Saudi Arabia & UAE

+971 4881 2524 me@bradycorp.com

Slovakia

+421 902 939 406 slovakia@bradycorp.com

South Africa

+27 11 704 3295 africa@bradycorp.com

Spain & Portugal

+34 900 902 993 spain@bradycorp.com portugal@bradycorp.com

Sweden, Finland, Estonia, Latvia, Lithuania

+46 (0) 8 590 057 30 sweden@bradycorp.com

Turkey

+90 212 264 02 20 turkey@bradycorp.com

UK & Ireland

+44 (0) 1295 228 288 uk@bradycorp.com

We make products that make the world a safer and smarter place. From the depths of the ocean to outer space, from the factory floor to the delivery room —

we're just about everywhere you look.



To help minimise our impact on the environment, Brady limits its number of reprints.

Updated versions are always available for download on bradyeurope.com/downloads.



Search for: EUR-M-478-EN



Y6937191

Your distributor