



Laboratory identification and tracking solutions

Product catalog

Laboratory overview

Laboratory identification challenges

Loss means different things across various types of labs, from a minor inconvenience to major devastation:

- In clinical settings, sample loss can lead to misdiagnoses, delays in diagnoses or even fatalities and lawsuits
- In pharmaceutical environments, it can postpone or halt drug development and production
- In academic laboratories, it can impair or even void your findings
- In biotechnology settings, it can compromise your quality control, data integrity or drug safety. It also opens the door for the possibility of intellectual property loss or a delay in technology and product development

In any of these situations, a single sample loss can mean critical data or information will have to be reproduced — putting millions of dollars at risk.



Handwritten labels vs. printed labels



Handwritten labels

- Difficult to read
- Smears when handled
- Limited writing space
- Fades over time when stored
- Erased by chemicals
- Results in lost or misinterpreted information



Printed Brady labels

- Clear, crisp and readable
- Will not smear or fade
- Barcodes hold large amounts of information
- Durable and chemical resistant

Stunning stats

We surveyed 350 scientists about their sample management processes. Nearly **60% reported** having lost samples due to label failure and almost **50% reported** the loss impacted more than **2% of their samples**.

Sample management regulators

Numerous regulators, funders and agencies have expanded their policies on sample management. The new regulations are centered on one primary goal — to help your lab mitigate or eliminate sample loss.

Regulatory Agency	Policy
The Joint Commission	National Patient Safety Goals (NPSG 01.01.01)
College of American Pathologists	Quality Management Plan
Clinical and Laboratory Standards Institute (CLSI)	AUTO12-A
Clinical Laboratory Improvement Amendment (CLIA)	42 USC 263A
Centers for Disease Control (CDC)	Laboratory Best Practices ISBN 1-56238-748-0
National Cancer Institute (NCI)	Best Practices for Biospecimen (ID B.6.2)
Food and Drug Administration (FDA)	GLP 21. CFR Part 56

Brady solutions for today's leading labs

Brady is trusted throughout the industry for reliable, first-rate identification and chain-of-custody tracking systems. No matter what your laboratory studies, Brady labeling solutions can help you maintain effective laboratory practices.

- Label materials that endure freezer storage, liquid nitrogen, autoclave, hot water baths and solvents including xylene, DMSO and ethanol
- Continuous and die-cut labels that match existing sizes of vials, slides, well plates and more
- Printed labels that remain legible throughout sample processing and storage
- Label software and printers that allow barcoding for extensive information storage on even the smallest samples
- Easy-to-use printers and software that save valuable time during training and printing processes
- Ability to seamlessly integrate with your Laboratory Information Management System (LIMS) through Brady's Application Engineering Team



Label printers, software and scanners



Materials that withstand extreme lab conditions without smearing, fading or falling off

Improve productivity with color

Color helps to create a visual language that employees are able to process before they are even aware of it. When color is used as part of a standardized process, it improves efficiency and reduces errors. Brady provides a variety of color solutions that:

- Differentiate samples — find what you're looking for and move through your work faster
- Reduce errors — get context that can help reduce errors and help enhance memory performance
- Labels for every environment — protect your research with colors and labels that survive the harshest lab environments



Color makes it easier to visually process multiple objects at once

Try Brady labels with a free sample pack

Brady's labels are designed for harsh lab environments — test them for yourself.

Request your sample pack at
contactus_sa@bradycorp.com



Printers, software and scanners



Learn more at
BradyID.com/m611



Your durable print-from-everywhere solution



Tube and vial
labels



Cryo tube
labels



Slide
labels



Petri
dishes



General
lab ID



Lean lab / visual
workflow

BradyPrinter M611

MOBILE LABEL PRINTER

Keep your data traceable

Your sample is only as valuable as the data behind it. Don't lose data integrity with poor identification — stay connected to your systems with the BradyPrinter M611 Mobile Label Printer and Brady Workstation Mobile or Desktop Software.

- Seamlessly get your data from your LIMS using data automation and the Brady Workstation Express Labels Mobile App
- High-performance printing in a small footprint when bench space is a premium
- Long-lasting identification with materials designed to survive your harsh lab conditions
- Print from your mobile devices via Bluetooth or Wi-Fi connectivity
- Edit your label data on the go with the Express Labels Mobile App
- Enter data through a form entry window or by scanning barcodes using the device's camera
- Use with Brady Workstation Lab Suite for streamlined template creation

Printer and accessories

Catalog #	Description
M611-AM-BT-W	BradyPrinter M611 Bluetooth / Wi-Fi AC*
M611-BC-KIT1	BradyPrinter M611 with (1) M61-R6010 ribbon and (2) rolls of B-432 1-in. x 2-in. labels*
M-AC-143110	AC adapter and battery charger
BMP-MAGNET-2	Magnet for BradyPrinter M611
BMP-HC-2	Hard case for BradyPrinter M611
BMP-SC-2	Soft case for BradyPrinter M611
BMP-STRAP-1	Carrying strap†
PCK-5	Cleaning kit 5-pack

*Printer ships with AC adapter / battery charger, 2.0 cable, utility strap, PTL-97-488 label material, M61-R4310 ribbon and USB flash drive with product information.

Print ribbons

For best print performance, use the ribbon that corresponds to your material. All ribbons are 2.0 in. x 75 ft.

Catalog #	Color	For use with label materials
M61-R4310	Black	B-403, B-461, B-488, B-490, B-7425
M61-R6010	Black	B-439
M61-R6210	Black	B-499
M61-R6410	Black	B-481, B-492, B-494,

Printers, software and scanners



Learn more at
BradyID.com/i3300



BradyPrinter i3300

INDUSTRIAL LABEL PRINTER

No waste. More labels. Less effort.

Get your ideal label printing scenario with the BradyPrinter i3300 Industrial Label Printer — labels and ribbons that snap into place with no calibration and no wasted blank labels.

- Print smart technology allows the printer to print on the first label — even small labels
- Changeover in a flash — foolproof drop-in label rolls and ribbons snap into place in 20 seconds
- Talk about options, this printer prints on a variety of lab-specific materials
- Expand the possibilities — add Brady Workstation Software to your solution and make label creation even easier
- Get auto calibration in the printer and auto setup in the software with print smart technology that allows the printer, label materials, ribbons and software to work together

Printer and accessories

Catalog #	Description
150642	BradyPrinter i3300 with Brady Workstation Laboratory ID Suite*
149552	BradyPrinter i3300 with Brady Workstation Basic Suite*
150639	BradyPrinter i3300 with Brady Workstation Scan and Print and Scanner*
150645	BradyPrinter i3300 with Brady Workstation GHS App*
120994	Padded rolling case with handle and supply pockets
B31-WIPER	Extra media wipers (5 per pack)
B31-CCT	Cutting tool
PCK-6	IPA printer cleaning swabs 50/pk

*Printer ships with cleaning kit, cutter cleaning tool, power cord, product CD, Quick Start Guide and USB cable.

More than 300 label parts designed specifically for the laboratory



Tube and vial labels



Cryogenic labels



Well and microplate labels



Lean lab / visual workflow



GHS chemical labels



And much more

Print ribbons

For best print performance, use the ribbon that corresponds to your material. Ribbons below are also compatible with the BBP®33 Printer. All ribbons are 4.330 in. x 200 ft.

Catalog #	Color	For use with materials
B30-R4300	Black	B-403, B-424, B-427, B-461, B-490, B-499, B-7425
B30-R6000	Black	B-430, B-481, B-499
B30-R6200	Black	B-498
B30-R6400	Black	B-481, B-482, B-492, B-494
B30-R10000	Black	B-595, B-7569

Printers, software and scanners



Brady Workstation Laboratory ID Suite

This comprehensive software suite is specifically designed to help your lab run more efficiently. Advanced design features allow you to create custom labels that fit the needs of your laboratory. With this collection of apps, you can implement a new identification process that will help eliminate costs and errors and keep things running smoothly.

Brady Workstation Laboratory ID Suite includes the following apps:



Custom Designer
Complete, customized label creation and editing.



Excel Import
Easily import Excel data right onto your labels.



Advanced Import
Import data from sources beyond Excel onto your labels.



Sequence
Labels based on numeric and alphanumeric sequences.



Advanced Sequence
Create dependent and complex sequences for label creation.



Template Editor
Set elements on labels to be editable or locked.



Print Partner
Quickly create labels by filling in a template and printing.



Batch Print
Group files to print together in a batch



Label Settings
Set default horizontal and vertical printing adjustments for specific supplies and printers.



Manage Files
Manage saved files from one screen, with options to preview, categorize and delete.



Network Printers
Connect to your printers via IP address or DNS address.

▶ **Free 30-day trial at**
Workstation.BradylD.com/lab

Catalog #	Description
BWS-LABS-EM	Email activation code

Label design software for your entire lab



Tube and vial labels



Slide labels



Vial top labels



Tissue cassette labels



Equipment labels



And more

Printers, software and scanners

Additional software for your identification needs

The following suites are designed to improve and automate your printing and labeling process:



Scan and Print Suite

This suite can solve your workflow needs by consuming data from a barcode scanner, keyboard or custom script to populate your label templates as part of a labeling workflow.

- Custom Designer
- Text Labels
- Template Editor
- Scan and Print
- Label Settings
- Manage Files
- Network Printers

Catalog #	Description
BWS-SPS-EM	Email activation
BWS-SPS-CD	CD*



Print Partner Suite

This suite includes everything you need to fill in your templates and print, including importing data from a variety of supported data sources or automatically generating sequential data for your labels.

- Excel Import
- Advanced Import
- Sequence
- Advanced Sequence
- Print Partner
- Network Printers

Catalog #	Description
BWS-PPS-EM	Email activation
BWS-PPS-EM-VOL	Email with volume license activation
BWS-PPS-CD	CD*
BWS-PPS-CD-VOL	Volume license CD*



Basic Label Design Suite

Use this free software option to get started designing your labels. You get basic formatting capabilities, graphics and simple barcode libraries.

- Custom Designer LITE
- Excel Import
- Sequence
- Batch Print
- Label Settings
- Manage Files
- Network Printers

Free download at Workstation.BradyID.com/FREE



GHS Chemical Identification App

We've streamlined the label creation process so you can easily enter the data once from your SDS sheets, then create and print GHS labels. You can also auto-populate your GHS labels using the built-in chemical database.

Catalog #	Description
BWRK-GHS-DWN	Email activation



Sample collection and processing labels

Well and microplate labels

Brady's well and microplate labels can withstand varying temperature processes and have a thin profile, short height and long width to fit the necessary information on the plate.

- B-488 – White polyester with moderate chemical resistance and short-term exposure to xylene, DMSO and ethanol
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers




Figure 2




Figure 25




Figure 82




Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BMP®51 Label Printer cartridges								
Fig. 2	M-81-488	B-488	Black on white	1.900 (48.3)	0.250 (6.4)	1	160	In cartridge
BradyPrinter M611 label rolls								
Fig. 82	M61-2-7425	B-7425	White	0.250 (6.4)	2.000 (50.8)	1	100	M61-R4310
BradyPrinter i3300 and BBP®33 Printer label rolls								
Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	2	1,500	B30-R6000
Fig. 2	B33-151-490	B-490	White	2.000 (50.8)	0.250 (6.4)	1	2,500	B30-R4300
Fig. 2	B33-151-499	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1,500	B30-R6000
Fig. 2	B33-151-7425	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	B30-R4300
Fig. 2	B33-53-7425	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	B30-R4300

BBP®12 Printer and other industry printers using 1-inch small core label rolls								
Fig. 2	THT-151-499-1.5-SC	B-499	White	2.000 (50.8)	0.250 (6.4)	1	1,500	R4913
Fig. 2	THT-151-7425-2-SC	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R6413
Fig. 2	THT-53-7425-2-SC	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R6413
BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls								
Fig. 2	THT-15-488-2.5	B-488	White	2.000 (50.8)	0.250 (6.4)	1	2,500	R4302 / IP-R4302
Fig. 2	THT-151-499-3	B-499	White	2.000 (50.8)	0.250 (6.4)	1	3,000	R6000 / IP-R6000
Fig. 2	THT-151-7425-2	B-7425	White	2.000 (50.8)	0.250 (6.4)	1	2,000	R4302 / IP-R4302
Fig. 2	THT-53-7425-2	B-7425	White	2.000 (50.8)	0.500 (12.7)	1	2,000	R4302 / IP-R4302

Centrifuge and conical tube labels

Designed with ultra-thin material that prevents vials from jamming in centrifuges or racks. These labels withstand harsh temperatures and chemicals without falling off, fading or smearing.

- B-461 – All-white, ultra-thin polyester label. Also available in a self-laminating format
- B-427 – Durable all-white vinyl label is good for wrapping and conformability. Must be wrapped upon itself when used in liquid nitrogen
- B-432 – Clear polyester withstands exposure to solvents and exhibits good adhesion to metal and other surfaces
- B-490 – White polyester ideal for flat frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-492 – Ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature tubes and vials. Must have small overlap if applied to already frozen containers
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BMP®21-LAB Label Printer cartridges										
15 mL	Fig. 33b	M21-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
BMP®51 Label Printer cartridges										
15 mL	Fig. 83	M-95-492	B-492	Black on white	0.600 (15.2)	1.625 (41.3)	0.375 (9.5) dia.	1	200	In cartridge
	Fig. 2	M-156-492	B-492	Black on white	1.000 (25.4)	0.900 (22.9)	-	1	180	In cartridge
	Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 82	M-78-432-CL-BK	B-432	Black on clear	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 82	M-78-492	B-492	Black on white	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 82	M-128-499	B-499	Black on white	1.000 (25.4)	1.900 (48.3)	-	1	100	In cartridge
	Fig. 33	MC-1000-499	B-499	Black on white	1.000 (25.4)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
50 mL	Fig. 33	MC-1000-461	B-461	Black on white	1.000 (25.4)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-1250-461	B-461	Black on white	1.250 (31.8)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 82	M-113-490	B-490	Black on white	1.500 (38.1)	2.200 (55.9)	-	1	140	In cartridge
	Fig. 82	M-114-490	B-490	Black on white	1.500 (38.1)	3.750 (95.3)	-	1	80	In cartridge

*Tube sizes may vary by brand.

Centrifuge and conical tube labels continue on next page.

Sample collection and processing labels

Centrifuge and conical tube labels (continued)




Figure 2




Figure 3




Figure 5a




Figure 33




Figure 82

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BradyPrinter M611 label rolls										
15 mL	Fig. 82	M61-156-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 82	M61-203-490	B-490	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R4310
	Fig. 82	M61-203-492	B-492	White	1.000 (25.4)	1.750 (44.5)	-	1	250	M61-R6410
	Fig. 82	M61-204-492	B-492	White	1.000 (25.4)	1.900 (48.3)	-	1	250	M61-R6410
	Fig. 33	M61C-1000-499	B-499	White	1.000 (25.4)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-1000-461	B-461	All White	1.000 (25.4)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 33	M61C-1250-461	B-461	All White	1.250 (31.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
50 mL	Fig. 2	PTL-78-490	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	250	M61-R4310
	Fig. 82	PTL-113-490	B-490	White	1.500 (38.1)	2.200 (55.9)	-	1	100	M61-R4310
	Fig. 82	PTL-114-490	B-490	White	1.500 (38.1)	3.875 (98.4)	-	1	100	M61-R4310
BradyPrinter i3300 and BBP®33 Printer label rolls										
15 mL	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1,900	B30-R6400
	Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-136-499	B-499	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	B30-R6000
	Fig. 2	B33-136-7425	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	1,500	B30-R4300
	Fig. 2	B33-258-7425	B-7425	White	1.500 (38.1)	1.750 (44.5)	-	1	900	B30-R4300
	Fig. 2	B33-155-490	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	B30-R4300
	Fig. 2	B33-156-490	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-156-492	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	B30-R6400
50 mL	Fig. 2	B33-137-499	B-499	White	2.000 (50.8)	1.000 (25.4)	-	1	1,100	B30-R6000
	Fig. 2	B33-137-7425	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-157-490	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,000	B30-R4300
	Fig. 2	B33-158-490	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	1,000	B30-R4300

Centrifuge and conical tube labels continue on next page.




Sample collection and processing labels

Centrifuge and conical tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BBP®12 Printer and other industry printers using 1-inch small core label rolls										
15 mL	Fig. 2	THT-179-492-2.5-SC	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	2,500	R6413
	Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
	Fig. 2	THT-136-7425-2-SC	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	2,000	R6413
	Fig. 2	THT-155-490-1.5-SC	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	1,500	R4313
	Fig. 2	THT-258-7425-2-SC	B-7425	White	1.750 (44.5)	1.500 (38.1)	-	1	2,000	R6413
	Fig. 2	THT-156-490-1.5-SC	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R4313
	Fig. 2	THT-156-492-1.5-SC	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	1,500	R6413
15 mL top	Fig. 5a	THT-143-492-1.5-SC	B-492	White	0.375 (9.5) dia.	-	-	4	1,500	R6413
50 mL	Fig. 2	THT-137-7425-2-SC	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R6413
	Fig. 2	THT-157-490-1.5-SC	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	1,500	R4313
	Fig. 2	THT-158-490-1.5-SC	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	1,500	R4313
BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls										
15 mL	Fig. 2	THT-135-427-3-AW	B-427	All White	0.750 (19.1)	1.500 (38.1)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-179-492-3	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-136-7425-2	B-7425	White	1.500 (38.1)	0.750 (19.1)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-155-490-3	B-490	White	1.625 (41.3)	0.600 (15.2)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-258-7425-2	B-7425	White	1.750 (44.5)	1.500 (38.1)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-156-490-3	B-490	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-156-492-3	B-492	White	1.900 (48.3)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
50 mL	Fig. 2	THT-137-7425-2	B-7425	White	2.000 (50.8)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-137-427-3-AW	B-427	All White	2.000 (50.8)	1.000 (25.4)	-	1	3,000	R4302 / IP-R4302
	Fig. 2	THT-157-490-3	B-490	White	2.200 (55.9)	1.500 (38.1)	-	1	3,000	R4300 / IP-R4300
	Fig. 2	THT-158-490-3	B-490	White	3.750 (95.3)	1.500 (38.1)	-	1	3,000	R4307 / IP-R4307

Self-laminating centrifuge and conical tube labels

- B-461 – Ultra-thin polyester with clear overlamine tail that protects print and allows liquid levels to be visible



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BMP®51 Label Printer cartridges										
15 mL	Fig. 15	M-129-461	B-461	Black on white	2.250 (57.2)	1.500 (38.1)	1.250 (31.7)	1	140	In cartridge
	Fig. 15	M-119-461	B-461	Black on white	3.750 (95.3)	1.500 (38.1)	1.250 (31.7)	1	80	In cartridge
BradyPrinter M611 label rolls										
15 mL	Fig. 14	PTL-77-461	B-461	White	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	1	250	M61-R4310
BradyPrinter i3300 and BBP®33 Printer label rolls										
15 mL	Fig. 14c	B33-276-461	B-461	White	2.625 (66.7)	1.000 (25.4)	1.000 (25.4)	2	1,500	B30-R4300
	Fig. 15	B33-134-461	B-461	White	3.500 (88.9)	1.500 (38.1)	1.250 (31.8)	1	1,000	B30-R4300
BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls										
15 mL	Fig. 14c	THT-139-461-2	B-461	White	1.000 (25.4)	5.250 (133.4)	1.500 (38.1)	2	2,000	R4300 / IP-R4300
	Fig. 15	THT-134-461-3	B-461	White	1.500 (38.1)	3.500 (88.9)	1.250 (31.8)	1	3,000	R4307 / IP-R4307


*Tube sizes may vary by brand.

Sample collection and processing labels

Microcentrifuge and PCR tube labels

Designed to fit the small sizes of microcentrifuge and PCR tubes, these labels withstand harsh temperatures and chemicals without falling off, fading or smearing. Once in the microcentrifuge, vial top labels allow you to quickly extract specific vials.

- B-430 – Clear high-performance polyester label
- B-461 – All-white, ultra-thin polyester label. Also available in a self-laminating format
- B-490 – White polyester is ideal for flat frozen surfaces. Adheres to frozen tubes and vials when wrapped around itself by at least 0.125 inch
- B-492 – Ultra-thin white polyester with superior chemical and abrasion resistance for labeling frosted, frozen or room-temperature tubes and vials. Must have small overlap if applied to already frozen containers
- B-494 – Glossy polyester with a printed color bar that allows for quick visual differentiation between samples. Withstands liquid nitrogen, a variety of chemicals and more. Label dimensions listed below include the color bar area. Vial tops are solid color
- B-499 – White nylon cloth with permanent adhesive for easy handling and conformability
- B-7425 / B-7425J – Economical white polypropylene label with moderate chemical resistance that is ideal for labeling dry, room-temperature specimen containers. Must be applied to containers prior to being frozen



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BMP®21-LAB Label Printer cartridges										
2 mL	Fig. 33b	M21-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-430	B-430	Black on clear	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-7425	B-7425	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-750-461	B-461	Black on white	0.750 (19.1)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
0.5 mL	Fig. 33b	M21-250-430	B-430	Black on clear	0.250 (6.4)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-499	B-499	Black on white	0.375 (9.5)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-430	B-430	Black on clear	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-7425	B-7425	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-375-461	B-461	Black on white	0.375 (9.5)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-430	B-430	Black on clear	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-7425	B-7425	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-461	B-461	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33b	M21-500-461	B-461	Black on white	0.500 (12.7)	21 ft. (6.4 m)	-	1	1 roll (cont.)	In cartridge
BMP®51 Label Printer cartridges										
0.5 mL	Fig. 82	M-130-499	B-499	Black on white	0.375 (9.5)	0.825 (21.0)	-	1	220	In cartridge
	Fig. 33	MC-375-499	B-499	Black on white	0.375 (9.5)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-375-461	B-461	Black on white	0.375 (9.5)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-499	B-499	Black on white	0.500 (12.7)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-492	B-492	Black on white	0.500 (12.7)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 33	MC-500-461	B-461	Black on white	0.500 (12.7)	25 ft. (7.6 m)	-	1	1 roll (cont.)	In cartridge

Microcentrifuge and PCR tube labels continue on next page.

Sample collection and processing labels

Microcentrifuge and PCR tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.5 mL	Fig. 82	M-131-492	B-492	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-BL	B-494	Black on blue / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-GN	B-494	Black on green / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-OR	B-494	Black on orange / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-PK	B-494	Black on pink / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-RD	B-494	Black on red / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-494-YL	B-494	Black on yellow / white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-131-499	B-499	Black on white	0.500 (12.7)	1.000 (25.4)	-	1	180	In cartridge
	Fig. 82	M-124-492	B-492	Black on white	0.500 (12.7)	1.650 (41.9)	-	1	180	In cartridge
	Fig. 24	M-118-492	B-492	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-GN	B-494	Black on green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-YL	B-494	Black on red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-118-494-RD	B-494	Black on yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	250	In cartridge
	Fig. 24	M-118-499	B-499	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	2	240	In cartridge
	Fig. 24	M-118-7425	B-7425	Black on white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-BL	B-494	Black on blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-GN	B-494	Black on green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-OR	B-494	Black on orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-PK	B-494	Black on pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-RD	B-494	Black on red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-494-YL	B-494	Black on yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-120-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	240	In cartridge
	Fig. 24	M-117-492	B-492	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
	Fig. 24	M-117-499	B-499	Black on white	1.000 (25.4)	0.500 (12.7)	0.438 (11.1) dia.	2	240	In cartridge
	Fig. 2	M-112-490	B-490	Black on white	1.250 (31.8)	0.375 (9.5)	-	1	360	In cartridge
	Fig. 2	M-112-492	B-492	Black on white	1.250 (31.8)	0.375 (9.5)	-	1	360	In cartridge
2 mL	Fig. 33	MC-750-499	B-499	Black on white	0.750 (19.1)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 2	M-156-492	B-492	Black on white	1.000 (25.4)	0.900 (22.9)	-	1	180	In cartridge
	Fig. 2	M-49-494-BL	B-494	Black on blue / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-GN	B-494	Black on green / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-OR	B-494	Black on orange / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-PK	B-494	Black on pink / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-RD	B-494	Black on red / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 2	M-49-494-YL	B-494	Black on yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	260	In cartridge
	Fig. 33	MC-1000-499	B-499	Black on white	1.000 (25.4)	16 ft. (4.8 m)	-	1	1 roll (cont.)	In cartridge
	Fig. 8	M-82-499	B-499	Black on white	0.375 (9.5) dia.	-	-	1	240	In cartridge
Any top	Fig. 8	M-82-492	B-492	Black on white	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-OR-BK	B-499	Black on orange	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-RD-BK	B-499	Black on red	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-82-499-YL-BK	B-499	Black on yellow	0.375 (9.5) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-499	B-499	Black on white	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-492	B-492	Black on white	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-499-OR-BK	B-499	Black on orange	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-499-RD-BK	B-499	Black on red	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-499-YL-BK	B-499	Black on yellow	0.500 (12.7) dia.	-	-	1	240	In cartridge
	Fig. 8	M-83-499-YL-BK	B-499	Black on yellow	0.500 (12.7) dia.	-	-	1	240	In cartridge
BradyPrinter M611 label rolls										
0.5 mL	Fig. 33	M61C-375-499	B-499	White	0.375 (9.5)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-375-461	B-461	White	0.375 (9.5)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 33	M61C-500-499	B-499	White	0.500 (12.7)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 33	M61C-500-492	B-492	White	0.500 (12.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R6410
	Fig. 33	M61C-500-461	B-461	White	0.500 (12.7)	50 ft. (15.2 m)	-	1	1 roll (cont.)	M61-R4310
	Fig. 2	M61-130-499	B-499	White	0.825 (21.0)	0.375 (9.5)	-	1	500	M61-R6210

Microcentrifuge and PCR tube labels continue on next page.

*Tube sizes may vary by brand.

Sample collection and processing labels

Microcentrifuge and PCR tube labels (continued)




Figure 1




Figure 2




Figure 5a




Figure 8




Figure 24




Figure 25




Figure 33




Figure 82

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.5 mL	Fig. 82	M61-47-499	B-499	White	0.500 (12.7)	1.000 (25.4)	-	1	500	M61-R6210
	Fig. 82	M61-124-492	B-492	White	0.500 (12.7)	1.650 (41.9)	-	1	500	M61-R6410
	Fig. 24	M61-117-492	B-492	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6410
	Fig. 24	PTL-117-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	500	M61-R6210
	Fig. 24	M61-98-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	M61-98-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6410
	Fig. 24	PTL-98-499	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R6210
	Fig. 24	M61-98-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	500	M61-R4310
	Fig. 2	M61-17-492	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	250	M61-R6410
	Fig. 2	M61-17-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R6410
	Fig. 2	M61-17-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	500	M61-R4310
	Fig. 24	M61-120-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6410
	Fig. 24	M61-120-499	B-499	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	250	M61-R6210
	Fig. 2	M61-199-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	250	M61-R4310
	Fig. 2	PTL-112-490	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	500	M61-R4310
	Fig. 33	M61C-750-499	B-499	White	0.750 (19.1)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 82	M61-156-492	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-18-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	1	250	M61-R4310
2 mL	Fig. 2	M61-19-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 2	M61-19-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	250	M61-R6410
	Fig. 33	M61C-1000-499	B-499	White	1.000 (25.4)	30 ft. (9.1 m)	-	1	1 roll (cont.)	M61-R6210
	Fig. 8	M61-82-492	B-492	White	0.375 (9.5) dia.	-	-	1	500	M61-R6410
	Fig. 8	PTL-82-499	B-499	White	0.375 (9.5) dia.	-	-	1	500	M61-R6210
Any top	Fig. 8	PTL-82-499-YL	B-499	Yellow	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-82-499-OR	B-499	Orange	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-82-499-RD	B-499	Red	0.375 (9.5) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-83-492	B-492	White	0.500 (12.7) dia.	-	-	1	500	M61-R6410
	Fig. 8	PTL-83-499	B-499	White	0.500 (12.7) dia.	-	-	1	500	M61-R6210
	Fig. 8	PTL-83-499-YL	B-499	Yellow	0.500 (12.7) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-83-499-OR	B-499	Orange	0.500 (12.7) dia.	-	-	1	500	M61-R6210
	Fig. 8	M61-83-499-RD	B-499	Red	0.500 (12.7) dia.	-	-	1	500	M61-R6210
BradyPrinter i3300 and BBP#33 Printer label rolls										
0.5 mL	Fig. 1	B33-68-490	B-490	White	0.500 (12.7)	0.750 (19.1)	-	4	2,500	B30-R4300
	Fig. 1	B33-68-499	B-499	White	0.500 (12.7)	0.750 (19.1)	-	4	1,500	B30-R6000
	Fig. 2	B33-257-7425	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	1,500	B30-R4300
	Fig. 2	B33-125-490	B-490	White	0.900 (22.9)	0.500 (12.7)	-	1	1,650	B30-R4300
	Fig. 2	B33-125-499	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	B30-R6000
	Fig. 24	B33-126-490	B-490	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	2,500	B30-R4300
	Fig. 24	B33-126-499	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	2	1,500	B30-R4300

Microcentrifuge and PCR tube labels continue on next page.

*Tube sizes may vary by brand.

Sample collection and processing labels

Microcentrifuge and PCR tube labels (continued)

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
1.5 mL	Fig. 25	B33-152-492	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	B30-R6400
	Fig. 25	B33-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6400
	Fig. 25	B33-152-499	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	1,500	B30-R6000
	Fig. 25	B33-152-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	B30-R4300
	Fig. 24	B33-163-492	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 2	B33-163-499	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R6000
	Fig. 24	B33-249-7425	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	B30-R4300
	Fig. 2	B33-59-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	B30-R4300
	Fig. 24	B33-181-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
	Fig. 24	B33-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	B30-R6400
2 mL	Fig. 24	B33-182-492	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R6400
	Fig. 24	B33-251-7425	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	B30-R4300
	Fig. 2	B33-154-490	B-490	White	1.250 (31.8)	0.375 (9.5)	-	1	1,500	B30-R4300
	Fig. 2	B33-256-7425	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	1,500	B30-R4300
	Fig. 25	B33-88-7425	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	B30-R4300
	Fig. 2	B33-179-492	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	1,900	B30-R6400
	Fig. 2	B33-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
Any top	Fig. 2	B33-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R6400
	Fig. 2	B33-179-7425	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	1,500	B30-R4300
Any top	Fig. 5a	B33-143-492	B-492	White	0.375 (9.5)	-	-	4	1,500	B30-R6400
	Fig. 5a	B33-143-499	B-499	White	0.375 (9.5)	-	-	4	1,500	B30-R6000
	Fig. 5a	B33-144-490	B-490	White	0.500 (12.7) dia.	-	-	3	2,500	B30-R4300
	Fig. 5a	B33-144-492	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6400
	Fig. 5a	B33-144-499	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	B30-R6000
BBP®12 Printer and other industry printers using 1-inch small core label rolls										
0.5 mL	Fig. 2	THT-257-7425-2-SC	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R6413
	Fig. 2	THT-125-499-1.5-SC	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	1,500	R4913
	Fig. 25	THT-152-492-2.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	2,500	R6413
	Fig. 25	THT-152-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	1,500	R4913
	Fig. 25	THT-152-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R6413
	Fig. 24	THT-249-492-1.5-SC	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-249-499-1.5-SC	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	1,500	R4913
	Fig. 24	THT-249-7425-2-SC	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R6413
1.5 mL	Fig. 2	THT-59-492-2.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2,500	R6413
	Fig. 2	THT-59-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R6413
	Fig. 24	THT-250-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	1,500	R6413
	Fig. 24	THT-251-492-1.5-SC	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	1,500	R6413
	Fig. 24	THT-251-7425-2-SC	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R6413
	Fig. 2	THT-256-7425-2-SC	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R6413

*Tube sizes may vary by brand.

Microcentrifuge and PCR tube labels continue on next page.

Sample collection and processing labels

Microcentrifuge and PCR tube labels (continued)




Figure 2




Figure 5a




Figure 24




Figure 25

Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Secondary label C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
2 mL	Fig. 25	THT-88-7425-2-SC	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R6413
	Fig. 2	THT-179-492-2.5-SC	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	2,500	R6413
	Fig. 2	THT-179-7425-2-SC	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R6413
Any top	Fig. 5a	THT-143-492-1.5-SC	B-492	White	0.375 (9.5) dia.	-	-	4	1,500	R6413
	Fig. 5a	THT-144-492-1.5-SC	B-492	White	0.500 (12.7) dia.	-	-	3	1,500	R6413
	Fig. 5a	THT-144-499-1.5-SC	B-499	White	0.500 (12.7) dia.	-	-	3	1,500	R4913
BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls										
0.5 mL	Fig. 2	THT-257-7425-2	B-7425	White	0.825 (21.0)	0.250 (6.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-125-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	-	1	3,000	R6000 / IP-R6000
	Fig. 24	THT-126-499-3	B-499	White	0.900 (22.9)	0.500 (12.7)	0.500 (12.7) dia.	1	3,000	R6000 / IP-R6000
1.5 mL	Fig. 25	THT-152-492-3	B-492	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-BL	B-494	Blue / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-GN	B-494	Green / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-OR	B-494	Orange / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-PK	B-494	Pink / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-RD	B-494	Red / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-494-YL	B-494	Yellow / white	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6402 / IP-R6402
	Fig. 25	THT-152-499-3	B-499	White	1.000 (25.4)	0.375 (9.5)	-	2	3,000	R6000 / IP-R6000
	Fig. 25	THT-152-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	-	2	2,000	R4302 / IP-R4302
	Fig. 24	THT-163-492-3	B-492	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-163-499-3	B-499	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	3,000	R6000 / IP-R6000
	Fig. 24	THT-249-7425-2	B-7425	White	1.000 (25.4)	0.375 (9.5)	0.375 (9.5) dia.	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-59-492-10	B-492	White	1.000 (25.4)	0.500 (12.7)	-	1	2 rolls of 5,000	R6400 / IP-R6400
	Fig. 2	THT-59-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	-	1	2,000	R4302 / IP-R4302
	Fig. 24	THT-181-492-3	B-492	White	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6400 / IP-R6400
	Fig. 24	THT-250-494-BL	B-494	Blue / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-GN	B-494	Green / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-OR	B-494	Orange / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-PK	B-494	Pink / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-RD	B-494	Red / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
	Fig. 24	THT-250-494-YL	B-494	Yellow / white	1.000 (25.4)	0.500 (12.7)	0.375 (9.5) dia.	1	3,000	R6402 / IP-R6402
2 mL	Fig. 24	THT-182-492-3	B-492	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	3,000	R6400 / IP-R6400
	Fig. 24	THT-251-7425-2	B-7425	White	1.000 (25.4)	0.500 (12.7)	0.440 (11.2) dia.	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-256-7425-2	B-7425	White	1.300 (33.0)	0.600 (15.2)	-	1	2,000	R4302 / IP-R4302
	Fig. 2	THT-180-492-3	B-492	White	0.900 (22.9)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 25	THT-88-7425-2	B-7425	White	1.000 (25.4)	0.750 (19.1)	-	2	2,000	R4302 / IP-R4302
	Fig. 2	THT-179-492-3	B-492	White	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6400 / IP-R6400
	Fig. 2	THT-179-494-BL	B-494	Blue / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-GN	B-494	Green / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-OR	B-494	Orange / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-PK	B-494	Pink / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-RD	B-494	Red / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-494-YL	B-494	Yellow / white	1.000 (25.4)	1.000 (25.4)	-	1	3,000	R6402 / IP-R6402
	Fig. 2	THT-179-7425-2	B-7425	White	1.000 (25.4)	1.000 (25.4)	-	1	2,000	R4302 / IP-R4302
	Fig. 5a	THT-143-492-3	B-492	White	0.375 (9.5) dia.	-	-	3	3,000	R6402 / IP-R6402
	Fig. 5a	THT-143-499-3	B-499	White	0.375 (9.5) dia.	-	-	4	3,000	R6000 / IP-R6000
Any top	Fig. 5a	THT-144-492-3	B-492	White	0.500 (12.7) dia.	-	-	3	3,000	R6402 / IP-R6402
	Fig. 5a	THT-144-499-3	B-499	White	0.500 (12.7) dia.	-	-	3	3,000	R6000 / IP-R6000

Sample collection and processing labels

Self-laminating microcentrifuge and PCR tube labels

- B-461 – Ultra-thin polyester with clear overlamine tail that protects print and allows liquid levels to be visible




Figure 14




Figure 14b




Figure 15



Fits tube size*	Figure	Catalog #	Material	Color	Label width A inch (mm)	Label length B inch (mm)	Print-on area C inch (mm)	Labels per row	Labels per roll	Recommended ribbon
BMP®51 Label Printer cartridges										
0.5 mL	Fig. 15	M-123-461	B-461	Black on white	1.125 (28.6)	0.375 (9.5)	0.750 (19.0)	1	360	In cartridge
	Fig. 15	M-122-461	B-461	Black on white	1.125 (28.6)	0.500 (12.7)	0.750 (19.0)	1	360	In cartridge
	Fig. 15	M-124-461	B-461	Black on white	1.650 (41.9)	0.500 (12.7)	0.750 (19.0)	1	180	In cartridge
	Fig. 15	M-72-461	B-461	Black on white	1.750 (44.5)	0.500 (12.7)	0.750 (19.0)	1	180	In cartridge
1.5 mL	Fig. 15	M-126-461	B-461	Black on white	1.800 (45.7)	0.600 (15.2)	1.000 (25.4)	1	180	In cartridge
	Fig. 15	M-86-461	B-461	Black on white	2.625 (66.7)	0.600 (15.2)	1.000 (25.4)	1	120	In cartridge
2 mL	Fig. 15	M-74-461	B-461	Black on white	2.200 (55.9)	0.500 (12.7)	0.750 (19.0)	1	140	In cartridge
BradyPrinter M611 label rolls										
0.5 mL	Fig. 14	M61-202-461	B-461	White	0.500 (12.7)	1.650 (41.9)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	M61-123-461	B-461	White	1.125 (28.6)	0.375 (9.5)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	M61-122-461	B-461	White	1.125 (28.6)	0.500 (12.7)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	PTL-76-461	B-461	White	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	1	250	M61-R4310
	Fig. 15	PTL-73-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	500	M61-R4310
	Fig. 15	PTL-72-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	500	M61-R4310
1.5 mL	Fig. 14	M61-201-461	B-461	White	0.600 (15.2)	1.800 (45.7)	1.000 (25.4)	1	100	M61-R4310
	Fig. 15	PTL-108-461	B-461	White	1.500 (38.1)	0.187 (4.75)	0.700 (17.8)	1	750	M61-R4310
2 mL	Fig. 14	M61-203-461	B-461	White	1.000 (25.4)	1.750 (44.5)	1.000 (25.4)	1	100	M61-R4310
	Fig. 14	PTL-74-461	B-461	White	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	1	100	M61-R4310
	Fig. 14	PTL-79-461	B-461	White	3.750 (95.3)	0.750 (19.1)	1.000 (25.4)	1	100	M61-R4310
BradyPrinter i3300 and BBP®33 Printer label rolls										
0.5 mL	Fig. 15	B33-123-461	B-461	White	1.800 (45.7)	0.375 (9.5)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 15	B33-122-461	B-461	White	1.800 (45.7)	0.500 (12.7)	0.750 (19.1)	1	1,500	B30-R4300
	Fig. 14b	B33-127-461	B-461	White	2.200 (55.9)	0.500 (12.7)	0.750 (19.1)	3	1,500	B30-R4300
1.5 mL	Fig. 14b	B33-133-461	B-461	White	1.625 (41.3)	0.600 (15.2)	1.000 (25.4)	3	1,500	B30-R4300
BBP®12 Printer and other industry printers using 1-inch small core label rolls										
0.5 mL	Fig. 15	THT-122-461-1.5-SC	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-127-461-1.5-SC	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	1,500	R4313
	Fig. 15	THT-123-461-1.5-SC	B-461	White	0.750 (19.1)	1.800 (45.7)	0.750 (19.1)	1	1,500	R4313
1.5 mL	Fig. 15	THT-133-461-1.5-SC	B-461	White	0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	1	1,500	R4313
	Fig. 15	THT-153-461-1.5-SC	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	1,500	R4313
BradyPrinter i5100, i7100, Brady IP Printers and other industry printers using 3-inch core label rolls										
0.5 mL	Fig. 15	THT-123-461-3	B-461	White	0.375 (9.5)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-122-461-3	B-461	White	0.500 (12.7)	1.800 (45.7)	0.750 (19.1)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-127-461-3	B-461	White	0.500 (12.7)	2.200 (55.9)	0.750 (19.1)	1	3,000	R4300 / IP-R4300
1.5 mL	Fig. 15	THT-133-461-3	B-461	White	0.600 (15.2)	1.625 (41.3)	1.000 (25.4)	1	3,000	R4302 / IP-R4302
	Fig. 15	THT-153-461-3	B-461	White	0.600 (15.2)	2.625 (66.7)	1.000 (25.4)	1	3,000	R4300 / IP-R4300

*Tube sizes may vary by brand.